

**DR TALBOTS INFANT TUMMY ACHE RELIEF- calendula officinalis 12x,carbo vegetabilis 12x,lycopodium 30x,foeniculum vulgare 12x,nux moschata 12x,zingiber officinale 12x,kali muriaticum 6x,magnesia phosphorica 12x,natrum phosphoricum 6x liquid  
Talbot's Pharmaceuticals Family Products,LLC.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

## **Active Ingredient**

### **Active ingredients (HPUS):**

- Calendula officinalis 12X
- Carbo vegetabilis 12X
- Chamomilla 12X
- Foeniculum vulgare 12X
- Lycopodium 30X
- Nux moschata 12X
- Zingiber officinalen 12X

### **Cell Salts:**

- Kali muriaticum 6X
- Magnesia phosphorica 12X
- Natrum phosphoricum 6X

NDC 70197-317-41

**Directions:**

- Shake before use. Natural juice will settle.
- Measure only with the dosing syringe provided.
- Do not use dosing syringe with other products.
- On dosing syringe, weight is specific to product.
- On dosing syringe, mL = milliliter; lbs = pounds; kgs = kilograms.

Children under 6 months of age, consult a medical professional before using this product. For sudden onset of symptoms: Use every 15 minutes for up to 8 doses until symptoms relieved, every 2 hours thereafter.

Children	Dose
6 - 16 lbs or 3 - 8 kgs	1.25 mL every 2 hours*
18 - 29 lbs or 9 - 13 kgs	2.5 mL every 2 hours*
30 - 90 lbs or 14 - 41 kgs	5 mL every 2 hours*

\*Reduce frequency when symptoms improve.

**Inactive ingredients:** Apple juice, citric acid, glycerin, potassium sorbate, purified water.

**Questions or comments?** Call us at 1-855-368-7755 (U.S.A. only) M-F 8am-5pm CST

Form DTHF-30009v3 Manufactured for:  
 © 2018, 2022 TPRF, LLC, Talbot's Pharmaceuticals  
 Dr. Talbot's TM and Family Products, LLC,  
 Dr. Talbot's logo licensed Monroeville, LA 71251  
 to TPRF, LLC by 1-855-368-7755 (U.S.A. only)  
 Adair International www.drbotbotts.com  
 Made in U.S.A. with U.S. & imported materials. Recycle Here!

**DR. TALBOT'S**  
Naturally Inspired

**6m+**

## Infant Tummy Ache Relief

with Cell Salts

Temporarily Relieves:

- Diarrhea
- Stomach Acid
- Gas & Bloating
- Upset Stomach
- Nervous Tummy



Alcohol Free • No Dyes or Parabens

**Active ingredients (HPUS):**  
 Calendula officinalis 12X, Carbo vegetabilis 12X, Chamomilla 12X, Foeniculum vulgare 12X, Lycopodium 30X, Nuxvomica 12X, Zingiber officinale 12X.

**Cell Salts:** Kali muraticum 6X, Magnesia phosphorica 12X, Natrum phosphoricum 6X.

**"HPUS" indicates that the active ingredients are in the official Homeopathic Pharmacopeia of the United States.**

**Uses:** Temporarily relieve infant discomfort caused by minor stomach pain, upset stomach, nervous tummy, diarrhea, colic, gas, indigestion, excessive stomach acid, nausea, stomach pressure and cramps.

**Warnings:**  
 Stop use and ask doctor if:  
 • fever develops, • diarrhea lasts more than 2 days,  
 • other symptoms persist for more than 7 days or worsen.  
 • Ask a doctor before use if you are taking a prescription drug or have a serious medical condition.  
 • Please consult your physician immediately for a worsening condition. If pregnant or breastfeeding, consult your doctor before use. Keep out of reach of children. In case of overdose (or accidental ingestion), get medical help or contact a Poison Control Center right away. **DO NOT USE IF SEAL UNDER CAP IS BROKEN OR MISSING.**  
 • Claims based on traditional homeopathic practices, not accepted medical evidence. Not FDA evaluated.

LOT/MFG      **HOMEOPATHIC**      4 FL OZ (118 mL)

<p>ITEM NUMBER: 30009v3</p> <p>FORM CODE: DTHF</p> <p>PRODUCT NAME: 4oz Homeopathic Dr. Talbot's tummyache Relief - includes syringe and syring bottle adapter</p> <p>PACKAGING TYPE: LBL</p> <p>FILE NAME: 30009v3_DTHF_tummyache_Label.ai</p> <p>DATE: 09-16-22</p> <p>FACTORY: Meyers</p> <p>APPROVAL SIGNATURE:</p>	<p><b>COMPONENTS:</b></p> <p>1. STICKER</p> <p>DESIGNER: LS</p>	<p>Process Colors: 4</p> <div style="display: grid; grid-template-columns: 1fr 1fr; gap: 5px;"> <div style="background-color: cyan; padding: 5px; text-align: center;">Cyan</div> <div style="background-color: yellow; padding: 5px; text-align: center;">Yellow</div> <div style="background-color: magenta; padding: 5px; text-align: center;">Magenta</div> <div style="background-color: black; padding: 5px; text-align: center;">Black</div> </div>	<p>SPOT Colors</p> <div style="display: flex; flex-direction: column; gap: 10px;"> <div style="background-color: #000080; width: 20px; height: 10px; margin: 0 auto;"></div> <p>PMS 7687 C</p> <div style="background-color: #e91e63; width: 20px; height: 10px; margin: 0 auto;"></div> <p>PMS 212 C</p> </div>	<p>Process Colors to MATCH</p> <div style="display: flex; align-items: center; gap: 10px;"> <div style="background-color: #000000; width: 20px; height: 10px; margin: 0 auto;"></div> <p>Copy</p> </div> <p>C: 0%, M: 0%, Y: 0%, K: 0.80%</p>
---	---	--	--	---

OTHER NOTES: Uses instruction sheet 90131 IS\_DTHF sent separately

## Ask a Doctor

- Ask a doctor before use if you are taking a prescription drug or have a serious medical condition.

NDC 70197-317-41

**Directions:**

- Shake before use. Natural juice will settle.
- Measure only with the dosing syringe provided.
- Do not use dosing syringe with other products.
- On dosing syringe, weight is specific to product.
- On dosing syringe, mL = milliliter; lbs = pounds; kgs = kilograms.

Children under 6 months of age, consult a medical professional before using this product. For sudden onset of symptoms: Use every 15 minutes for up to 8 doses until symptoms relieved, every 2 hours thereafter.

Children	Dose
6 - 16 lbs or 3 - 8 kgs	1.25 mL every 2 hours*
18 - 29 lbs or 9 - 13 kgs	2.5 mL every 2 hours*
30 - 90 lbs or 14 - 41 kgs	5 mL every 2 hours*

\*Reduce frequency when symptoms improve.

**Inactive ingredients:** Apple juice, citric acid, glycerin, potassium sorbate, purified water.

**Questions or comments?** Call us at 1-855-368-7755 (U.S.A. only) M-F 8am-5pm CST

Form DTHF-30009v3 © 2018, 2022 TPRF, LLC. Manufactured for Dr. Talbot's TM and Family Products, LLC. Dr. Talbot's logo licensed to TPRF, LLC. by Adair International. Made in U.S.A. with U.S. & imported materials.

**DR. TALBOT'S**  
Naturally Inspired

**6m+**

## Infant Tummy Ache Relief

with Cell Salts

Temporarily Relieves:

- Diarrhea
- Stomach Acid
- Gas & Bloating
- Upset Stomach
- Nervous Tummy



Alcohol Free • No Dyes or Parabens

**Active ingredients (HPUS):**  
Calendula officinalis 12X, Carbo vegetabilis 12X, Chamomilla 12X, Foeniculum vulgare 12X, Lycopodium 30X, Nuxvomica 12X, Zingiber officinale 12X.

**Cell Salts:** Kali muraticum 6X, Magnesia phosphorica 12X, Natrum phosphoricum 6X.

**"HPUS" indicates that the active ingredients are in the official Homeopathic Pharmacopeia of the United States.**

**Uses:** Temporarily relieve infant discomfort caused by minor stomach pain, upset stomach, nervous tummy, diarrhea, colic, gas, indigestion, excessive stomach acid, nausea, stomach pressure and cramps.

**Warnings:**  
Stop use and ask doctor if: fever develops, diarrhea lasts more than 2 days, or if symptoms persist for more than 7 days or worsen. Ask a doctor before use if you are taking a prescription drug or have a serious medical condition. Please consult your physician immediately for a worsening condition. If pregnant or breastfeeding, consult your doctor before use. Keep out of reach of children. In case of overdose (or accidental ingestion), get medical help or contact a Poison Control Center right away. **DO NOT USE IF SEAL UNDER CAP IS BROKEN OR MISSING.** Claims based on traditional homeopathic practices, not accepted medical evidence. Not FDA evaluated.

LOT/MFG      **HOMEOPATHIC**      4 FL OZ (118 mL)

<p>ITEM NUMBER: 30009v3</p> <p>FORM CODE: DTHF</p> <p>PRODUCT NAME: 4oz Homeopathic Dr. Talbot's tummyache Relief - includes syringe and syring bottle adapter</p> <p>PACKAGING TYPE: LBL</p> <p>FILE NAME: 30009v3_DTHF_tummyache_Label.ai</p> <p>DATE: 09-16-22</p> <p>FACTORY: Meyers</p> <p>APPROVAL SIGNATURE:</p>	<p><b>COMPONENTS:</b></p> <p>1. STICKER</p> <p>DESIGNER: LS</p>	<p>Process Colors: 4</p> <div style="display: grid; grid-template-columns: 1fr 1fr; gap: 5px;"> <div style="background-color: cyan; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center; font-size: 8px;">Cyan</div> <div style="background-color: yellow; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center; font-size: 8px;">Yellow</div> <div style="background-color: magenta; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center; font-size: 8px;">Magenta</div> <div style="background-color: black; width: 30px; height: 30px; display: flex; align-items: center; justify-content: center; font-size: 8px;">Black</div> </div>	<p>SPOT Colors</p> <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #000080; width: 20px; height: 10px; display: flex; align-items: center; justify-content: center; font-size: 6px;">PMS 7687 C</div> <div style="background-color: #e91e63; width: 20px; height: 10px; display: flex; align-items: center; justify-content: center; font-size: 6px;">PMS 212 C</div> </div>	<p>Process Colors to MATCH</p> <div style="display: flex; align-items: center; gap: 10px;"> <div style="background-color: #000000; width: 20px; height: 10px; display: flex; align-items: center; justify-content: center; font-size: 6px;">Copy</div> <div style="font-size: 8px;">C: 0%, M: 0%, Y: 0%, K: 0.80%</div> </div>
---	---	--	---	--

OTHER NOTES: Uses instruction sheet 90131 IS\_DTHF sent separately

condition.

**Pregnant**

**If pregnant or breastfeeding, consult your doctor before use.**

NDC 70797-317-01

**Directions:**

- Shake before use. Natural juice will settle.
- Measure only with the dosing syringe provided.
- Do not use dosing syringe with other products.
- On dosing syringe, weight is specific to product.
- On dosing syringe, mL = milliliter, lbs = pounds, kgs = kilograms.

Children under 6 months of age, consult a medical professional before using this product. For sudden onset of symptoms: Use every 15 minutes for up to 8 doses until symptoms relieved, every 2 hours thereafter.

Children	Dose
6 - 18 lbs or 3 - 8 kgs	1.25 mL every 2 hours*
19 - 28 lbs or 9 - 13 kgs	2.5 mL every 2 hours*
30 - 80 lbs or 14 - 41 kgs	5 mL every 2 hours*

\*Reduce frequency when symptoms improve.

**Inactive ingredients:** Apple juice, citric acid, glycerin, potassium sorbate, purified water

**Questions or comments?** Call us at 1-888-366-7758 (U.S.A. only) M-F 8am-5pm CST  
Form DTHF: 30009v3 Manufactured for © 2019, 2022 TFPF, LLC, Talbot's Pharmaceuticals Family Products, LLC Dr. Talbot's TM and Dr. Talbot's logo licensed to TFPF, LLC by Kalnia International Made in U.S.A. with U.S. & imported materials

**DR. TALBOT'S**  
Naturally Inspired

**6m+**

**Infant Tummy Ache Relief<sup>†</sup>**  
with Cell Salts

**Temporarily Relieves:**

- Diarrhea
- Stomach Acid
- Gas & Bloating
- Upset Stomach
- Nervous Tummy



Alcohol Free • No Dyes or Parabens

**Active ingredients (HPUS):** Calendula officinalis 12X, Carbo vegetabilis 12X, Chamomilla 12X, Foeniculum vulgare 12X, Lycopodium 30X, Nux moschata 12X, Zingiber officinale 12X.

**Cell Salts:** Kali muriaticum 6X, Magnesia phosphorica 12X, Natrium phosphoricum 6X.

<sup>†</sup>HPUS<sup>®</sup> indicates that the active ingredients are in the official Homeopathic Pharmacopeia of the United States.

**Uses<sup>†</sup>:** Temporarily relieves infant discomfort caused by ■ minor stomach pain ■ upset stomach ■ nervous tummy ■ diarrhea ■ colic ■ gas ■ indigestion ■ excessive stomach acid ■ nausea ■ stomach pressure and cramps

**Warnings:**  
Stop use and ask doctor if:  
 ■ fever develops ■ diarrhea lasts more than 2 days  
 ■ or symptoms persist for more than 7 days or worsen  
 ■ Ask a doctor before use if you are taking a prescription drug or have a serious medical condition.  
**Please consult your physician immediately** for a worsening condition. If pregnant or breastfeeding, consult your doctor before use. **Keep out of reach of children.** In case of overdose (or accidental ingestion), get medical help or contact a Poison Control Center right away. **DO NOT USE IF SEAL UNDER CAP IS BROKEN OR MISSING.**  
 †Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

LOT/MFG

**HOMEOPATHIC**

4 FL OZ (118 mL)

<p>ITEM NUMBER: 30009v3                  FORM CODE: DTHF                  PRODUCT NAME: 4oz Homeopathic Dr. Talbot's tummyache Relief - includes syringe and syring bottle adapter                  PACKAGING TYPE: LBL</p>	<p><b>COMPONENTS:</b> 1. STICKER</p>	<p>Process Colors: 4</p> <div style="display: grid; grid-template-columns: 1fr 1fr; gap: 5px;"> <div style="background-color: cyan; width: 30px; height: 30px;"></div> <div style="background-color: yellow; width: 30px; height: 30px;"></div> <div style="background-color: magenta; width: 30px; height: 30px;"></div> <div style="background-color: black; width: 30px; height: 30px;"></div> </div>	<p>SPOT Colors</p> <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #000080; width: 20px; height: 10px; margin: 0 auto;"></div> <p style="text-align: center; font-size: small;">PMS 7687 C</p> <div style="background-color: #e91e63; width: 20px; height: 10px; margin: 0 auto;"></div> <p style="text-align: center; font-size: small;">PMS 212 C</p> </div>	<p>Process Colors to MATCH</p> <div style="display: flex; align-items: center; gap: 10px;"> <div style="background-color: #000000; width: 20px; height: 10px; border-radius: 5px;"></div> <p style="font-size: small;">Copy</p> </div> <p style="font-size: small;">C: 0%, M: 0%, Y: 0%, K: 0.80%</p>
<p>FILE NAME: 30009v3_DTHF_tummyache_label.ai                  DATE: 09-16-22                  FACTORY: Meyers</p>	<p>DESIGNER: LS</p>			
<p>APPROVAL SIGNATURE:</p>				

OTHER NOTES: Uses instruction sheet 90131IS\_DTHF sent separately

## Keep Out of Reach Of Children

### Keep out of reach

of children. In case of overdose (or accidental ingestion), get medical help or contact a Poison Control Center right away. **DO NOT USE IF SEAL UNDER CAP IS BROKEN OR MISSING.**

NDC 70797-317-01

**DR. TALBOT'S**  
Naturally Inspired

**6m+**

**Infant Tummy Ache Relief<sup>†</sup>**  
with Cell Salts

**Temporarily Relieves:**

- Diarrhea
- Stomach Acid
- Gas & Bloating
- Upset Stomach
- Nervous Tummy

**NATURAL APPLE JUICE**

**Directions:**

- Shake before use. Natural juice will settle.
- Measure only with the dosing syringe provided.
- Do not use dosing syringe with other products.
- On dosing syringe, weight is specific to product.
- On dosing syringe, mL = milliliter, lbs = pounds, kgs = kilograms.

**Children under 6 months of age, consult a medical professional before using this product. For sudden onset of symptoms: Use every 15 minutes for up to 8 doses until symptoms relieved, every 2 hours thereafter.**

Children	Dose
6 - 18 lbs or 3 - 8 kgs	1.25 mL every 2 hours*
19 - 28 lbs or 9 - 13 kgs	2.5 mL every 2 hours*
30 - 80 lbs or 14 - 41 kgs	5 mL every 2 hours*

\*Reduce frequency when symptoms improve.

**Inactive ingredients:** Apple juice, citric acid, glycerin, potassium sorbate, purified water

**Questions or comments?** Call us at 1-888-366-7758 (U.S.A. only) M-F 8am-5pm CST  
Form DTHF-30009v3 Manufactured by: © 2019, 2022 TPRP, LLC. Talbot's Pharmaceuticals Family Products, LLC Dr. Talbot's TM/med Monroe, LA 71201 1-888-366-7758 (U.S.A. only) www.drbot.com

Alcohol Free • No Dyes or Parabens

LOT/MFG
**HOMEOPATHIC**
4 FL OZ (118 mL)

**Active ingredients (HPUS):** Calendula officinalis 12X, Carbo vegetabilis 12X, Chamomilla 12X, Foeniculum vulgare 12X, Lycopodium 30X, Nux moschata 12X, Zingiber officinale 12X.

**Cell Salts:** Kali muriaticum 6X, Magnesia phosphorica 12X, Natrium phosphoricum 6X. \*HPUS<sup>†</sup> indicates that the active ingredients are in the official Homeopathic Pharmacopeia of the United States.

**Uses<sup>†</sup>:** Temporarily relieves infant discomfort caused by:

- indigestion
- nervous tummy
- excessive stomach acid
- nausea
- stomach pressure and cramps

**Warnings:** Stop use and ask doctor if:

- fever develops
- diarrhea lasts more than 2 days
- other symptoms persist for more than 7 days or worsen

**Ask a doctor before use** if you are taking a prescription drug or have a serious medical condition. **Please consult your physician immediately** for a worsening condition. **If pregnant or breastfeeding, consult your doctor before use. Keep out of reach of children.** In case of overdose (or accidental ingestion), get medical help or contact a Poison Control Center right away. **DO NOT USE IF SEAL UNDER CAP IS BROKEN OR MISSING.** **†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.**

<p>ITEM NUMBER: 30009v3          FORM CODE: DTHF          PRODUCT NAME: 4oz Homeopathic Dr. Talbot's tummyache Relief - includes syringe and syring bottle adapter          PACKAGING TYPE: LBL</p>	<p><b>COMPONENTS:</b></p> <p>1. STICKER</p>	<p>Process Colors: 4</p> <div style="display: flex; flex-wrap: wrap; gap: 5px;"> <div style="background-color: cyan; width: 20px; height: 20px; margin: 2px;"></div> <div style="background-color: yellow; width: 20px; height: 20px; margin: 2px;"></div> <div style="background-color: magenta; width: 20px; height: 20px; margin: 2px;"></div> <div style="background-color: black; width: 20px; height: 20px; margin: 2px;"></div> </div>	<p>SPOT Colors</p> <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #000080; width: 15px; height: 15px; margin: 2px;"></div> <p>PMS 7687 C</p> <div style="background-color: #e91e63; width: 15px; height: 15px; margin: 2px;"></div> <p>PMS 212 C</p> </div>	<p>Process Colors to MATCH</p> <div style="display: flex; align-items: center; gap: 5px;"> <div style="background-color: #000000; width: 15px; height: 15px; margin: 2px;"></div> <p>Copy</p> </div> <p>C: 0%, M: 0%, Y: 0%, K: 0.80%</p>
<p>FILE NAME: 30009v3_DTHF_tummyache_label.ai          DATE: 09-16-22          FACTORY: Meyers</p>	<p>DESIGNER: LS</p>			
<p>APPROVAL SIGNATURE:</p>				

OTHER NOTES: Uses instruction sheet 90131IS\_DTHF sent separately

### Inactive Ingredient

**Inactive ingredients:** Apple juice, citric acid, glycerin, potassium sorbate, purified water

NDC 70797-317-01

**Directions:**

- Shake before use. Natural juice will settle. Measure only with the dosing syringe provided.
- Do not use dosing syringe with other products.
- On dosing syringe, weight is specific to product.
- On dosing syringe, mL = milliliter, lbs = pounds, kgs = kilograms.

Children under 6 months of age, consult a medical professional before using this product. For sudden onset of symptoms: Use every 15 minutes for up to 8 doses until symptoms relieved, every 2 hours thereafter.

Children	Dose
6 - 18 lbs or 3 - 8 kgs	1.25 mL every 2 hours*
19 - 29 lbs or 9 - 13 kgs	2.5 mL every 2 hours*
30 - 90 lbs or 14 - 41 kgs	5 mL every 2 hours*

\*Reduce frequency when symptoms improve.

**Inactive ingredients:** Apple juice, citric acid, glycerin, potassium sorbate, purified water

**Questions or comments?** Call us at 1-888-366-7788 (U.S.A. only) M-F 8am-5pm CST  
Form DTHF: 30009v3 Manufactured for © 2019, 2022 TPRP, LLC, Talbot's Pharmaceuticals Family Products, LLC Dr. Talbot's TM/MD Monroe, LA 71201 www.drTalbot.com TPRP, LLC, by Kalm International 1-888-366-7788 (U.S.A. only) www.drTalbot.com Made in U.S.A. with U.S. & imported materials. Please Recycle

**DR. TALBOT'S**  
Naturally Inspired

**6m+**

**Infant Tummy Ache Relief<sup>†</sup>**  
with Cell Salts

**Temporarily Relieves:**

- Diarrhea
- Stomach Acid
- Gas & Bloating
- Upset Stomach
- Nervous Tummy

Alcohol Free • No Dyes or Parabens

**Active ingredients (HPUS):**  
 Calendula officinalis 12X, Carbo vegetabilis 12X, Chamomilla 12X, Foeniculum vulgare 12X, Lycoodium 30X, Nux moschata 12X, Zingiber officinale 12X.

**Cell Salts:** Kali muriaticum 6X, Magnesia phosphorica 12X, Natrium phosphoricum 6X. <sup>†</sup>HPUS<sup>†</sup> indicates that the active ingredients are in the official Homeopathic Pharmacopeia of the United States.

**Uses<sup>†</sup>:** Temporarily relieves infant discomfort caused by nervous stomach pain, upset stomach, nervous tummy, diarrhea, colic, gas, indigestion, excessive stomach acid, nausea, stomach pressure and cramps.

**Warnings:**  
 Stop use and ask doctor if:  
 fever develops, diarrhea lasts more than 2 days, or if symptoms persist for more than 7 days or worsen.  
 Ask a doctor before use if you are taking a prescription drug or have a serious medical condition.  
 Please consult your physician immediately for a worsening condition. If pregnant or breastfeeding, consult your doctor before use. Keep out of reach of children. In case of overdose (or accidental ingestion), get medical help or contact a Poison Control Center right away. **DO NOT USE IF SEAL UNDER CAP IS BROKEN OR MISSING.**  
 Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

LOT/MFG

**HOMEOPATHIC**    4 FL OZ (118 mL)

<p>ITEM NUMBER: 30009v3                  FORM CODE: DTHF                  PRODUCT NAME: 4oz Homeopathic Dr. Talbot's tummyache Relief - includes syringe and syring bottle adapter                  PACKAGING TYPE: LBL</p>	<p><b>COMPONENTS:</b>                  1. STICKER</p>	<p>Process Colors: 4</p> <div style="display: grid; grid-template-columns: 1fr 1fr; gap: 5px;"> <div style="background-color: cyan; width: 30px; height: 30px;"></div> <div style="background-color: yellow; width: 30px; height: 30px;"></div> <div style="background-color: magenta; width: 30px; height: 30px;"></div> <div style="background-color: black; width: 30px; height: 30px;"></div> </div>	<p>SPOT Colors</p> <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #000080; width: 20px; height: 10px; margin: 0 auto;"></div> <p style="text-align: center; font-size: 8px;">PMS 7687 C</p> <div style="background-color: #e91e63; width: 20px; height: 10px; margin: 0 auto;"></div> <p style="text-align: center; font-size: 8px;">PMS 212 C</p> </div>	<p>Process Colors to MATCH</p> <div style="display: flex; align-items: center; gap: 5px;"> <div style="background-color: #000000; width: 20px; height: 10px; margin: 0 auto;"></div> <p style="font-size: 8px;">Copy</p> </div> <p style="font-size: 8px;">C: 0%, M: 0%, Y: 0%, K: 0.80%</p>
<p>FILE NAME: 30009v3_DTHF_tummyache_label.ai                  DATE: 09-16-22                  FACTORY: Meyers</p>	<p>DESIGNER: LS</p>			
<p>APPROVAL SIGNATURE:</p>				

OTHER NOTES: Uses instruction sheet 90131IS\_DTHF sent separately

## Dosage

**Children under 6 months of age, consult a medical professional before using this product.**

**For sudden onset of symptoms:** Use every 15 minutes for up to 8 doses until symptoms relieved, every 2 hours thereafter.

## Children Dose

- 6 - 18 lbs or 3 - 8 kgs** 1.25 mL every 2 hours\*
  - 19 - 29 lbs or 9 - 13 kgs** 2.5 mL every 2 hours\*
  - 30 - 90 lbs or 14 - 41 kgs** 5 mL every 2 hours\*
- \*Reduce frequency when symptoms improve.

NDC 70797-317-01 **DR. TALBOT'S** 6m+  
Naturally Inspired

**Directions:**

- Shake before use. Natural juice will settle.
- Measure only with the dosing syringe provided.
- Do not use dosing syringe with other products.
- On dosing syringe, weight is specific to product.
- On dosing syringe, mL = milliliter, lbe = pounds, kgs = kilograms.

**Children under 6 months of age, consult a medical professional before using this product. For sudden onset of symptoms: Use every 15 minutes for up to 8 doses until symptoms relieved, every 2 hours thereafter.**

Children	Dose
6 - 18 lbs or 3 - 8 kgs	1.25 mL every 2 hours*
19 - 29 lbs or 9 - 13 kgs	2.5 mL every 2 hours**
30 - 80 lbs or 14 - 41 kgs	5 mL every 2 hours**

\*Reduce frequency when symptoms improve.

**Inactive ingredients:** Apple juice, citric acid, glycerin, potassium sorbate, purified water

**Questions or comments?** Call us at 1-855-366-7755 (U.S.A. only) M-F 8am-5pm CST  
 Form DTHF-30009v3 Manufactured by © 2019, 2022 TPRP, LLC, Talbot's Pharmaceuticals  
 Dr. Talbot's TM/med Family Products, LLC Monroe, LA 71201  
 Dr. Talbot's logo licensed to TPRP, LLC by 1-855-366-7755 (U.S.A. only) www.dr.talbot.com  
 Made in U.S.A. with U.S. & imported materials

**Infant Tummy Ache Relief†**  
with Cell Salts

**Temporarily Relieves:**

- Diarrhea
- Stomach Acid
- Gas & Bloating
- Upset Stomach
- Nervous Tummy

**Active ingredients (HPUS):** Calendula officinalis 12X, Carbo vegetabilis 12X, Chamomilla 12X, Foeniculum vulgare 12X, Lycopodium 30X, Nux moschata 12X, Zingiber officinale 12X.

**Cell Salts:** Kali muriaticum 6X, Magnesia phosphorica 12X, Natrum phosphoricum 6X.




\*HPUS† indicates that the active ingredients are in the official Homeopathic Pharmacopoeia of the United States.

**Uses†:** Temporarily relieves infant discomfort caused by:   
 ■ infant stomach pain ■ upset stomach ■ nervous tummy ■ diarrhea ■ colic ■ gas ■ indigestion ■ excessive stomach acid ■ nausea ■ stomach pressure and cramps

**Warnings:**  
 Stop use and ask doctor if:  
 ■ fever develops ■ diarrhea lasts more than 2 days  
 ■ or symptoms persist for more than 7 days or worsen  
 ■ Ask a doctor before use if you are taking a prescription drug or have a serious medical condition.  
 ■ Please consult your physician immediately for a worsening condition. If pregnant or breastfeeding, consult your doctor before use. **Keep out of reach of children.** In case of overdose (or accidental ingestion), get medical help or contact a Poison Control Center right away. **DO NOT USE IF SEAL UNDER CAP IS BROKEN OR MISSING.**  
 †Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Alcohol Free • No Dyes or Parabens

LOT/MFG **HOMEOPATHIC** 4 FL OZ (118 mL)

ITEM NUMBER: 30009v3 FORM CODE: DTHF PRODUCT NAME: 4oz Homeopathic Dr. Talbot's tummyache Relief - includes syringe and syring bottle adapter PACKAGING TYPE: LBL FILE NAME: 30009v3_DTHF_tummyache_label.ai DATE: 09-16-22 FACTORY: Meyers APPROVAL SIGNATURE:	<b>COMPONENTS:</b> 1. STICKER DESIGNER: LS	Process Colors: 4 	SPOT Colors 	Process Colors to MATCH 
--	--	---	--	--

OTHER NOTES: Uses instruction sheet 90131IS\_DTHF sent separately

### Questions

**Questions or comments?** Call us at 1-855-366-7755 (U.S.A. only) M-F 8am-5pm CST

NDC 70797-317-01 **DR. TALBOT'S** Naturally Inspired **6m+**

**Directions:**

- Shake before use. Natural juice will settle. Measure only with the dosing syringe provided.
- Do not use dosing syringe with other products.
- On dosing syringe, weight is specific to product.
- On dosing syringe, mL = milliliter, lbs = pounds, kgs = kilograms.

Children under 6 months of age, consult a medical professional before using this product. For sudden onset of symptoms: Use every 15 minutes for up to 8 doses until symptoms relieved, every 2 hours thereafter.

Children	Dose
6 - 18 lbs or 3 - 8 kgs	1.25 mL every 2 hours*
19 - 29 lbs or 9 - 13 kgs	2.5 mL every 2 hours*
30 - 90 lbs or 14 - 41 kgs	5 mL every 2 hours*

\*Reduce frequency when symptoms improve.

**Inactive ingredients:** Apple juice, citric acid, glycerin, potassium sorbate, purified water

**Questions or comments?** Call us at 1-888-366-7788 (U.S.A. only) M-F 8am-5pm CST  
Form DTHF-30009v3 Manufactured for © 2019, 2022 TFPF, LLC, Talbot's Pharmaceuticals Family Products, LLC Dr. Talbot's TM/MD Monroe, LA 71201 www.drtaibots.com

Made in U.S.A. with U.S. & imported materials

**Infant Tummy Ache Relief<sup>†</sup>**  
with Cell Salts

Temporarily Relieves:

- Diarrhea
- Stomach Acid
- Gas & Bloating
- Upset Stomach
- Nervous Tummy



Alcohol Free • No Dyes or Parabens

**Active ingredients (HPUS):**  
 Calendula officinalis 12X, Carbo vegetabilis 12X, Chamomilla 12X, Foeniculum vulgare 12X, Lycoodium 30X, Nux moschata 12X, Zingiber officinale 12X.

**Cell Salts:** Kali muriaticum 6X, Magnesia phosphorica 12X, Natrium phosphoricum 6X.

**†HPUS<sup>®</sup>** indicates that the active ingredients are in the official Homeopathic Pharmacopeia of the United States.

**Uses<sup>†</sup>:** Temporarily relieves infant discomfort caused by:
 

- nausea
- stomach pressure and cramps
- nervous tummy
- diarrhea
- colic
- gas
- indigestion
- excessive stomach acid

**Warnings:**  
 Stop use and ask doctor if:
 

- fever develops
- diarrhea lasts more than 2 days
- achieves symptoms persist for more than 7 days or worsens

**Ask a doctor before use** if you are taking a prescription drug or have a serious medical condition.

**Please consult your physician immediately** for a worsening condition. If pregnant or breastfeeding, consult your doctor before use. **Keep out of reach of children.** In case of overdose (or accidental ingestion), get medical help or contact a Poison Control Center right away. **DO NOT USE IF SEAL UNDER CAP IS BROKEN OR MISSING.**

**†Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.**

**LOT/MFG**      **HOMEOPATHIC**      **4 FL OZ (118 mL)**

<p>ITEM NUMBER: 30009v3          FORM CODE: DTHF          PRODUCT NAME: 4oz Homeopathic Dr. Talbot's tummyache Relief - includes syringe and syring bottle adapter          PACKAGING TYPE: LBL</p> <p>FILE NAME: 30009v3_DTHF_tummyache_label.ai          DATE: 09-16-22          FACTORY: Meyers</p> <p>APPROVAL SIGNATURE:</p>	<p><b>COMPONENTS:</b></p> <p>1. STICKER</p>          <p>DESIGNER: LS</p>	<p>Process Colors: 4</p> <div style="display: grid; grid-template-columns: 1fr 1fr; gap: 5px;"> <div style="background-color: cyan; width: 30px; height: 30px;"></div> <div style="background-color: yellow; width: 30px; height: 30px;"></div> <div style="background-color: magenta; width: 30px; height: 30px;"></div> <div style="background-color: black; width: 30px; height: 30px;"></div> </div>	<p>SPOT Colors</p> <div style="display: flex; flex-direction: column; gap: 10px;"> <div style="background-color: #000080; width: 20px; height: 10px; margin: 0 auto;"></div> <p style="text-align: center; font-size: 8px;">PMS 7687 C</p> <div style="background-color: #e91e63; width: 20px; height: 10px; margin: 0 auto;"></div> <p style="text-align: center; font-size: 8px;">PMS 212 C</p> </div>	<p>Process Colors to MATCH</p> <div style="display: flex; align-items: center; gap: 10px;"> <div style="background-color: #000000; width: 20px; height: 10px; margin: 0 auto;"></div> <p style="font-size: 8px;">Copy</p> </div> <p style="font-size: 8px;">C: 0%, M: 0%, Y: 0%, K: 0.80%</p>
---	--	--	--	---

OTHER NOTES: Uses instruction sheet 90131IS\_DTHF sent separately

## Instruction

**Children under 6 months of age, consult a medical professional before using this product.**

**For sudden onset of symptoms:** Use every 15 minutes for up to 8 doses until symptoms relieved, every 2 hours thereafter

### Children Dose

- 6 - 18 lbs or 3 - 8 kgs** 1.25 mL every 2 hours
  - 19 - 29 lbs or 9 - 13 kgs** 2.5 mL every 2 hours
  - 30 - 90 lbs or 14 - 41 kgs** 5 mL every 2 hours
- \*Reduce frequency when symptoms improve.



NDC 70797-317-01

**Directions:**

- Shake before use. Natural juice will settle.
- Measure only with the dosing syringe provided.
- Do not use dosing syringe with other products.
- On dosing syringe, weight is specific to product.
- On dosing syringe, mL = milliliter, lbs = pounds, kgs = kilograms.

**Children under 6 months of age, consult a medical professional before using this product.**

**For sudden onset of symptoms: Use every 15 minutes for up to 8 doses until symptoms relieved, every 2 hours thereafter.**

Children	Dose
6 - 18 lbs or 3 - 8 kgs	1.25 mL every 2 hours*
19 - 28 lbs or 9 - 13 kgs	2.5 mL every 2 hours*
30 - 80 lbs or 14 - 41 kgs	5 mL every 2 hours*

\*Reduce frequency when symptoms improve.

**Inactive ingredients:** Apple juice, citric acid, glycerin, potassium sorbate, purified water

**Questions or comments?** Call us at 1-888-366-7788 (U.S.A. only) M-F 8am-5pm CST

Form DTHF-30009v3 Manufactured for:  
© 2019, 2022 TFPF, LLC, Talbot's Pharmaceuticals  
Family Products, LLC  
Dr. Talbot's TMend Monroe, LA 71201  
Dr. Talbot's logo licensed to TFPF, LLC by 1-888-366-7788 (U.S.A. only)  
www.drTalbot.com  
Kaiser International  
Made in U.S.A. with U.S. & imported materials

**DR. TALBOT'S**  
Naturally Inspired

**6m+**

**Infant Tummy Ache Relief<sup>†</sup>**  
with Cell Salts

**Temporarily Relieves:**

- Diarrhea
- Stomach Acid
- Gas & Bloating
- Upset Stomach
- Nervous Tummy

Alcohol Free • No Dyes or Parabens

**Active ingredients (HPUS):**  
Calendula officinalis 12X, Carbo vegetabilis 12X, Chamomilla 12X, Foeniculum vulgare 12X, Lycopodium 30X, Nux moschata 12X, Zingiber officinale 12X.

**Cell Salts:** Kali muriaticum 6X, Magnesia phosphorica 12X, Natrium phosphoricum 6X.

<sup>†</sup>HPUS<sup>®</sup> indicates that the active ingredients are in the official Homeopathic Pharmacopeia of the United States.

**Uses<sup>†</sup>:** Temporarily relieves infant discomfort caused by   

- indigestion
- nervous tummy
- excessive stomach acid
- nausea

**Warnings:**  
Stop use and ask doctor if:  

- fever develops
- diarrhea lasts more than 2 days
- other symptoms persist for more than 7 days or worse.

**Ask a doctor before use** if you are taking a prescription drug or have a serious medical condition.

**Please consult your physician immediately** for a worsening condition. If pregnant or breastfeeding, consult your doctor before use. **Keep out of reach of children.** In case of overdose (or accidental ingestion), get medical help or contact a Poison Control Center right away. **DO NOT USE IF SEAL UNDER CAP IS BROKEN OR MISSING.**

<sup>†</sup>Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

LOT/MFG

HOMEOPATHIC
4 FL OZ (118 mL)

<p>ITEM NUMBER: 30009v3 FORM CODE: DTHF PRODUCT NAME: 4oz Homeopathic Dr. Talbot's tummyache Relief - includes syringe and syring bottle adapter PACKAGING TYPE: LBL</p> <p>FILE NAME: 30009v3_DTHF_tummyache_label.ai DATE: 09-16-22 FACTORY: Meyers</p> <p>APPROVAL SIGNATURE:</p>	<p><b>COMPONENTS:</b></p> <p>1. STICKER</p> <p>DESIGNER: LS</p>	<p>Process Colors: 4</p> <div style="display: grid; grid-template-columns: 1fr 1fr; gap: 5px;"> <div style="background-color: cyan; width: 30px; height: 30px;"></div> <div style="background-color: yellow; width: 30px; height: 30px;"></div> <div style="background-color: magenta; width: 30px; height: 30px;"></div> <div style="background-color: black; width: 30px; height: 30px;"></div> </div>	<p>SPOT Colors</p> <div style="display: flex; flex-direction: column; gap: 5px;"> <div style="background-color: #000080; width: 20px; height: 10px; margin: 0 auto;"></div> <p style="text-align: center; font-size: x-small;">PMS 7687 C</p> <div style="background-color: #e91e63; width: 20px; height: 10px; margin: 0 auto;"></div> <p style="text-align: center; font-size: x-small;">PMS 212 C</p> </div>	<p>Process Colors to MATCH</p> <div style="display: flex; align-items: center; gap: 10px;"> <div style="background-color: #000000; width: 20px; height: 10px; margin: 0 auto;"></div> <p style="font-size: x-small;">Copy</p> </div> <p style="font-size: x-small;">C: 0%, M: 0%, Y: 0%, K: 0.80%</p>
--	---	--	---	---

OTHER NOTES: Uses instruction sheet 90131IS\_DTHF sent separately

## Warning

Warnings:

Stop use and ask doctor if:

- fever develops
- diarrhea lasts more than 2 days
- other symptoms persist for more than 7 days or worse

## Usage

Temporarily relieves:

- Diarrhea
- Stomach Acid
- Gas & Bloating
- Upset Stomach
- Nervous Tummy

NDC 70797-317-01 **DR. TALBOT'S**  
Naturally Inspired **6m+**

**Directions:**

- Shake before use. Natural juice will settle.
- Measure only with the dosing syringe provided.
- Do not use dosing syringe with other products.
- On dosing syringe, weight is specific to product.
- On dosing syringe, mL = milliliter, lbe = pounds, kgs = kilograms.

**Children under 6 months of age, consult a medical professional before using this product. For sudden onset of symptoms: Use every 15 minutes for up to 8 doses until symptoms relieved, every 2 hours thereafter.**

Children	Dose
6 - 18 lbs or 3 - 8 kgs	1.25 mL every 2 hours*
19 - 28 lbs or 9 - 13 kgs	2.5 mL every 2 hours*
30 - 80 lbs or 14 - 41 kgs	5 mL every 2 hours*

\*Reduce frequency when symptoms improve.

**Inactive ingredients:** Apple juice, citric acid, glycerin, potassium sorbate, purified water

**Questions or comments?** Call us at 1-888-366-7788 (U.S.A. only) M-F 8am-5pm CST  
From DTHF: 30009v3 Manufactured for © 2019, 2022 TFPF, LLC, Talbot's Pharmaceuticals Family Products, LLC Dr. Talbot's TM/MD Monroe, LA 71201 1-888-366-7788 (U.S.A. only) www.drbot.com

**Infant Tummy Ache Relief<sup>†</sup> with Cell Salts**

**Temporarily Relieves:**




- Diarrhea
- Stomach Acid
- Gas & Bloating
- Upset Stomach
- Nervous Tummy

**Temporarily relieves infant discomfort caused by:** minor stomach pain, upset stomach, nervous tummy, diarrhea, colic, gas, indigestion, excessive stomach acid, nausea, stomach pressure and cramps

**Warnings:** Stop use and ask doctor if: fever develops, diarrhea lasts more than 2 days, or if symptoms persist for more than 7 days or worsen. **Ask a doctor before use** if you are taking a prescription drug or have a serious medical condition. **Please consult your physician immediately** for a worsening condition. **If pregnant or breastfeeding, consult your doctor before use. Keep out of reach of children.** In case of overdose (or accidental ingestion), get medical help or contact a Poison Control Center right away. **DO NOT USE IF SEAL UNDER CAP IS BROKEN OR MISSING.** **Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.**

Alcohol Free • No Dyes or Parabens

LOT/MFG **HOMEOPATHIC** 4 FL OZ (118 mL)

<p>ITEM NUMBER: 30009v3 FORM CODE: DTHF PRODUCT NAME: 4oz Homeopathic Dr. Talbot's tummyache Relief - includes syringe and syring bottle adapter PACKAGING TYPE: LBL</p>	<p><b>COMPONENTS:</b> 1. STICKER</p>	<p>Process Colors: 4</p> 	<p>SPOT Colors</p> 	<p>Process Colors to MATCH</p>  Copy C: 0%, M: 0%, Y: 0%, K: 0.80%
<p>FILE NAME: 30009v3_DTHF_tummyache_label.ai DATE: 09-16-22 FACTORY: Meyers</p>	<p>DESIGNER: LS</p>			
<p>APPROVAL SIGNATURE:</p>				

OTHER NOTES: Uses instruction sheet 90131IS\_DTHF sent separately

## Purpose

Uses: Temporarily relieves infant discomfort caused by

- minor stomach pain
- upset stomach
- nervous tummy
- diarrhea
- colic
- gas
- indigestion
- excessive stomach acid
- nausea
- stomach pressure and cramps

**Directions:**  
 ■ Shake before use. Natural juice will settle.  
 ■ Measure only with the dosing syringe provided.  
 ■ Do not use dosing syringe with other products.  
 ■ On dosing syringe, weight is specific to product.  
 ■ On dosing syringe, mL = milliliter, lbs = pounds, kgs = kilograms.  
**Children under 6 months of age, consult a medical professional before using this product. For sudden onset of symptoms: Use every 15 minutes for up to 8 doses until symptoms relieved, every 2 hours thereafter.**

Children	Dose
6 - 16 lbs or 3 - 8 kgs	1.25 mL every 2 hours*
16 - 29 lbs or 8 - 13 kgs	2.5 mL every 2 hours*
30 - 90 lbs or 14 - 41 kgs	5 mL every 2 hours*

\*Reduce frequency when symptoms improve.

**Inactive ingredients:** Apple juice, citric acid, glycerin, potassium sorbate, purified water.

**Questions or comments?** Call us at 1-855-366-7755 (U.S.A. only) M-F 8am-5pm CST

Form DTHF-30009v3 Manufactured by:  
 © 2019, 2022 TRRF LLC, Talbot Pharmaceuticals  
 Dr. Talbot's TM and Family Products, LLC,  
 Dr. Talbot's logo licensed to TRRF LLC by Monroe, LA 71201  
 1-855-366-7755 (U.S.A. only) www.dr-talbot.com

Made in U.S.A. with U.S. & imported materials.

**DR. TALBOT'S**  
Naturally Inspired

**6m+**

**Infant Tummy Ache Relief<sup>†</sup>**  
with Cell Salts

Temporarily Relieves:

- Diarrhea
- Stomach Acid
- Gas & Bloating
- Upset Stomach
- Nervous Tummy

**Active ingredients (HPUS):**  
 Calendula officinalis 12X, Carbo vegetabilis 12X, Chamomilla 12X, Foeniculum vulgare 12X, Lycopodium 30X, Nux. moschata 12X, Zingiber officinale 12X.

**Cell Salts:** Kali muraticum 6X, Magnesia phosphorica 12X, Natrium phosphoricum 6X.

**HPUS<sup>®</sup> indicates that the active ingredients are in the official Homeopathic Pharmacopeia of the United States.**

**Uses<sup>†</sup>:** Temporarily relieves infant discomfort caused by minor stomach pain, upset stomach, nervous tummy, diarrhea, colic, gas, indigestion, excessive stomach acid, nausea, stomach pressure and cramps.

**Warnings:**  
 Stop use and ask doctor if:  
 ■ fever develops, ■ diarrhea lasts more than 2 days, ■ other symptoms persist for more than 7 days or worsen.  
 ■ Ask a doctor before use if you are taking a prescription drug or have a serious medical condition.  
 ■ Please consult your physician immediately for a worsening condition. If pregnant or breastfeeding, consult your doctor before use. Keep out of reach of children. In case of overdose (or accidental ingestion), get medical help or contact a Poison Control Center right away. **DO NOT USE IF SEAL UNDER CAP IS BROKEN OR MISSING.**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.**

Alcohol Free • No Dyes or Parabens

LOT/MFG HOMEOPATHIC 4 FL OZ (118 mL)

ITEM NUMBER: 30009v3 FORM CODE: DTHF PRODUCT NAME: 4oz Homeopathic Dr. Talbot's tummyache Relief - includes syringe and syring bottle adapter PACKAGING TYPE: LBL FILE NAME: 30009v3_DTHF_tummyache_Label.ai DATE: 09-16-22 FACTORY: Meyers APPROVAL SIGNATURE:	<b>COMPONENTS:</b> 1. STICKER          DESIGNER: LS	Process Colors: 4 	SPOT Colors 	Process Colors to MATCH 
--	--	-----------------------	-----------------	-----------------------------

OTHER NOTES: Uses instruction sheet 90131 IS\_DTHF sent separately

## Principal Display Panel

## Label Display Panel

**Directions:**  
 ■ Shake before use. Natural juice will settle.  
 ■ Measure only with the dosing syringe provided.  
 ■ Do not use dosing syringe with other products.  
 ■ On dosing syringe, weight is specific to product.  
 ■ On dosing syringe, mL = milliliter, lbs = pounds, kgs = kilograms.  
**Children under 6 months of age, consult a medical professional before using this product. For sudden onset of symptoms: Use every 15 minutes for up to 8 doses until symptoms relieved, every 2 hours thereafter.**

Children	Dose
6 - 16 lbs or 3 - 8 kgs	1.25 mL every 2 hours*
16 - 29 lbs or 8 - 13 kgs	2.5 mL every 2 hours*
30 - 90 lbs or 14 - 41 kgs	5 mL every 2 hours*

\*Reduce frequency when symptoms improve.

**Inactive ingredients:** Apple juice, citric acid, glycerin, potassium sorbate, purified water.

**Questions or comments?** Call us at 1-855-366-7755 (U.S.A. only) M-F 8am-5pm CST

Form DTHF-30009v3 Manufactured by:  
 © 2019, 2022 TRRF LLC, Talbot Pharmaceuticals  
 Dr. Talbot's TM and Family Products, LLC,  
 Dr. Talbot's logo licensed to TRRF LLC by Monroe, LA 71201  
 1-855-366-7755 (U.S.A. only) www.dr-talbot.com

Made in U.S.A. with U.S. & imported materials.

**DR. TALBOT'S**  
Naturally Inspired

**6m+**

**Infant Tummy Ache Relief<sup>†</sup>**  
with Cell Salts

Temporarily Relieves:

- Diarrhea
- Stomach Acid
- Gas & Bloating
- Upset Stomach
- Nervous Tummy

**Active ingredients (HPUS):**  
 Calendula officinalis 12X, Carbo vegetabilis 12X, Chamomilla 12X, Foeniculum vulgare 12X, Lycopodium 30X, Nux. moschata 12X, Zingiber officinale 12X.

**Cell Salts:** Kali muraticum 6X, Magnesia phosphorica 12X, Natrium phosphoricum 6X.

**HPUS<sup>®</sup> indicates that the active ingredients are in the official Homeopathic Pharmacopeia of the United States.**

**Uses<sup>†</sup>:** Temporarily relieves infant discomfort caused by minor stomach pain, upset stomach, nervous tummy, diarrhea, colic, gas, indigestion, excessive stomach acid, nausea, stomach pressure and cramps.

**Warnings:**  
 Stop use and ask doctor if:  
 ■ fever develops, ■ diarrhea lasts more than 2 days, ■ other symptoms persist for more than 7 days or worsen.  
 ■ Ask a doctor before use if you are taking a prescription drug or have a serious medical condition.  
 ■ Please consult your physician immediately for a worsening condition. If pregnant or breastfeeding, consult your doctor before use. Keep out of reach of children. In case of overdose (or accidental ingestion), get medical help or contact a Poison Control Center right away. **DO NOT USE IF SEAL UNDER CAP IS BROKEN OR MISSING.**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.**

Alcohol Free • No Dyes or Parabens

LOT/MFG HOMEOPATHIC 4 FL OZ (118 mL)

ITEM NUMBER: 30009v3 FORM CODE: DTHF PRODUCT NAME: 4oz Homeopathic Dr. Talbot's tummyache Relief - includes syringe and syring bottle adapter PACKAGING TYPE: LBL FILE NAME: 30009v3_DTHF_tummyache_Label.ai DATE: 09-16-22 FACTORY: Meyers APPROVAL SIGNATURE:	<b>COMPONENTS:</b> 1. STICKER          DESIGNER: LS	Process Colors: 4 	SPOT Colors 	Process Colors to MATCH 
--	--	-----------------------	-----------------	-----------------------------

OTHER NOTES: Uses instruction sheet 90131 IS\_DTHF sent separately

# DR TALBOTS INFANT TUMMY ACHE RELIEF

calendula officinalis 12x,carbo vegetabilis 12x,lycopodium 30x,foeniculum vulgare 12x,nux moschata 12x,zingiber officinale 12x,kali muriaticum 6x,magnesia phosphorica 12x,natrum phosphoricum 6x liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:70797-317
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>POTASSIUM CHLORIDE</b> (UNII: 660YQ98I10) (POTASSIUM CATION - UNII:295O53K152)	POTASSIUM CHLORIDE	6 [hp_X] in 118 mL
<b>NUTMEG</b> (UNII: AEE24M3MQ9) (NUTMEG - UNII:AEE24M3MQ9)	NUTMEG	12 [hp_X] in 118 mL
<b>LYCOPODIUM CLAVATUM SPORE</b> (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	30 [hp_X] in 118 mL
<b>MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE</b> (UNII: HF539G9L3Q) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM PHOSPHATE, DIBASIC TRIHYDRATE	12 [hp_X] in 118 mL
<b>GINGER</b> (UNII: C5529G5JPQ) (GINGER - UNII:C5529G5JPQ)	GINGER	12 [hp_X] in 118 mL
<b>FENNEL SEED</b> (UNII: G3QC02NIE6) (FENNEL SEED - UNII:G3QC02NIE6)	FENNEL SEED	12 [hp_X] in 118 mL
<b>SODIUM PHOSPHATE, DIBASIC, HEPTAHYDRATE</b> (UNII: 70WT22SF4B) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM PHOSPHATE, DIBASIC, HEPTAHYDRATE	6 [hp_X] in 118 mL
<b>CALENDULA OFFICINALIS FLOWERING TOP</b> (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ)	CALENDULA OFFICINALIS FLOWERING TOP	12 [hp_X] in 118 mL
<b>MATRICARIA CHAMOMILLA</b> (UNII: G0R4UBI2ZZ) (MATRICARIA CHAMOMILLA - UNII:G0R4UBI2ZZ)	MATRICARIA CHAMOMILLA	12 [hp_X] in 118 mL
<b>ACTIVATED CHARCOAL</b> (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10)	ACTIVATED CHARCOAL	12 [hp_X] in 118 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>APPLE JUICE</b> (UNII: 9871T0PD5P)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70797-317-01	1 in 1 CARTON	09/28/2022	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/28/2022	

**Labeler** - Talbot's Pharmaceuticals Family Products,LLC. (078855555)

Revised: 9/2022

Talbot's Pharmaceuticals Family Products,LLC.