

**FAMOTIDINE - famotidine tablet, film coated  
WALGREEN CO.**

-----

***Drug Facts***

**Active ingredient (in each tablet)**

Famotidine USP 10 mg

**Purpose**

Acid reducer

**Uses**

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

**Warnings**

**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

## **Ask a doctor or pharmacist before use if you are**

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

## **Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

## **If pregnant or breast-feeding,**

ask a health professional before use.

## **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## **Directions**

- adults and children 12 years and over:
  - to **relieve** symptoms, swallow 1 tablet with a glass of water. Do not chew.
  - to **prevent** symptoms, swallow 1 tablet with a glass of water at any time from **15 to 60 minutes before** eating food or drinking beverages that cause heartburn
  - do not use more than 2 tablets in 24 hours
- children under 12 years: ask a doctor

## **Other information**

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20° to 25°C (68° to 77°F)
- protect from moisture

## **Inactive ingredients**

carnauba wax, corn starch, hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, red iron oxide, sodium starch glycolate, talc and titanium dioxide.

## **Questions or comments?**

call **1-855-274-4122**

### **Tips for Managing Heartburn**

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

***JUST ONE TABLET* prevents and relieves heartburn due to acid indigestion brought on by eating and drinking certain foods and beverages.**

**Do not use if carton is open or if printed foil seal under bottle cap is open or torn.**

DISTRIBUTED BY: **WALGREEN CO.**  
**200 WILMOT RD., DEERFIELD, IL 60015**  
**100% SATISFACTION GUARANTEED**  
**walgreens.com**  
**©2022 Walgreen Co. MADE IN INDIA**

Code: TS/DRUGS/22/2009

**PACKAGE LABEL-PRINCIPAL DISPLAY PANEL -10 mg (30 Tablets Container Label)**

**NDC 0363-9607-09**

***Walgreens***

**Acid  
Controller  
FAMOTIDINE TABLETS USP,  
10 mg / ACID REDUCER**

**Original Strength**

- Just one tablet prevents & relieves heartburn due to acid indigestion

**30 TABLETS**

NDC 0363-9607-09

**Walgreens**

# Acid Controller

FAMOTIDINE TABLETS USP,  
10 mg / ACID REDUCER

Original Strength

• Just one tablet prevents & relieves  
heartburn due to acid indigestion

**30 TABLETS**

**DO NOT USE IF PRINTED SEAL ON BOTTLE IS BROKEN OR MISSING**

**Active ingredient (in each tablet)** Purpose

Famotidine USP 10 mg.....Acid reducer

**Uses** ■ relieves heartburn associated with acid

indigestion and sour stomach ■ prevents heartburn

associated with acid indigestion and sour stomach brought

on by eating or drinking certain food and beverages

**Warnings Allergy alert:** Do not use if you are allergic to

famotidine or other acid reducers. **Do not use** ■ if you have

trouble or pain swallowing food, vomiting with blood, or

bloody or black stools. These may be signs of a serious

condition. See your doctor. ■ With other acid reducers.

**Ask a doctor before use if you have** ■ had heartburn over

3 months. This may be a sign of a more serious condition.

■ heartburn with **lightheadedness, sweating, or dizziness**

■ chest pain or shoulder pain with shortness of breath;

sweating; pain spreading to arms, neck or shoulders; or

lightheadedness ■ frequent chest pain ■ frequent

wheezing, particularly with heartburn ■ unexplained

weight loss ■ nausea or vomiting ■ stomach pain

■ kidney disease. **Ask a doctor or pharmacist before use**

if you are taking a prescription drug. Acid reducers may

interact with certain prescription drugs. **Stop use and ask**

**a doctor if** ■ your heartburn continues or worsens ■ you

need to take this product for more than 14 days. If

**pregnant or breast-feeding**, ask a health professional

before use. **Keep out of reach of children.** In case of

overdose, get medical help or contact a Poison Control

Center (1-800-222-1222) right away. **Directions** ■ adults

and children 12 years and over: ■ to relieve symptoms,

swallow 1 tablet with a glass of water. Do not chew. ■ to

prevent symptoms, swallow 1 tablet with a glass of water

at any time from 15 to 60 minutes before eating food or

drinking beverages that cause heartburn ■ do not use more

than 2 tablets in 24 hours ■ children under 12 years: ask a

doctor **Other information** ■ read the directions and

warnings before use ■ keep the carton. It contains

important information. ■ store at 20° to 25°C (68° to 77°F)

■ protect from moisture

**Inactive ingredients** See carton for complete list of

inactive ingredients

**Questions or comments?** call 1-855-274-4122

DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD.

DEERFIELD, IL 60015 100% SATISFACTION GUARANTEE

walgreens.com ©2022 Walgreen Co. MADE IN INDIA

ITEM 833793 W00000-0000-0 REV-1122

Code: TSDRUGS22/2009 W3ORG1122-F

LW-5002 P1431184

**NVZ**

## PACKAGE LABEL-PRINCIPAL DISPLAY PANEL -10 mg (30 Tablets Container Carton Label)

NDC 0363-9607-09

**Walgreens**

Compare to the active ingredient in  
Original Strength Zantac 360° ®††

### Acid Controller FAMOTIDINE TABLETS USP, 10 mg / ACID REDUCER

Original Strength

- Just one tablet prevents & relieves  
heartburn due to acid indigestion

**30**  
TABLETS

48520



Our pharmacist's recommend the Walgreens brand. We invite you to compare to national brands. This product is not manufactured or distributed by Chartem, Inc., owner of the registered trademark Zantac 360.

**JUST ONE TABLET** prevents and relieves heartburn due to acid indigestion brought on by eating and drinking certain foods and beverages.

**Drug Facts**

**Active ingredient (in each tablet)** Purpose  
Famotidine USP 10 mg.....Acid reducer

**Uses**

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain food and beverages

**Warnings**

**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn

**Drug Facts (continued)**

- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

Ask a doctor or pharmacist before use if you are taking a prescription drug. Acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- adults and children 12 years and over:
  - to relieve symptoms, swallow 1 tablet with a glass of water. Do not chew.
  - to prevent symptoms, swallow 1 tablet with a glass of water at any time from 15 to 60 minutes before eating food or drinking beverages that cause heartburn
  - do not use more than 2 tablets in 24 hours
  - children under 12 years: ask a doctor

**Other information**

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20° to 25°C (68° to 77°F)
- protect from moisture

**Tips for Managing Heartburn**

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol, and certain fruits and vegetables

**Drug Facts (continued)**

**Inactive ingredients**

carnauba wax, corn starch, hydroxypropyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, red iron oxide, sodium starch glycolate, talc and titanium dioxide.

**Questions or comments?**  
call 1-866-274-4122



ACTUAL SIZE



ITEM 833793 W00000-0000-0



DISTRIBUTED BY: WALGREEN CO.  
200 WILMOT RD., DEERFIELD, IL 60015  
100% SATISFACTION GUARANTEED  
walgreens.com  
©2012 Walgreen Co. MADE IN INDIA  
Code: TS/DURUS/22/2009

LM-5003

P 10 495 20



Lot:  
EXP.

W30RG1122-F



## FAMOTIDINE

famotidine tablet, film coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-9607
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>FAMOTIDINE</b> (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	10 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>HYDROXYPROPYL CELLULOSE (1600000 WAMW)</b> (UNII: RFW2ET671P)	
<b>HYPROMELLOSE 2910 (5 MPA.S)</b> (UNII: R75537T0T4)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>SODIUM STARCH GLYCOLATE TYPE A CORN</b> (UNII: AG9B65PV6B)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	PINK	<b>Score</b>	no score
<b>Shape</b>	ROUND (biconvex)	<b>Size</b>	5mm
<b>Flavor</b>		<b>Imprint Code</b>	CC;58
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9607-09	1 in 1 CARTON	11/30/2022	
1		30 in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA206531	11/30/2022	

**Labeler** - WALGREEN CO. (008965063)

**Registrant** - Aurohealth LLC (078728447)

### Establishment

Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		650844777	ANALYSIS(0363-9607) , MANUFACTURE(0363-9607)

### Establishment

Name	Address	ID/FEI	Business Operations
Aurobindo Pharma Limited		650381903	ANALYSIS(0363-9607) , MANUFACTURE(0363-9607)

Revised: 4/2025

WALGREEN CO.