

**MUCOR- mucor racemosus liquid**  
**USPharmaCo**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----

**MUCOR**  
**DROPS 4X**

**Homeopathic Medicine**

**Indications**

For temporary relief of pain from bruises, sprains, and swelling of joints and muscles

**Dosage**

5-10. drops, three times daily.

**Active Ingredient**

Mucor racemosus 4X

**Inactive Ingredients**

Purified water, sodium chloride, potassium sorbate.

**Warning**

If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing, seek the advice of a health care professional before using this product.

Keep this and all medications out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Protect from light and heat.

**Tamper Evident**

Do not use product if the tamper evident strip is broken or removed from the base of the cap.

To report serious adverse events, call: 1-877-557-4276 or 1-623-582-3110

**Manufactured for and distributed by:**

USPharmaCo Distribution Ltd.  
2205 W. Lone Cactus Drive #19,  
Phoenix, AZ 85027  
www.uspharmaco.com  
info@uspharmaco.com

Made in Canada

## PRINCIPAL DISPLAY PANEL - 10 ml Label

### MUCOR DROPS 4X

Homeopathic Medicine 0.34 fl. oz. (10ml)

**Indications:** For temporary relief of pain from bruises, sprains, and swelling of joints and muscles

**Dosage:** 5-10 drops, three times daily.

**Active Ingredient:** Mucor racemosus 4X

**Inactive Ingredients:** Purified water, sodium chloride, potassium sorbate.

**Warning:** If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing, seek the advice of a health care professional before using this product. Keep this and all medications out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Protect from light and heat.

**Tamper Evident:** Do not use product if the tamper evident strip is broken or removed from the base of the cap.

To report serious adverse events, call: 1-877-557-4276 or 1-623-582-3110

**MUCOR DROPS 4X**  
Homeopathic Medicine 0.34 fl. oz. (10ml)

**Indications:** For temporary relief of pain from bruises, sprains, and swelling of joints and muscles  
**Dosage:** 5-10 drops, three times daily.  
**Active Ingredient:** Mucor racemosus 4X  
**Inactive Ingredients:** Purified water, sodium chloride, potassium sorbate.  
**Warning:** If symptoms persist more than a few days, contact a licensed practitioner. As with any drug, if you are pregnant or nursing, seek the advice of a health care professional before using this product. Keep this and all medications out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Protect from light and heat.  
**Tamper Evident:** Do not use product if the tamper evident strip is broken or removed from the base of the cap.  
To report serious adverse events, call: 1-877-557-4276 or 1-623-582-3110

Lot #:  
Manufactured for and distributed by:  
USPharmaco Distribution Ltd.  
Phoenix, AZ 85027  
Made in Canada

## MUCOR

mucor racemosus liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49693-1301
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Mucor racemosus (UNII: 17RH99LQ7G) (Mucor racemosus - UNII:17RH99LQ7G)	Mucor racemosus	4 [hp_X] in 10 mL

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49693-1301-1	1 in 1 BOX		
1		10 mL in 1 BOTTLE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED HOMEOPATHIC		12/15/2009	

**Labeler** - USPharmaCo (145322622)

## Establishment

Name	Address	ID/FEI	Business Operations
DermaMed		256799461	MANUFACTURE

Revised: 12/2009

USPharmaCo