HEALTHY ACCENTS PAIN RELIEF PM EXTRA STRENGTH - acetaminophen, diphenhydramine hcl tablet, film coated DZA Brands LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

DZA Brands, LLC Pain Relief PM Drug Facts

Active ingredients (in each caplet)

Acetaminophen 500 mg

Diphenhydramine HCl 25 mg

Purpose

Pain reliever

Nighttime sleep-aid

Uses

temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver disease

- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

When using this product

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

| adults and children 12 years and over | take 2 caplets at bedtime do not take more than 2 caplets of this product in 24 hours |
|--|--|
| children under | do not use |
| 12 years | |

Other information

• store at 20-25°C (68-77°F)

Inactive ingredients

carnauba wax, crospovidone, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide

Questions or comments?

1-866-322-2439

Principal Display Panel

Compare to Extra Strength Tylenol® PM active ingredients SEE NEW WARNINGS
extra strength
pain relief PM
acetaminophen - diphenhydramine HCl
pain reliever - nighttime sleep-aid
non-habit forming – for adults – gluten free
actual size
100 caplets



Salisbury, NC 28147
Salisbury, NC 28147
Sarbarough, ME 04074
For product questions or concerns, contact us at 1-866-322-2439.
Please include UPC number and code from package.



Drug Facts

Active ingredients (in each caplet)

Purpose

Acetaminophen 500 mg......Pain reliever Diphenhydramine HCl 25 mg.....Nighttime sleep-aid

Uses temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert Acetaminophen may cause severe skin reactions. Symptoms may include:

■ skin reddening ■ blisters ■ rash
If a skin reaction occurs, stop use and seek medical help
right away.

Do not use in children under 12 years of age

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other product containing diphenhydramine, even one used on skin
- If you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- liver disease glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

Drug Facts (continued)

When using this product

- drowsiness will occur avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if new symptoms occur

- sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

| adults and children | ■ take 2 caplets at bedtime ■ do not take more than 2 caplets |
|----------------------------|---|
| 12 years and over | of this product in 24 hours |
| children under 12 years | do not use |

Other information ■ store at 20-25°C (68-77°F)

Inactive ingredients carnauba wax, crospovidone, FD&C blue #1 aluminum lake, FD&C blue #2 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, stearic acid, titanium dioxide

Questions or comments? 1-866-322-2439



HEALTHY ACCENTS PAIN RELIEF PM EXTRA STRENGTH

acetaminophen, diphenhydramine hcl tablet, film coated

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:55316-437

Route of Administration ORAL

Active Ingredient/Active Moiety Ingredient Name Basis of Strength ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) DIPHENHYDRAMINE HYDRO CHLO RIDE (UNII: TC2D6 JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M) DIPHENHYDRAMINE HYDRO CHLO RIDE (UNII: TC2D6 JAD40) (DIPHENHYDRAMINE - HYDRO CHLO RIDE HYDRO CHLO RIDE

| Inactive Ingredients | | |
|---|----------|--|
| Ingredient Name | Strength | |
| CARNAUBA WAX (UNII: R12CBM0EIZ) | | |
| CROSPOVIDONE (15 MPA.S AT 5%) (UNII: 68401960MK) | | |
| HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO) | | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | | |
| MICRO CRYSTALLINE CELLULO SE (UNII: OP1R32D61U) | | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | | |
| POLYSORBATE 80 (UNII: 6OZP39ZG8H) | | |
| PO VIDO NE, UNSPECIFIED (UNII: FZ989GH94E) | | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | | |
| TITANIUM DIO XIDE (UNII: 15FIX9 V2JP) | | |

| ı | Product Characteristics | | | |
|---|-------------------------|-------------------|-------|----------|
| ı | Color | BLUE (Light blue) | Score | no score |

| Shape | CAPSULE | Size | 18 mm |
|----------|---------|--------------|---------|
| Flavor | | Imprint Code | L437;PM |
| Contains | | | |

| Packaging | | | | |
|--------------------|--|-----------------------------|---------------------------|--|
| # Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 NDC:55316-437-71 | 1 in 1 CARTON | 01/29/2008 | | |
| 1 | 50 in 1 BOTTLE; Type 0: Not a Combination Product | | | |
| 2 NDC:55316-437-78 | 1 in 1 CARTON | 01/29/2008 | | |
| 2 | 100 in 1 BOTTLE; Type 0: Not a Combination Product | | | |

| Marketing Information | | | |
|-------------------------|--|----------------------|--------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC monograph not final | part343 | 01/29/2008 | |
| | | | |

Labeler - DZA Brands LLC (090322194)

Revised: 12/2019 DZA Brands LLC