

**NASALGUARD ANTISEPTIC TOPICAL COOL MENTHOL- benzalkonium chloride gel**  
**TRUTEK CORP.**

-----  
**NasalGuard Antiseptic Topical Cool Menthol**

***Active Ingredient***

Benzalkonium Chloride 0.13%

***Purpose***

Antiseptic

***Use***

To decrease bacteria on the skin.

***Directions***

Apply to the outside of the nose as indicated below.

Begin by squeezing 1 to 2 pin-sized drops on your pointer finger.

Spread the gel between your pointer finger and thumb to ensure an even application.

Apply directly around the nostrils and above the upper lip.

Apply every 4 to 6 hours or as often as needed.

Reapply if nose or face becomes wet.

SAVE THIS (BOX) FOR REFERENCE

***Inactive Ingredients***

Dimethicone, Glycerin, Hydroxyethyl Cellulose, Purified Water. Also contains non-toxic, cosmetic grade preservatives and emulsifiers.

**Questions or Comments ?**

Visit [www.NasalGuard.com](http://www.NasalGuard.com) or call 1-855-NASALGUARD (1-855-627-2548).

NASALGUARD ANTISEPTIC TOPICAL Gel Cool Menthol

For external use only

When using this product keep out of eyes. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if

irritation and redness develop  
condition persists for more than 72 hours

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control center right away

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

If pregnant or breast-feeding, ask a health professional before use.

Stop use and ask a doctor if

irritation and redness develop

or

condition persists for more than 72 hours

Proof Date : 21 February 2024



KILLS GERMS • NON-IRRITATING • SAFE

NDC 81907-101-01

Cool Menthol  
**NasalGuard**<sup>®</sup>  
 ANTISEPTIC TOPICAL *gel*  
 Benzalkonium Chloride (0.13%) Antiseptic



Kills 99.9% of Germs on Contact



Cool Menthol  
**NasalGuard**<sup>®</sup>  
 ANTISEPTIC TOPICAL *gel*

Cool Menthol  
**NasalGuard**<sup>®</sup>  
 ANTISEPTIC TOPICAL *gel*


150  
 APPLICATIONS

NET WT. 3g (0.1 oz)

Cool Menthol  
**NasalGuard**<sup>®</sup>  
 ANTISEPTIC TOPICAL *gel*



Distributed by:  
 Tritek Corp.  
 Somerville, NJ 08876 USA  
 US Patent Nos. US 6,844,005 B2 US 8,163,802 B2  
 US 9,737,497 B2 US 9,750,706 B2  
 ©2024 Tritek Corp.  
 Made in USA

|   |   |
|---|---|
| <b>Drug Facts</b><br>Active Ingredient<br>Benzalkonium Chloride (0.13%),.....Antiseptic   | <b>Use</b><br>To decrease<br>bacteria on skin.  |
| <b>Warnings</b><br>For external use only.   |   |
| <b>When using this product</b> keep out of eyes. In case of contact with eyes,<br>rinse eyes thoroughly with water.                               |   |
| <b>Stop use and ask a doctor if -</b> irritation and redness develop<br>- condition persists for more than 72 hours                               |   |
| <b>If pregnant or breast-feeding,</b> ask a health professional before use.   |   |
| <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a<br>Poison Control Center right away.                            |   |
| <b>Directions :</b> Apply to the outside of the nose as indicated below.  |   |
|   |    |
|    |   |
| <b>Other Information</b><br>Store at room temperature.  | <b>Inactive Ingredients</b><br>Dimethicone, Glycerin, Hydroxyethyl Cellulose, Menthol, Purified Water; Also contains non-toxic, cosmetic grade preservatives and emulsifiers. |
| Apply every 4 to 6 hours or as often as needed. Reapply if nose or face becomes wet.<br>SAVE THIS FOR REFERENCE                                   |   |
| <b>Questions or Comments?</b><br>Visit <a href="http://www.NasalGuard.com">www.NasalGuard.com</a><br>or call 1-855-NASALGUARD<br>(1-855-627-2548) |   |

TUBE AND CARTON FOR MENTHOL NASALGUARD



**NASALGUARD ANTISEPTIC TOPICAL COOL MENTHOL**

benzalkonium chloride gel

**Product Information**

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:81907-101 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

**Active Ingredient/Active Moiety**

| Ingredient Name   | Basis of Strength     | Strength          |
|---|-----------------------|-------------------|
| <b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y) | BENZALKONIUM CHLORIDE | 1.3 mg in 1000 mg |

**Inactive Ingredients**

| Ingredient Name   | Strength |
|---|----------|
| <b>STEARETH-2</b> (UNII: V56DFE46J5)                          |          |
| <b>MENTHOL</b> (UNII: L7T10EIP3A)                             |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                               |          |
| <b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)          |          |
| <b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D) |          |
| <b>STEARETH-21</b> (UNII: 53J3F32P58)                         |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                            |          |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)                      |          |
| <b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)                   |          |
| <b>BEHENTRIMONIUM CHLORIDE</b> (UNII: X7GNG3S47T)             |          |
| <b>DIMETHICONE 350</b> (UNII: 2Y53S6ATLU)                     |          |

**Packaging**

| # | Item Code        | Package Description                                  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:81907-101-01 | 1 in 1 BOX   | 02/01/2024           |                    |
| 1 | NDC:81907-101-03 | 3000 mg in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M003                                     | 10/24/2022           |                    |

**Labeler** - TRUTEK CORP. (170729235)

**Registrant** - TRUTEK CORP. (170729235)

## Establishment

| Name         | Address | ID/FEI    | Business Operations    |
|--------------|---------|-----------|------------------------|
| TRUTEK CORP. |         | 170729235 | manufacture(81907-101) |

Revised: 12/2025

TRUTEK CORP.