SINUS SEVERE- acetaminophen, guaifenes in, phenylephrine hcl tablet, film coated Target Corporation

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Target 44-527C

Active ingredients (in each caplet)

Acetaminophen 325 mg Guaifenesin 200 mg Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer Expectorant Nasal decongestant

Uses

- temporarily relieves these symptoms associated with hay fever or other respiratory allergies, and the common cold:
 - headache
 - nasal congestion
 - minor aches and pains
 - sinus congestion and pressure
- temporarily reduces fever
- helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- blisters
- rash
- skin reddening

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

• if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- heart disease
- liver disease
- high blood pressure
- diabetes
- thyroid disease
- difficulty in urination due to enlargement of the prostate gland persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain, nasal congestion, or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed
- adults and children 12 years and over
 - take 2 caplets every 4 hours
 - swallow whole do not crush, chew, or dissolve
 - do not take more than 10 caplets in 24 hours
- children under 12 years: ask a doctor

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, crospovidone, flavor, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, sucralose, talc, titanium dioxide

Questions or comments?

Call 1-800-910-6874

Principal display panel

Compare to active ingredients in Tylenol® SINUS SEVERE*

NDC 11673-927-08

daytime

sinus severe

acetaminophen, guaifenesin, phenylephrine HCl pain reliever/fever reducer, expectorant, nasal decongestant

relieves sinus headache, sinus pressure, nasal congestion, chest congestion, mucus

non-drowsy

24 CAPLETS

ACTUAL SIZE

up&up™

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Dist. by Target Corporation, Minneapolis, MN 55403 TM & ©2019 Target Brands, Inc. 50844 ORG091752708

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Tylenol® SINUS SEVERE.



Target 44-527C

SINUS SEVERE

| Product Information | | | | | |
|-------------------------|----------------|--------------------|---------------|--|--|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:11673-927 | | |
| Route of Administration | ORAL | | | | |

| Active Ingredient/Active Moiety | | | | |
|---|--------------------------------|----------|--|--|
| Ingredient Name | Basis of Strength | Strength | | |
| ACETAMINO PHEN (UNII: 36209 ITL9 D) (ACETAMINO PHEN - UNII: 36209 ITL9 D) | ACETAMINOPHEN | 325 mg | | |
| GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ) | GUAIFENESIN | 200 mg | | |
| PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV) | PHENYLEPHRINE HYDROCHLORIDE | 5 mg | | |

| Inactive Ingredients | | | | |
|--|----------|--|--|--|
| Ingredient Name | Strength | | | |
| STARCH, CORN (UNII: O8232NY3SJ) | | | | |
| CROSPOVIDONE, UNSPECIFIED (UNII: 2S7830E561) | | | | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | | | | |
| MALTO DEXTRIN (UNII: 7CVR7L4A2D) | | | | |
| MICRO CRYSTALLINE CELLULO SE (UNII: OP1R32D61U) | | | | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | | | | |
| POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990) | | | | |
| PO VIDONE, UNSPECIFIED (UNII: FZ989GH94E) | | | | |
| SILICON DIO XIDE (UNII: ETJ7Z6 XBU4) | | | | |
| SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2) | | | | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | | | | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | | | | |
| TALC (UNII: 7SEV7J4R1U) | | | | |
| TITANIUM DIO XIDE (UNII: 15FIX9 V2JP) | | | | |

| Product Characteristics | | | | |
|-------------------------|-------|--------------|----------|--|
| Color | WHITE | Score | no score | |
| Shape | OVAL | Size | 19 mm | |
| Flavor | MINT | Imprint Code | 44;527 | |
| Contains | | | | |

| l | Packaging | | | | |
|---|--------------------|---|-----------------------------|--------------------|--|
| l | # Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| l | 1 NDC:11673-927-08 | 2 in 1 CARTON | 08/01/2019 | | |
| l | 1 | 12 in 1 BLISTER PACK; Type 0: Not a Combination Product | | | |

| Marketing Information | | | | |
|-----------------------|--|----------------------|--------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC MONOGRAPH FINAL | part341 | 08/01/2019 | | |
| | | | | |

Labeler - Target Corporation (006961700)

| Establishment | | | |
|-------------------------|---------|-----------|------------------------|
| Name | Address | ID/FEI | Business Operations |
| LNK International, Inc. | | 832867894 | MANUFACTURE(11673-927) |

| Establishment | | | | |
|-------------------------|---------|-----------|---------------------|--|
| Name | Address | ID/FEI | Business Operations | |
| LNK International, Inc. | | 832867837 | PACK(11673-927) | |

Revised: 5/2020 Target Corporation