#### OXYGEN - oxygen gas Childrens Hospital of Philadelphia

-----

### **OXYGEN REFRIGERATED LIQUIP USP**

OXYGEN REFRIGERATED LIQUID USP product label

**REFRIGERATED LIQUID** 

**OXYGEN, REFRIGERATED LIQUID USP** 

UN 1073

OXYGEN 2 (R-K14) 116282

↑ ALWAYS KEEP CONTAINER IN UPRIGHT POSITION. ↑

### DO NOT CHANGE OR FORCE FIT CONNECTIONS.

CONTENTS: \_\_\_\_\_ LTRS. CU.FT.

**WARNING:** USP For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For other medical applications, **Rx only.** 

Uninterrupted use of high concentrations of oxygen over a long duration, without onitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction.

**DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID: IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advise/attention.

CAS: 7782-44-7

### DO NOT REMOVE THIS LABEL.

Children's Hospital of Philadelphia

550 South Goddard Blvd.

King of Prussia, PA 19406

800-866-1242

# REERIGERATED LIQUID

OXYG REFR LIQUI USP UN10	IGERATED D OXYGEN				
T ALWAY Do No	S KEEP CONTAINER IN UPRIGHT POSITION. 1 T CHANGE OR FORCE FIT CONNECTIONS.				
CONTENTS:	LTRS:  CU.FT.				
WARNING:	<b>USP</b> For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, <b>Rx only</b> .				
	Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.				
	Produced by Air Liquefaction.				
DANGER:	MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT.				
	Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from				

grease and oil. Use and store only outdoors or in a wellventilated place. Wear cold insulating gloves, face shield, and eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

## Children's Hospital of Philadelphia

550 South Goddard Blvd. King Of Prussia, PA 19406

### 800-866-1242



0	XYGEN						
02	kygen gas						
F	Product Informa	tion					
P	Product T ype		HUMAN PRESCRIPTION DRUG	Ite	em Code (Source)		NDC:43734-002
R	Route of Administra	tion	RESPIRATORY (INHALATION)				
A	ctive Ingredien	t/Active Moi	ety				
	Ingredient Name				<b>Basis of Strength</b>		Strength
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)			EN - UNII:S88TT14065)		OXYGEN		99 L in 100 L
P	ackaging						
#	Item Code		Package Description	Ma	arketing Start Date	Ma	rketing End Date
1	NDC:43734-002-01	21 L in 1 DEWA	R; Type 0: Not a Combination Product				
2	NDC:43734-002-02	31 L in 1 DEWA	R; Type 0: Not a Combination Product				
3	NDC:43734-002-03	41 L in 1 DEWA	R; Type 0: Not a Combination Product				
4	NDC:43734-002-04	46 L in 1 DEWA	R; Type 0: Not a Combination Product				

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
NDA	NDA205849	0 5/0 1/20 12				

Labeler - Childrens Hospital of Philadelphia (828983189)

Registrant - Childrens Hospital of Philadelphia (828983189)

### Establishment

Name	Address	ID/FEI	Business Operations
Childrens Hospital of Philadelphia		828983189	manufacture(43734-002)

Revised: 2/2016

Childrens Hospital of Philadelphia