

PHAZYME- simethicone capsule, gelatin coated
C.B. Fleet Company, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Phazyme Maximum Strength 250 mg 0132 - 0211

Drug Facts

Active Ingredient (in each fast gel)

Simethicone 250 mg

Purpose

Anti-gas

Use

Relieves bloating, pressure or fullness commonly referred to as gas

Warnings

Stop use and ask a doctor if

condition persists.

Keep out of reach of children.

Directions

- Swallow one or two fast gels as symptoms occur.
- Do not exceed two fast gels per 24 hours except under the advice and supervision of a physician.

Other information

Store at room temperature 59°-86°F (15°-30°C).

Inactive Ingredients

DC Red #33, FD&C Blue #1, gelatin, glycerin, purified water

Questions?

Call toll-free **1-855-727-4277**

Principal Display Panel

PHAZYME®

ANTI-GAS SIMETHICONE 250 mg

MAXIMUM STRENGTH

12 fast gels

RELIEVES GAS FAST
DISCOMFORT BLOATING PRESSURE

CONVENIENT & PORTABLE

PHAZYME
ANTI-GAS SIMETHICONE 250mg

MAXIMUM STRENGTH
250 MG

FAST GELS
PZ 250 12 actual size

#1 Doctor Recommended
OTC Anti-Gas Ingredient

Dist. by C.B. Fleet Company, Inc. Tarrytown, NY 10591. A Prestige Consumer Healthcare company. Made & Packaged in the USA. ©2020. Trade dress is owned by C.B. Fleet Company, Inc. All rights reserved. P2U500303

1. Separate Blister
2. Carry in Purse or Pocket
3. Press Fast Gel through Foil

PHAZYME
ANTI-GAS SIMETHICONE 250mg
MAXIMUM STRENGTH
250 MG

RELIEVES GAS FAST
• BLOATING • PRESSURE • DISCOMFORT

Drug Facts

Active ingredient (in each fast gel)	Purpose
Simethicone 250 mg	Anti-gas

Use Relieves bloating, pressure or fullness commonly referred to as gas.

Warnings
Stop use and ask a doctor if condition persists.

Keep out of reach of children.

Directions
• Swallow one or two fast gels as symptoms occur.
• Do not exceed two fast gels per 24 hours except under the advice and supervision of a physician.

Other information
Store at room temperature 59°-86°F (15°-30°C).

Inactive ingredients DC Red #33, FD&C Blue #1, gelatin, glycerin, purified water.

Questions? Call toll-free 1-855-727-4277

• Convenient & portable
• The Strongest Gas Relief in (2) Convenient Fast Gels
• Goes to work in minutes
• Contains a powerful ingredient, simethicone, the anti-gas medicine recommended most by physicians and pharmacists for relief of gas.

01320 00211 9

PHAZYME

simethicone capsule, gelatin coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0132-0211
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMETHICONE (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)	DIMETHICONE	250 mg

Inactive Ingredients

Ingredient Name	Strength
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	purple	Score	no score
Shape	CAPSULE	Size	11mm
Flavor		Imprint Code	PZ;250
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0132-0211-12	1 in 1 BOX	04/01/2014	
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0132-0211-24	2 in 1 BOX	04/01/2014	
2		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:0132-0211-36	3 in 1 BOX	04/01/2014	
3		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part332	04/01/2014	

Labeler - C.B. Fleet Company, Inc. (003119054)