

**MAYBELLINE NEW YORK INSTANT AGE REWIND ERASER TREATMENT MAKEUP
BROAD SPECTRUM SPF 18 SUNSCREEN- octinoxate lotion
L'Oreal USA Products Inc**

Drug Facts

Active ingredient

Octinoxate 7.5%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure

- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Questions or comments?

1-800-322-2036

Monday - Friday (9 a.m. - 5 p.m. EST)

Inactive ingredients

cyclopentasiloxane, water, dimethicone crosspolymer, glycerin, isotridecyl isononanoate, PEG-9 polydimethylsiloxyethyl dimethicone, disteardimonium hectorite, phenoxyethanol, PEG-10 dimethicone, hydrolyzed wheat protein/PVP crosspolymer, disodium stearyl glutamate, chlorphenesin, methylparaben, lycium barbarum fruit extract, acrylates copolymer, potassium sorbate, ethylparaben, tocopherol, ascorbyl palmitate, panthenol, PEG-9, aluminum hydroxide, citric acid, sodium PCA, urea, trehalose, polyquaternium-51, soluble collagen, sodium hyaluronate; may contain: iron oxides, titanium dioxide, mica



.68 FL. OZ. 20 ml

0.18750"

0.63197"

0.18750"

0.63197"

CUSTOM GRADIENT PRINTS PMS 137C,
PMS 032C, PMS RHODAMINE RED C,
ON A WHITE GRADIENT

LOT CODE

Drug Facts (continued)

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

Instant Age Rewind®

Hinge Hinge Hinge Hinge

Hinge

Hinge

Hinge

Instant Age Rewind®

(continued)

u,
a.m. -

shirts,
glasses
months of

(continued)

tion

in this container from excessive

lients

ater, dimethicone crosspolymer,
nonanoate, PEG-9
yl dimethicone, disteardimonium
anol, PEG-10 dimethicone,
tein/PVP crosspolymer, disodium
lorphenesin, methylparaben,
extract, acrylates copolymer,
hylparaben, tocopherol, ascorbyl
PEG-9, aluminum hydroxide,
A, urea, trehalose,
oluble collagen, sodium
nate; may contain: iron oxides,
dioxide, mica

tions or comments?

322-2036

- Friday (9 a.m. - 5 p.m. EST)

7362f2

Hinge

Drug Facts (con

- ♦ limit time in the sun especially from 10 a.m. to 4 p.m.
- ♦ wear long-sleeved shirts, pants, hats, and sunglasses
- ♦ children under 6 months of age: Ask a doctor

Drug Facts (CO

Other informat

- ♦ protect the product from heat and direct sun

Inactive ingred


cyclopentasiloxane, w
glycerin, isotridecyl is
polydimethylsiloxyleth
hexanediol, phenoxyeth
hydrolyzed wheat pro
stearyl glutamate, ch
lycium barbanum fruit
potassium sorbate, et
palmitate, panthenol,
citric acid, sodium PCA
polyquaternium-51, s
hyaluronic acid, s
titanium dioxide

Quest


**1-800-
Monday**


F.I.L. D3

LOT CODE



CUSTOM GRADIENT PRINTS PMS 137C,
PMS 032C, PMS RHODAMINE RED C,
ON A WHITE GRADIENT





MAYBELLINE NEW YORK INSTANT AGE REWIND ERASER TREATMENT MAKEUP BROAD SPECTRUM SPF 18 SUNSCREEN

octinoxate lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-007
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-007-01	20 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/01/2010	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2010	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment

Name	Address	ID/FEI	Business Operations
L'Oreal USA, Inc.		624244349	manufacture(49967-007)

Revised: 12/2023

L'Oreal USA Products Inc