

SALICYLIC ACID- corn and callus remover liquid liquid
Rite Aid Corporation

Rite Aid Liquid Corn and Callus Remover

Active ingredient

Salicylic acid 17% w/w

Purpose

Corn and callus remover

Uses

- for the removal of corns and calluses
- relieves pain by removing corns and calluses

Warnings

For external use only.

Flammable

- keep away from fire or flame
- **cap bottle tightly** and store at room temperature away from heat

Do not use

- on irritated skin
- on any area that is infected or reddened
- if you are a diabetic, or if you have poor blood circulation, except under the advice and supervision of a doctor or podiatrist

When using this product

- avoid contact with eyes
- avoid inhaling vapors
- if product gets into the eye, flush with water for 15 minutes

Stop and ask a doctor if

discomfort persists, see your doctor or podiatrist.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wash the affected area and dry thoroughly

- apply one drop at a time with applicator to sufficiently cover each corn/callus; let dry
- use cushion with hole centered over corn or callus to relieve pressure (additional cushions may be purchased separately)
- repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed)
- may soak corn/callus in warm water for 5 minutes to assist in removal

Other information

store between 20° to 25°C (68° to 77°F)

close tightly to prevent solidification

store in a cool place

Inactive ingredients

camphor, castor oil, ethanol, ethyl ether, nitrocellulose

Questions?

Call 1-866-964-0939

Principal Display Panel



Rite Aid Pharmacy

LIQUID CORN & CALLUS REMOVER

Salicylic Acid 17

Safely removes corns & calluses • Soft foam cushions & protects

0.33 FL OZ (9.8 mL) 3 CUSHIONS



Active ingredient: Salicylic acid (17% w/w)
Purpose: Corn and callus remover **Uses:** For the removal of corns and calluses. Relieves pain by removing corns and calluses. **Warnings:** For external use only. **Flammable:** Keep away from fire or flame. **Cap bottle tightly** and store at room temperature away from heat. **Do not use** this product if you are diabetic or have poor blood circulation, except under the advice and supervision of a doctor or podiatrist.

LIQUID CORN & CALLUS REMOVER
 Salicylic Acid 17%

Safely removes corns & calluses

CLOSE CAP TIGHTLY AFTER USE

RITE AID PHARMACY 0.33 FL OZ (9.8 mL)

Do not use this product on irritated skin, on any area that is infected or reddened. **When using this product** avoid contact with eyes, if product gets into the eyes, flush with water for 15 minutes. Avoid inhaling vapors. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions:** Wash affected area and dry thoroughly. Apply one drop at a time with applicator to sufficiently cover each corn/callus. Let dry. Use cushions with hole centered over corn or callus to relieve pressure. Repeat this procedure once or twice daily as needed for up to 14 days (until corn/callus is removed). May soak corn/callus in warm water for 5 minutes to assist in removal. **Other information:** Store at 20° - 25° C (68° - 77° F). Close tightly to prevent solidification. Store in a cool place. **Inactive ingredients:** camphor, castor oil, ethanol, ethyl ether, nitrocellulose **Questions?** Call 1-866-964-0939

Made in USA with U.S. and imported parts

DISTRIBUTED BY: RITE AID, 30 HUNTER LANE CAMP HILL, PA 17011 www.riteaid.com

NO VARNISH AREA 0.5315"

50-030RA-02

SALICYLIC ACID

corn and callus remover liquid liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0120
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	0.17 mg in 9.8 mL

Inactive Ingredients

Ingredient Name	Strength
PYROXYLIN (UNII: KYR8BR2X6O)	
CAMPHOR (NATURAL) (UNII: N20HL7Q941)	
CASTOR OIL (UNII: D5340Y2I9G)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0120-9	9.8 mL in 1 BOTTLE, WTH APPLICATOR; Type 0: Not a Combination Product	12/22/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M030	12/22/2017	

Labeler - Rite Aid Corporation (014578892)