

**CHILDRENS PAIN AND FEVER DISSOLVE PACKS- acetaminophen powder  
WALGREENS CO.**

-----  
**Walgreens Children's Dye-Free Pain & Fever Dissolve Packs Acetaminophen  
Drug Facts**

**Active ingredient (in each packet)**

Acetaminophen 160 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily:
- reduces fever
- relieves minor aches and pains due to:
  - the common cold
  - flu
  - headache
  - sore throat
  - toothache

**Warnings**

**Liver warning**

This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:**acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:**if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if your child is allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if your child has** liver disease

**Ask a doctor or pharmacist before use if your child is** taking the blood thinning drug warfarin

**When using this product do not exceed recommended dose (see overdose warning)**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**Keep out of reach of children.**

**Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222).

Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **this product does not contain directions or complete warnings for adult use.**
- **do not give more than directed (see overdose warning)**
- find right dose on chart. If possible, use weight to dose; otherwise, use age.
- tear packet and pour powder on your child's tongue
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

<b>Weight (lb)</b>	<b>Age (yrs.)</b>	<b>Dose (packets)**</b>
under 48	under 6 years	do not use
48-59	6-8 years	2 packets
60-71	9-10 years	2 packets
72-95	11 years	1. packets

**Other information**

- store at room temperature

**TAMPER EVIDENT: DO NOT USE IF PACKET IS TORN OR DAMAGED**

## **Inactive ingredients**

citric acid, flavor, gelatin, isomalt, silica, sucralose

## **Questions?**

**1-866-467-2748**

## **PRINCIPAL DISPLAY PANEL**

NDC 0363-5101-18

### **Children's**

### **Dye-Free**

### **Pain & Fever Dissolve Packs**

ACETAMINOPHEN 160 mg  
PAIN RELIEVER/FEVER REDUCER

### **DYE FREE, ASPIRIN FREE, IBUPROFEN FREE**

- No water needed
- Dissolves in seconds

### **AGES 6-11 YEARS**

18 PACKETS\*  
160 mg EACH PACKET

WILD BERRY FLAVOR

NATURALLY AND ARTIFICIALLY FLAVORED

\*PACKETS OF POWDER

Pour powder on your child's tongue

**IMPORTANT:**Keep this carton for future reference on full labeling.

Walgreens Pharmacist Recommended

Walgreens Pharmacist Survey

††This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of the registered trademark Children's Tylenol® Dissolve Packs.

### **Distributed by:**

WALGREEN CO.

200 WILMOT RD., CEERFIELD, IL 60015

**100% SATISFACTION GUARANTEED**



## CHILDRENS PAIN AND FEVER DISSOLVE PACKS

acetaminophen powder

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-5101
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)	
<b>GELATIN, UNSPECIFIED</b> (UNII: 2G86QN327L)	
<b>ISOMALT</b> (UNII: S870P5502W)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	

SUCRALOSE (UNII: 96K6UQ3ZD4)

### Product Characteristics

<b>Color</b>	white (off white)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-5101-18	18 in 1 CARTON	01/29/2020	
1		1 in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/29/2020	

**Labeler** - WALGREENS CO. (008965063)

Revised: 11/2025

WALGREENS CO.