

**INTEGRITY PRE-POST PART A- lactic acid solution  
Premier Select Sires**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Integrity Pre-Post Part A**

Integrity Pre-Post Part A

CIO2 Teat Dip Part A

**WARNING**

**KEEP OUT OF REACH OF CHILDREN.**

**AVOID FREEZING.**

**KEEP OUT OF DIRECT SUNLIGHT.**

**CAUSES SERIOUS EYE IRRITATION.**

**FOR FARM AND INDUSTRIAL USE ONLY.**

**PREVENTION: Wash skin thoroughly after handling. Wear eye protection/  
face protection.**

**FIRST AID / RESPONSE:**

**IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.**

**STORAGE: Store locked up.**

**DISPOSAL: Dispose of contents/ container to an approved waste disposal plant .**

**EMERGENCY TELEPHONE NUMBER (Chemtrec) 800-424-9300 CCN205494**

ACTIVE INGREDIENTS: Lactic Acid 1.00 %

EMOLLIENT PACKAGE: 24 %

**NET CONTENTS: 55 Gallons**

**LOT:**

**EXP. DATE:**

**Use Premier Integrity Pre-Post effectively to reduce the spread of mastitis causing organisms.**

**Recommended for pre and post milking applications.**

**DIRECTIONS:**

**IMPORTANT:** MUST BE MIXED PRIOR TO USE. Mix PART A & PART B in equal parts. Mix by volume.

CREATES CHLORINE DIOXIDE. Reaches minimum Chlorine Dioxide levels within 15 minutes of mixing, and will continue to generate Chlorine Dioxide for up to 5-7 days. After 7 days, discard solution and mix a new solution.

**General Use**

**Once mixed according to directions , do not mix product with any other teat dips, or other product.**

**Use a teat dip cup to apply. Clean dip cup just prior to use.**

**If cow's teats are sore or chapped, consult a veterinarian before starting or continuing to use teat dip.**

**If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for this product.**

**If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.**

**This product can also be foamed or sprayed using recommended equipment.**

**Pre Dipping Use**

**Perform forestripping and inspect teats for clinical mastitis.**

**Pre-wash teats thoroughly just prior milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with single-service towels**

**Just before each cow is milked, dip, foam, or spray, each teat full-length into the teat dip or foam cup containing product.**

**Allow product to stand for 30 seconds.**

**Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.**

**Post Dipping Use**

**Immediately after each milking, use product.**

**Dip each teat full-length into the teat dip cup containing product. Allow to air dry. Do not wipe.**

**If outside temperature is below freezing, allow to air dry on the teat before cow leaves the parlor.**

### **Extended Use**

**When a cow is being dried off, the teats should be dipped in product, once a day for 3-4 days after the last milking.**

**Dipping should be resumed at least twice daily one week before calving.**

Manufactured For: Premier Select Sires 1 Stony Mountain Road Tunkhannock PA 18657  
Phone (800)-227-6417



## **WARNING**

**KEEP OUT OF REACH OF CHILDREN.  
AVOID FREEZING.  
KEEP OUT OF DIRECT SUNLIGHT.  
CAUSES SERIOUS EYE IRRITATION.  
FOR FARM AND INDUSTRIAL USE ONLY.**

**PREVENTION:** Wash skin thoroughly after handling. Wear eye protection/ face protection.

**FIRST AID / RESPONSE:**  
**IF IN EYES:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**STORAGE:** Store locked up.

**DISPOSAL:** Dispose of contents/ container to an approved waste disposal plant.

**EMERGENCY TELEPHONE NUMBER**  
(Chemtrec) 800-424-9300 CCN205494

**ACTIVE INGREDIENTS:** Lactic Acid 1.00 %  
**EMOLLIENT PACKAGE:** 24 %

Net Contents: 55 Gallon  
Lot:  
Exp. Date:

Manufactured For:  
Premier Select Sires  
1 Stony Mountain Road  
Tunkhannock, PA 18657  
Phone (800) 227-6417



# **Integrity**



*Pre-Post* PART A

CIO,  
TEAT DIP  
PART A

Use Premier Integrity Pre-Post effectively to reduce the spread of mastitis causing organisms. Recommended for pre and post milking applications.

### **DIRECTIONS:**

**IMPORTANT:** MUST BE MIXED PRIOR TO USE. Mix PART A & PART B in equal parts. Mix by volume. CREATES CHLORINE DIOXIDE. Reaches minimum Chlorine Dioxide levels within 15 minutes of mixing, and will continue to generate Chlorine Dioxide for up to 5-7 days. After 7 days, discard solution and mix a new solution.

**GENERAL USE:** Once mixed according to directions, do not mix product with any other teat dips, or other product. Use a teat dip cup to apply. Clean dip cup just prior to use.

If cow's teats are sore or chapped, consult a veterinarian before starting or continuing to use teat dip.

If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for this product.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

This product can also be foamed or sprayed using recommended equipment.

**PRE DIPPING USE:** Perform forestripping and inspect teats for clinical mastitis.

Pre-wash teats thoroughly just prior milking with appropriate udder wash solution or pre-milking teat dip. Teats should then be dried with single-service towels.

Just before each cow is milked, dip, foam, or spray, each teat full-length into the teat dip or foam cup containing product.

Allow product to stand for 30 seconds.

Wipe teats dry after dipping, using single-service towels to avoid contamination of milk.

**POST DIPPING USE:** Immediately after each milking, use product.

Dip each teat full-length into the teat dip cup containing product. Allow to air dry. Do not wipe.

If outside temperature is below freezing, allow to air dry on the teat before cow leaves the parlor.

**EXTENDED USE:** When a cow is being dried off, the teats should be dipped in product, once a day for 3-4 days after the last milking.

Dipping should be resumed at least twice daily one week before calving.

## **INTEGRITY PRE-POST PART A**

lactic acid solution

## Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:86012-3003
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>LACTIC ACID</b> (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	0.0125 kg in 1 kg

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:86012-3003-1	19 kg in 1 CONTAINER		
2	NDC:86012-3003-2	57 kg in 1 DRUM		
3	NDC:86012-3003-3	208 kg in 1 DRUM		
4	NDC:86012-3003-4	1041 kg in 1 CONTAINER		

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		11/21/2022	

**Labeler** - Premier Select Sires (065398711)