

**DIBROMM COLD AND ALLERGY CHILDRENS- brompheniramine maleate,
phenylephrine hcl liquid
QUALITY CHOICE (Chain Drug Marketing Association)**

Drug Facts

Active ingredients (in each 10 mL)

Brompheniramine maleate 2 mg

Phenylephrine HCl 5 mg

Purposes

Antihistamine

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis)
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat
- temporarily restores freer breathing through the nose

Warnings

Do not use

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- glaucoma
- diabetes
- thyroid disease
- trouble urinating due to an enlarged prostate gland

- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking any other oral nasal decongestant or stimulant
- taking sedatives or tranquilizers

When using this product

- **do not use more than directed**
- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- nervousness, dizziness or sleeplessness occur
- symptoms do not get better within 7 days or are accompanied by fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided. Do not use any other dosing device.
- keep dosing cup with product
- mL = milliliter

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to 11 years	10 mL every 4 hours
children under 6 years	do not use

Other information

- **each 10 mL contains:** sodium 6 mg
- store between 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

anhydrous citric acid, FD&C blue #1, FD&C red # 40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sorbitol, sucralose, trisodium citrate dihydrate

Questions or comments?

Call **1-800-935-2362** Monday-Friday 9AM-5PM EST

Principal Display Panel

***Compare to the active ingredients in Children's Dimetapp® Cold & Allergy**

Children's

Dibromm

Cold & Allergy

Brompheniramine Maleate

Antihistamine

Phenylephrine HCl

Nasal Decongestant

For Ages 6 years & Over

Alcohol free

Grape Flavor

FL OZ (mL)

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributors of Children's Dimetapp® Cold & Allergy.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

Distributed by: CDMA, Inc.

Novi, MI 48375

www.qualitychoice.com

Package Label

Drug Facts (continued)	
Age	Dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to 11 years	10 mL every 4 hours
children under 6 years	do not use
Other information	
■ each 10 mL contains: sodium 6 mg	
■ store between 20-25°C (68-77°F). Do not refrigerate.	
Inactive ingredients	
citric acid, FD&C blue #1, FD&C red #40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sorbitol, sucralose	
Questions or comments?	
Call 1-800-935-2362 Monday-Friday 9AM-5PM EST	

*This product is not manufactured or distributed by Pfizer Consumer Healthcare, distributor of Children's Dimetapp® Cold & Allergy.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.



Distributed by CDMA, Inc.
Novi, MI 48375
www.qualitychoice.com
Questions: 800-935-2362

NDC 63868-241-04

QC QUALITY CHOICE

*Compare to the active ingredients in Children's Dimetapp® Cold & Allergy


Children's Dibromm

Cold & Allergy

Brompheniramine Maleate
Antihistamine
Phenylephrine HCl
Nasal Decongestant

For Ages 6 Years & Over
Alcohol-Free

Grape Flavor



4 FL OZ (118 mL)

NDC 63868-241-04

QC QUALITY CHOICE

*Compare to the active ingredients in Children's Dimetapp® Cold & Allergy


Children's Dibromm

Cold & Allergy

Brompheniramine Maleate
Antihistamine
Phenylephrine HCl
Nasal Decongestant

For Ages 6 Years & Over
Alcohol-Free

Grape Flavor



4 FL OZ (118 mL)

Drug Facts		
Active ingredients (in each 10 mL) Brompheniramine maleate 2 mg.....	Purposes Antihistamine Phenylephrine HCl 5 mg..... Nasal decongestant	
Uses		
■ temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies		
■ temporarily relieves these symptoms due to hay fever (allergic rhinitis)		
■ runny nose	■ itchy, watery eyes	
■ sneezing	■ itching of the nose or throat	
■ temporarily restores freer breathing through the nose		
Warnings		
Do not use		
■ to sedate a child or to make a child sleepy		
■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.		
Ask a doctor before use if you have		
■ heart disease	■ high blood pressure	■ glaucoma
■ diabetes	■ thyroid disease	
■ trouble urinating due to an enlarged prostate gland		
■ a breathing problem such as emphysema or chronic bronchitis		
Ask a doctor or pharmacist before use if you are		
■ taking any other oral nasal decongestant or stimulant		
■ taking sedatives or tranquilizers		
When using this product		
do not use more than directed		
■ drowsiness may occur		
■ avoid alcoholic beverages		
■ alcohol, sedatives, and tranquilizers may increase drowsiness		
■ be careful when driving a motor vehicle or operating machinery		
■ excitability may occur, especially in children		
Stop use and ask a doctor if		
■ nervousness, dizziness or sleeplessness occur		
■ symptoms do not get better within 7 days or are accompanied by fever		
if pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.		
Directions		
■ do not take more than 6 doses in any 24-hour period		
■ measure only with dosing cup provided. Do not use any other dosing device.		
■ keep dosing cup with product		
■ mL = milliliter		



PLD-H2600 FC008255

Lot No.:
Exp. Date:

QUALITY CHOICE Cold and Allergy Grape Flavor

DIBROMM COLD AND ALLERGY CHILDRENS

brompheniramine maleate, phenylephrine hcl liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-241
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
BROMPHENIRAMINE MALEATE (UNII: IXA7C9Z N03) (BROMPHENIRAMINE - UNII:H57G17P2FN)		BROMPHENIRAMINE MALEATE	2 mg in 10 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)		PHENYLEPHRINE HYDROCHLORIDE	5 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-241-08	1 in 1 BOX	07/31/2015	
1		237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:63868-241-04	1 in 1 BOX	07/31/2015	
2		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/31/2015	

Labeler - QUALITY CHOICE (Chain Drug Marketing Association) (011920774)