

**TENSION HEADACHE RELIEF- acetaminophen, caffeine tablet**  
**NUVICARE LLC**

-----  
**Tension Headache Relief (Acetaminophen 500mg and caffeine 65mg)**

**Active Ingredients (in each caplet)**

Acetaminophen 500mg  
Caffeine 65 mg

**Purpose**

Acetaminophen 500mg.....Pain reliever  
Caffeine 65mg.....Pain reliever aid

**Uses:**

temporarily relieves minor aches and pains due to:

- headache
- muscular aches

**Warnings:**

**ALLERGY ALERT:**Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Liver warning:**This product contains acetaminophen. Severe liver damage may occur if you take

- no more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Caffeine warning:**The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally, rapid heartbeat.

**DO NOT USE:**

- if you have ever had an allergic reaction to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if**

- you have liver disease

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin

**Stop use and ask doctor if**

- any new symptoms occur
- painful area is red or swollen
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**KEEP OUT OF REACH OF CHILDREN.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**DIRECTIONS**

- **Do not use more than directed**
- adults and children 12 years and over: take 2 caplets every 6 hours; not more than 6 caplets in 24 hours
- children under 12 years: ask a doctor

**OTHER INFORMATION**

- store at 20°-25°C (68°-77°F)
- close cap tightly after use
- read all product information before using.

**INACTIVE INGREDIENTS**

Colloidal Silicon Dioxide, Croscarmellose Sodium, D & C Red # 27, F D & C yellow # 6, F D & C Blue # 2, Microcrystalline Cellulose, Magnesium Stearate, Polyethylene Glycol, Polyvinyl Pyrrolidone, Pregelatinized Starch, Polyvinyl Alcohol, Stearic Acid Powder, Titanium Dioxide, Talc.

# QUESTIONS OR COMMENTS?

Call 1 (718) 337-8733 or visit support@nuvicare.com

**nuvi+care**  
Compare to **Excedrin®** Tension Headache active ingredients  
pain reliever/pain reliever aid  
**Tension Headache Relief**  
Acetaminophen 500 mg  
Caffeine 65 mg  
**100** caplets  
ASPIRIN FREE  
not actual size

**TAMPER EVIDENT** Do not use if safety seal under cap is broken or missing.

**Drug Facts**  
**Active Ingredients (in each caplet)**  
Acetaminophen 500 mg  
Caffeine 65 mg  
**Purposes**  
Pain reliever  
Pain reliever aid  
**USES:** Temporarily relieves minor aches and pain due to:  
■ headaches ■ muscular aches  
**WARNINGS: ALLERGY ALERT:** Acetaminophen may cause severe skin reactions. Symptoms may include:  
■ skin redness ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away. **Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take ■ no more than 6 caplets in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks everyday while using this product.  
**Caffeine warning:** The recommended dose of this product contains about as much caffeine as a cup of coffee. Limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and occasionally, rapid heartbeat.  
**DO NOT USE:** ■ if you ever had an allergic reaction to acetaminophen ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
**Ask a doctor before use if** ■ you have a liver disease.  
**Ask a doctor or pharmacist before use if you are** ■ taking the blood thinning drug warfarin.

(continued under label)  
This product is not manufactured or distributed by CSX/Consumer Health, owner of the registered trademark **EXCEDRIN®** Tablets.  
Distributed by: Nuvicare LLC, Brooklyn, NY  
www.nuvcare.com  
PL0216-01  
3 84324 00015 2  
PEEL HERE  
Lot No.  
Exp. Dt.

**Drug Facts (Cont.)**  
Stop use and ask doctor if ■ any new symptoms occur ■ painful area is red or swollen ■ pain gets worse or lasts for more than 10 days ■ fever gets worse or lasts for more than 3 days. These could be signs of a serious condition.  
If pregnant or breast-feeding, ask a health professional before use.  
**KEEP OUT OF REACH OF CHILDREN.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.  
**DIRECTIONS:** ■ Do not use more than directed ■ adults and children 12 years and over: take 2 caplets every 6 hours; not more than 6 caplets in 24 hours ■ children under 12 years: ask a doctor  
**OTHER INFORMATION:** ■ Store at 20°-25°C (68°-77°F) ■ close cap tightly after use ■ read all product information before using.  
**INACTIVE INGREDIENTS:** Colloidal Silicon Dioxide, Croscarmellose Sodium, D & C Red # 27, F D & C yellow # 6, F D & C Blue # 2, Microcrystalline Cellulose, Magnesium Stearate, Polyethylene Glycol, Polyvinyl Pyrrolidone, Pregelatinized Starch, Polyvinyl Alcohol, Stearic Acid Powder, Titanium Dioxide, Talc.  
**QUESTIONS OR COMMENTS?** Call 1 (718) 337-8733 or visit: support@nuvicare.com

Glue Area

## TENSION HEADACHE RELIEF

acetaminophen, caffeine tablet

### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:84324-002 |
| <b>Route of Administration</b> | ORAL           |                           |               |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength |
|---|-------------------|----------|
| <b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) | ACETAMINOPHEN     | 500 mg   |
| <b>CAFFEINE</b> (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)           | CAFFEINE          | 65 mg    |

### Inactive Ingredients

| Ingredient Name                                 | Strength |
|---|----------|
| <b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48) |          |

|  |
|--|
| <b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A) |
| <b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)   |
| <b>TALC</b> (UNII: 7SEV7J4R1U)                             |
| <b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)       |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                  |
| <b>STARCH, CORN</b> (UNII: O8232NY3SJ)                     |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)                 |
| <b>D&amp;C RED NO. 27</b> (UNII: 2LRS185U6K)               |
| <b>FD&amp;C BLUE NO. 2</b> (UNII: L06K8R7DQK)              |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)               |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)                     |
| <b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)            |

### Product Characteristics

|                 |                                |                     |          |
|-----------------|--------------------------------|---------------------|----------|
| <b>Color</b>    | red                            | <b>Score</b>        | no score |
| <b>Shape</b>    | CAPSULE (Capsule shape Tablet) | <b>Size</b>         | 28mm     |
| <b>Flavor</b>   |                                | <b>Imprint Code</b> | None     |
| <b>Contains</b> |                                |                     |          |

### Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:84324-002-01 | 100 in 1 BOTTLE; Type 0: Not a Combination Product | 07/30/2024           |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M013                                     | 07/30/2024           |                    |

**Labeler** - NUVICARE LLC (119257565)

**Registrant** - NUVICARE LLC (119257565)