# STOOL SOFTENER LAXATIVE- docusate sodium capsule, liquid filled P & L Development, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **Drug Facts**

#### Active ingredient (in each softgel)

Docusate sodium 100 mg

#### **Purpose**

Stool softener laxative

#### Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

#### **Warnings**

#### Do not use

if you are presently taking mineral oil, unless told to do so by a doctor.

#### Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

#### Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

• take only by mouth. Doses may be taken as a single daily dose or in divided doses.

adults and children 12 years and over	take 1-3 softgels daily
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years	ask a doctor

#### Other information

- each softgel contains:sodium 6 mg
- store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

#### **Inactive ingredients**

D&C red #33\*, edible ink, FD&C blue #1\*, FD&C red #40, FD&C yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol\*, purified water, sorbitan, sorbitol, titanium dioxide

\*contains one or more of these ingredients

#### Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

#### **Principal Display Panel**

Compare to the active ingredient in COLACE® Regular Strength Stool Softener†

#### **Stool Softener**

docusate sodium 100 mg

stool softener laxative

- gentle
- dependable
- stimulant-free

#### **SOFTGELS**

†This product is not manufactured or distributed by Purdue Products L.P., distributor of Colace Regular Strength Stool Softener.

## TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

Distributed by: **PL Developments** 

200 Hicks Street, Westbury, NY 11590

#### **Product Label**



## stool softener

docusate sodium 100 mg stool softener laxative

- gentle
- dependable
- stimulant-free

100 softgels



\all 1-877-753-3935 Monday-Friday 9AM-5PM EST

luestions or comments?

EVIDENT: DO NOT USE IF PRINTED SAFET

# Active ingredient (in each softgel) Docusate sodium 100 mg. **Drug Facts**

glycerin, polyethylene glycol, propylene glycol\*, purifier FD&C blue #1\*, FD&C red #40, FD&C yellow #6, gelati

nactive ingredients

D&C red #33,

edible

15-30°C (59-86°F)

water, sorbitan, sorbitol, titanium dioxide

contains one or more of these ingredients

Stool softener laxativ

USes relieves occasional constipation (irregularity)
generally produces bowel movement in 12 to 72 hours Uses

**Do not use** if you are presently taking mineral oil, unless told to do so by a doctor.

■ noticed a sudden change in bowel habits that lasts over Ask a doctor before use if you have stomach pain

2 weeks

children 2 to under

take 1 softgel daily

take 1-3 softgels daily

12 years and over adults and children

12 years of age

This product is not manufactured or distributed by Purdue Products L.P., distributor of Colace® Regular Strength Stool **Drug Facts** (continued under

■ take only by mouth. Doses may be taken as a single daily dose or in divided doses.

Directions

Distributed by: **PL Developments** 200 Hicks Street, Westbury, NY 11590

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away

f pregnant or breast-feeding, ask a health professional

PLD-E2L LB005061 you need to use a laxative for more than 1 week

285

9

6

쫎

Lot No.:

PEEL HERE -

Stop use and ask a doctor if **Drug Facts** (continued)

you have rectal bleeding or fail to have a bowel

of a serious condition. movement after use of a laxative. These could be signs

**READYinCASE Stool Softener Laxative** 

■ each softgel contains: sodium 6 mg
■ store at 25°C (77°F); excursions permitted between

Other information

children under 2 years

ask a doctor

#### STOOL SOFTENER LAXATIVE

docusate sodium capsule, liquid filled

**Product Type** HUMAN OTC DRUG Item Code (Source) NDC:59726-578

**Route of Administration ORAL** 

### **Active Ingredient/Active Moiety**

Ingredient Name	<b>Basis of Strength</b>	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

Inactive Ingredients	
Ingredient Name	Strength
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	

FD&C YELLOW NO. 6 (UNII: H77VEI93A8)

GELATIN (UNII: 2G86QN327L)

GLYCERIN (UNII: PDC6A3C0OX)

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)

WATER (UNII: 059QF0KO0R)

SORBITAN (UNII: 6O92ICV9RU)

SORBITOL (UNII: 506T60A25R)

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

Product Characteristics			
Color	red, white	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	P10;SCU2;D1
Contains			

	ackaging			
7	# Item Code	Package Description	Marketing Start Date	Marketing End Date
:	NDC:59726- 578-10	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/31/2017	08/31/2024
:	NDC:59726- 578-00	1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/31/2017	08/31/2024
3	NDC:59726- 578-30	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/31/2017	08/31/2024

Marketing Information			
Marketing Category			Marketing End Date
OTC monograph not final	part334	08/31/2017	08/31/2024

## Labeler - P & L Development, LLC (800014821)

Revised: 3/2023 P & L Development, LLC