

**PROPYLENE GLYCOL- propylene glycol liquid**  
**Centaur, Inc.**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**PROPYLENE GLYCOL**

For Animal Use Only

Keep Out of Reach of Children

**LIVESTOCK DRUG**

**INDICATIONS**

For use as an aid in prevention and treatment for Ketosis (Acetonemia) in dairy cattle.

**ACTIVE INGREDIENTS**

Propylene Glycol ..... 100%

Consult veterinarian if condition does not respond.

**DOSAGE AND ADMINISTRATION**

For use mixed with feed or as a drench.

**Prevention:**

Dairy Cattle .....6-8 fl oz/head/day

Begin 2 weeks before calving and continue for 6 weeks after calving.

**Treatment:**

Dairy Cattle .....6-16 fl oz/head/day

Dosage dependent upon severity, to be given for 10 days.

Store at 2°-30°C (36°-86°F)

Keep container tightly closed.

**PRINCIPAL DISPLAY PANEL**

# Propylene Glycol 105599

**INDICATIONS:** For use as an aid in prevention and treatment of Ketosis (Acetonemia) in dairy cattle.

**DOSAGE AND ADMINISTRATION:** For use mixed with feed or as a drench.

**Prevention:**

Dairy Cattle ..... 6-8 fl oz/head/day  
Begin 2 weeks before calving and continue for 6 weeks after calving.

**Treatment:**

Dairy Cattle ..... 6-16 fl oz/head/day  
Dosage dependent upon severity, to be given for 10 days.

## Livestock Drug

FOR ANIMAL USE ONLY  
Keep Out Of Reach Of Children

**ACTIVE INGREDIENTS:**

Propylene Glycol ..... 100%  
Consult veterinarian if condition does not respond.

**STORAGE:** Store at 2°-30°C (36°-86°F)

Keep container tightly closed.



Manufactured By Centaur, Inc.  
Olathe, KS 66061  
1-800-236-6180



Rev. 02-25



**NET CONTENTS:**  
55 Gallon (208.2 L)  
(480 Lbs) (217.7 Kg)

Lot #:

Exp. Date:

# Propylene Glycol 105580

**INDICATIONS:** For use as an aid in prevention and treatment of Ketosis (Acetonemia) in dairy cattle.

**DOSAGE AND ADMINISTRATION:** For use mixed with feed or as a drench.

**PREVENTION:**

Dairy Cattle ..... 6.8 fl oz/head/day  
Begin 2 weeks before calving and continue for 6 weeks after calving.

**TREATMENT:**

Dairy Cattle ..... 6-16 fl oz/head/day  
Dosage dependent upon severity, to be given for 10 days.

## Livestock Drug

For animal use only.  
Keep out of reach of children.

**ACTIVE INGREDIENTS:**

Propylene Glycol ..... 100%  
Consult veterinarian if condition does not respond.

**STORAGE:** Store Between 59-86°F (15-30°C)

Keep container tightly closed.



Manufactured By Centaur, Inc.  
Olathe, KS 66061  
1-800-236-6180



Rev. 02-25



**NET CONTENTS:**  
1 GALLON (3.785 L)

Lot #:

Exp. Date:

## PROPYLENE GLYCOL

propylene glycol liquid

### Product Information

<b>Product Type</b>	OTC ANIMAL DRUG	<b>Item Code (Source)</b>	NDC:58305-055
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3) (PROPYLENE GLYCOL - UNII:6DC9Q167V3)		PROPYLENE GLYCOL	3.785 L in 3.785 L	
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58305-055-80	3.785 L in 1 JUG		
2	NDC:58305-055-99	208.2 L in 1 DRUM		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
unapproved drug other			12/12/2011	

**Labeler -** Centaur, Inc. (174239087)

Revised: 3/2025

Centaur, Inc.