# DUAL ACTION COMPLETE- famotidine, calcium carbonate, magnesium hydroxide tablet, chewable H E B

\_\_\_\_\_

### **HEB Dual Action Complete Drug Facts**

# Active ingredients (in each chewable tablet)

Famotidine 10 mg

Calcium carbonate 800 mg

Magnesium hydroxide 165 mg

#### **Purposes**

Acid reducer

Antacid

#### Use

relieves heartburn associated with acid indigestion and sour stomach

# Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

#### Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

# Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

# Ask a doctor or pharmacist before use if you are

taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs.

# Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

## If pregnant or breast-feeding,

ask a health professional before use.

# Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

#### **Directions**

- adults and children 12 years and over:
- do not swallow tablet whole: chew completely
- to relieve symptoms, **chew** 1 tablet before swallowing
- do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

#### Other information

- each tablet contains: calcium 330 mg; magnesium 80 mg
- Phenylketonurics: Contains Phenylalanine 2 mg per tablet
- read the directions and warnings before use
- read the bottle. It contains important information.
- store at 20-25°C (68-77°F)
- protect from moisture

# **Inactive ingredients**

anhydrous lactose, aspartame, dextrates, ferric oxide, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, natural peppermint flavor, polyacrylate dispersion, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, talc

# **Questions or comments?**

1-800-719-9260

# **Principal Display Panel**

Compare to Pepcid Complete® active ingredients

See New Warnings

**Dual Action Complete** 

Famotidine 10 mg/Calcium Carbonate 800 mg/Magnesium Hydroxide 165 mg Tablets (Chewable)

Cool Mint Flavor

Acid Reducer + Antacid

Just One Tablet!

Relieves Heartburn Due to Acid Indigestion

25 CHEWABLE TABLETS

actual size



#### DO NOT USE IF PRINTED FOIL UNDER CAP IS BROKEN OR MISSING

#### Drug Facts

Active ingredients (in each chewable tablet) Purposes

Use relieves hearfourn associated with acid indigestion and sour stomach

#### Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use ■if you have trouble or pain swallowing food, vorniting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor. ■ with other acid reducers

Ask a doctor before use if you have had heartburn over 3 months. This may be a sign of a more serious condition. heartburn with lightheadedness, sweating, or dizziness chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness frequent chest pain

- fre quent whe ezing, particularly with he artburn
- unexplained weight loss nause a or vomiting
- stomach pain kidney dise ase

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if ■your hearfourn continues or worsens ■you need to take this product for more than 14 days



If pregnant or breast-feeding, ask a health professional before use.

1 PEEL BACKHERE D

#### ADHESIVE BAR - NO COPY

#### Drug Facts (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions ■ adults and children 12 years and over: ■ do not swallow tablet whole: chew completely ■ to relieve symptoms, chew 1 tablet before swallowing ■ do not use more than 2 chewable tablets in 24 hours ■ children under 12 years: as ka doctor

Other information ■ each tablet contains: calcium 330 mg, magnesium 80 mg
■ Phenylketonurics: Contains Phenylalanine
2 mg per tablet ■ read the directions and warnings before use ■ read the bottle. It contains important information. ■ store at 20-25°C (68-77°F) ■ protect from moisture

# **DUAL ACTION COMPLETE**

famotidine, calcium carbonate, magnesium hydroxide tablet, chewable

<b>Product Information</b>	duct Information		
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-121
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	10 mg	
CALCIUM CARBONATE (UNII: H0G9379FGK) (CARBONATE ION - UNII:7UJQ50PE7D, CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	800 mg	
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	165 mg	

Inactive Ingredients		
Ingredient Name	Strength	
ANHYDROUS LACTOSE (UNII: 3SY5LH9PMK)		
ASPARTAME (UNII: Z0H242BBR1)		
DEXTRATES (UNII: G263MI44RU)		
FERRIC OXIDE RED (UNII: 1K09F3G675)		
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)		
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)		
POLYSORBATE 80 (UNII: 60ZP39ZG8H)		
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)		
TALC (UNII: 7SEV7J4R1U)		

Product Characteristics			
Color	ORANGE (PEACH WITH WHITE SPECKLES)	Score	no score
Shape	ROUND	Size	18mm
Flavor	MINT	Imprint Code	L546
Contains			

I	Packaging			
4	t Item Code	Package Description	Marketing Start Date	Marketing End Date
]	NDC:37808-121- 63	25 in 1 BOTTLE; Type 0: Not a Combination Product	04/07/2016	

# **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077355	04/07/2016	

# **Labeler -** H E B (007924756)

Revised: 7/2022 H E B