

**LC FOUNDATION SPF 15- lc foundation spf 15 cream  
MANA Products INC.**

-----  
**LC FOUNDATION SPF 15**

**ACTIVE INGREDIENTS**

Titanium Dioxide 5.00%

Zinc Oxide 5.00%

**PURPOSE**

SUNSCREEN

**USES**

-Helps prevent sunburn.

-If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**WARNINGS**

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

**DIRECTIONS**

For sunscreen use:

Shake well.

Apply liberally 15 minutes before sun exposure.

Reapply at least every 2 hours.

Use a water-resistant sunscreen if swimming or sweating.

Sun Protection Measures:

Spending time in the sun increases risk of skin cancer and early aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including:

limit time in the sun especially from 10:00 a.m. - 2:00 p.m.

wear long sleeved shirts, pants, hats and sunglasses.

Children under 6 months of age: ask a doctor.

**INACTIVE INGREDIENTS**

Water (Aqua/Eau), Ethylhexyl Palmitate, Dimethicone, PEG-30 Dipolyhydroxystearate, Butylene Glycol, Neopentyl Glycol Diethylhexanoate, Triethylhexanoin, Caprylic/Capric Triglyceride, Octyldodecyl Neopentanoate, Glycerin, Silica, Tremella Fuciformis Sporocarp Extract, Butyrospermum Parkii (Shea) Butter, Tocopherol, Tocopheryl Acetate, Sodium Hyaluronate, Dimethicone Crosspolymer-3, Simethicone, Betaine, Octyldodecanol, Phytantriol, Distearidimonium Hectorite, Tribehenin, Lysine, Magnesium Chloride, Potassium Chloride, Zinc Chloride, Sodium Chloride, Triethoxycaprylylsilane, Sodium Citrate, Citric Acid, Hexylene Glycol, Potassium Sorbate, Caprylyl Glycol, Phenoxyethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, 77492, 77499)

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

## PACKAGE LABEL. PRINCIPAL DISPLAY PANEL

<p><b>Drug Facts</b></p> <p><b>Active Ingredients Purpose</b>  Titanium Dioxide 5.00%.....Sunscreen  Zinc Oxide 5.00%.....Sunscreen</p> <p><b>Use</b>  ■ Helps prevent sunburn.  ■ If used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun.</p> <p><b>Warnings</b>  <b>For external use only.</b>  <b>Do not use</b> on damaged or broken skin.  <b>When using this product</b> keep out of eyes. Rinse with water to remove.  <b>Stop use and ask doctor</b> if rash occurs.  <b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p>	<p><b>Drug Facts (continued)</b></p> <p><b>Inactive Ingredients</b>  Water (Aqua/Eau), Ethylhexyl Palmitate, Dimethicone, PEG-30 Dipolyhydroxystearate, Butylene Glycol, Neopentyl Glycol Diethylhexanoate, Triethylhexanoin, Caprylic/Capric Triglyceride, Octyldodecyl Neopentanoate, Glycerin, Silica, Tremella Fuciformis Sporocarp Extract, Butyrospermum Parkii (Shea) Butter, Tocopherol, Tocopheryl Acetate, Sodium Hyaluronate, Dimethicone Crosspolymer-3, Simethicone, Betaine, Octyldodecanol, Phytantriol, Distearidimonium Hectorite, Tribehenin, Lysine, Magnesium Chloride, Potassium Chloride, Zinc Chloride, Sodium Chloride, Triethoxycaprylylsilane, Sodium Citrate, Citric Acid, Hexylene Glycol, Potassium Sorbate, Caprylyl Glycol, Phenoxyethanol. May Contain (+/-): Titanium Dioxide (CI 77891), Iron Oxides (CI 77491, 77492, 77499)</p> <p><b>Other Information</b>  Protect the product in this container from excessive heat and direct sun.</p>	<p style="writing-mode: vertical-rl; transform: rotate(180deg);">LAUREN CONRAD</p> <p>NATURALLY FLAWLESS</p> <p>Lightweight foundation with buildable, medium to full coverage with a natural, luminous finish that stays true through wear, without fading or caking.</p> <p>FEEL GOOD ABOUT</p> <p>Infused with shea butter, snow mushroom and vitamin E</p> <p>—</p> <p>All-mineral sunscreens</p> <p>—</p> <p>Dermatologist tested</p>
<p><b>Directions</b>  <b>For sunscreen use:</b>  ■ Shake well.  ■ Apply liberally 15 minutes before sun exposure.  ■ Reapply at least every 2 hours.  ■ Use a water-resistant sunscreen if swimming or sweating.  <b>Sun Protection Measures:</b>  ■ Spending time in the sun increases risk of skin cancer and early aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including:  ■ limit time in the sun especially from 10:00 a.m. - 2:00 p.m.  ■ wear long sleeved shirts, pants, hats and sunglasses.  ■ Children under 6 months of age: ask a doctor.</p> <p><b>USAGE</b></p> <p>Shake well. Use fingertips, brush or sponge and apply evenly on your face. Layer for additional coverage.</p>		<p>BROAD SPECTRUM SPF 15</p> <p>THE LIQUID FOUNDATION</p> <p>1.0 fl oz / 30 mL</p> <p>  </p>

## LC FOUNDATION SPF 15

lc foundation spf 15 cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59735-401
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	5 g in 100 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	5 g in 100 g

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>LYSINE</b> (UNII: K3Z4F929H6)	
<b>ZINC CHLORIDE</b> (UNII: 86Q357L16B)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>FERROSO FERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>TRIETHYLHEXANOIN</b> (UNII: 7K3W1BIU6K)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>TREMELLA FUCIFORMIS FRUITING BODY</b> (UNII: GG8N28393G)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
<b>BETAINE</b> (UNII: 3SCV180C9W)	
<b>OCTYLDODECANOL</b> (UNII: 461N10614Y)	
<b>PHYTANTRIOL</b> (UNII: 8LVI07A72W)	
<b>TRIBEHENIN</b> (UNII: 8OC9U7TQZ0)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PEG-30 DIPOLYHYDROXYSTEARATE (5000 MW)</b> (UNII: 9713Q0S7FO)	
<b>NEOPENTYL GLYCOL DIETHYLHEXANOATE</b> (UNII: U68ZV6W62C)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>MAGNESIUM CHLORIDE</b> (UNII: 02F3473H9O)	
<b>POTASSIUM CHLORIDE</b> (UNII: 660YQ98I10)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	

## Product Characteristics

<b>Color</b>	white (SHADE 3.0)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59735-401-01	30 g in 1 TUBE; Type 0: Not a Combination Product	08/25/2020	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/25/2020	

**Labeler** - MANA Products INC. (078870292)

## Establishment

Name	Address	ID/FEI	Business Operations
MANA PRODUCTS, INC		032870270	manufacture(59735-401)

## Establishment

Name	Address	ID/FEI	Business Operations
MANA PRODUCTS, INC.		078870292	manufacture(59735-401)

Revised: 1/2024

MANA Products INC.