

**COLD CHILDRENS, MULTI SYMPTOM- dextromethorphan hbr, guaifenesin,  
phenylephrine hcl solution  
CVS PHARMACY**

-----  
**CVS 44-057**

***Active ingredients (in each 5 mL)***

Dextromethorphan HBr 5 mg  
Guaifenesin 100 mg  
Phenylephrine HCl 2.5 mg

***Purpose***

Cough suppressant  
Expectorant  
Nasal decongestant

***Uses***

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - stuffy nose
  - nasal congestion due to a cold
  - the intensity of coughing
  - the impulse to cough to help the child get to sleep

***Warnings***

**Do not use**

in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

**Ask a doctor before use if the child has**

- diabetes
- heart disease
- thyroid disease
- high blood pressure
- persistent or chronic cough such as occurs with asthma
- cough that occurs with too much phlegm (mucus)

## **When using this product**

**do not exceed recommended dosage.**

### **Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough persists more than 7 days, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

### ***Directions***

- **do not take more than directed**
- do not take more than 6 doses in any 24-hour period
- mL = milliliter
- only use the dose cup provided
- dose as follows or as directed by a doctor

<b>Age</b>	<b>Dose</b>
children 6 to under 12 years	10 mL every 4 hours
children 4 to under 6 years	5 mL every 4 hours
children under 4 years	do not use

### ***Other information***

- **each 5 mL contains:** sodium 3 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

### ***Inactive ingredients***

anhydrous citric acid, FD&C red #40, flavors, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sorbitol, sucralose, xanthan gum

### ***Questions or comments?***

**1-800-426-9391**

### ***Principal display panel***

**VALUE SIZE**

**♥CVS**

Health®

Compare to the  
active ingredients in  
Mucinex® Children's  
Multi-Symptom Cold\*

**Children's  
Multi-Symptom  
Cold**

**DEXTROMETHORPHAN HBr**

Cough suppressant

**GUAIFENESIN**

Expectorant

**PHENYLEPHRINE HCl**

Nasal decongestant

**Oral Solution**

**Relieves:**

- Chest congestion
- Stuffy nose
- Cough

Breaks up mucus

No added alcohol

Free of aspirin  
& ibuprofen

For Ages 4  
to 11 Years

Berry Flavor

Dosage cup included

Actual Bottle Size on Side Panel

**6.8 FL OZ (201 mL)**

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

\*This product is not manufactured or distributed  
by RB Health (US) LLC, owner of the registered  
trademark Mucinex® Children's Multi-Symptom  
Cold.

**Distributed by:**

**CVS Pharmacy, Inc.**

One CVS Drive

Woonsocket, RI 02895

© 2023 CVS/pharmacy

CVS.com®

1-800-SHOP CVS

V-19849

100% money back  
guaranteed.  
CVS.com/returnpolicy

50844 REV0223B05788

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

**Drug Facts**

Active ingredients (in each 5 mL)	Purpose
Dextromethorphan HBr 5 mg	Cough suppressant
Guaifenesin 100 mg	Expectorant
Phenylephrine HCl 2.5 mg	Nasal decongestant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - stuffy nose
  - nasal congestion due to a cold
  - the intensity of coughing
  - the impulse to cough to help the child get to sleep

**Warnings**

Do not use in a child who is taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your child's prescription drug contains an MAOI, ask a doctor or pharmacist before giving this product.

Ask a doctor before use if the child has:

- diabetes
- heart disease
- thyroid disease
- high blood pressure
- persistent or chronic cough such as occurs with asthma
- cough that occurs with too much phlegm (mucus)

When using this product do not exceed recommended dosage.

**Stop use and ask a doctor if:**

- nervousness, dizziness, or sleeplessness occur
- symptoms do not get better within 7 days or occur with fever
- cough persists more than 7 days, tends to recur, or is accompanied by a fever, rash, or persistent headache. These could be signs of a serious condition.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions**

- do not take more than directed
- do not take more than 6 doses in any 24-hour period
- 5 mL = milliliter
- only use the dose cup provided
- dose as follows or as directed by a doctor

Age	Dose
children 6 to under 12 years	10 mL every 4 hours
children 4 to under 6 years	5 mL every 4 hours
children under 4 years	do not use

**Other information**

- each 5 mL contains: sodium 3 mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients** anhydrous citric acid, FD&C red #40, flavors, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate dihydrate, sorbitol, sucralose, xanthan gum

**Questions or comments?** 1-800-426-9391

**TAMPER EVIDENT; DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**PARENTS:**  
Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)

\*This product is not manufactured or distributed by RB Health (US) LLC, owner of the registered trademark Mucinex® Children's Multi-Symptom Cold.

Package Contains One Bottle

Actual Size

**CVS Health.**

**Children's Multi-Symptom Cold**

DEXTROMETHORPHAN HBr  
Cough suppressant  
GUAIFENESIN  
Expectorant  
PHENYLEPHRINE HCl  
Nasal decongestant  
**Oral Solution**

**VALUE SIZE**

**CVS Health.**

Compare to the active ingredients in Mucinex® Children's Multi-Symptom Cold\*

**Children's Multi-Symptom Cold**



DEXTROMETHORPHAN HBr  
Cough suppressant  
GUAIFENESIN  
Expectorant  
PHENYLEPHRINE HCl  
Nasal decongestant  
**Oral Solution**

**Relieves:**

- Chest congestion
- Stuffy nose
- Cough

Breaks up mucus  
No added alcohol  
Free of aspirin & ibuprofen

**For Ages 4 to 11 Years**

**Berry Flavor**  
Dosage Cup Included

Actual Bottle Size on Side Panel

**6.8 FL OZ (201 mL)**

**CVS Health.**

**Children's Multi-Symptom Cold**

DEXTROMETHORPHAN HBr  
Cough suppressant  
GUAIFENESIN  
Expectorant  
PHENYLEPHRINE HCl  
Nasal decongestant  
**Oral Solution**

**Relieves:**

- Chest congestion
- Stuffy nose
- Cough


Breaks up mucus  
No added alcohol  
Free of aspirin & ibuprofen

**For Ages 4 to 11 Years**

Distributed by:  
CVS Pharmacy, Inc.  
One CVS Drive  
Woonsocket, RI 02895  
© 2023 CVS/pharmacy  
CVS.com®  
1-800-SHOP CVS

V-19849

**100% money back guaranteed.**  
CVS.com/returnpolicy



B-0231-057-88-H  
REV0223B05788

#194705

**FPO 100%**  
**UPC# 050428600580**

X XXXXXX XXXXXX X

No Print/No Varnish  
Lot and Expiration No.

# COLD CHILDRENS, MULTI SYMPTOM

dextromethorphan hbr, guaifenesin, phenylephrine hcl solution

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69842-570
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	5 mg in 5 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 5 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	2.5 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	

## Product Characteristics

<b>Color</b>	red	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-570-88	1 in 1 CARTON	07/31/2018	
1		201 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	07/31/2018	

**Labeler -** CVS PHARMACY (062312574)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	manufacture(69842-570) , pack(69842-570)

Revised: 5/2025

CVS PHARMACY