

BOVADINE NAVEL DIP- iodine solution

WestAgro, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, [click here](#).

Bovadine® Navel Dip

WESTAGRO®

Bovadine®

NAVEL DIP

Drying and Protection for the Umbilical Cord of Newborn Animals

Secado y proteccion para el cordon umbilical de los animales recién nacidos

ACTIVE INGREDIENT:

Iodine * 2.0%

* From Polyethoxy polypropoxy polyethoxy ethanol-iodine Complex

I-tech2

HIGH "FREE" IODINE TECHNOLOGY

NPE FREE Formula

Manufactured by"

WESTAGRO®

11100 N. Congress Avenue

Kansas City, MO 64153

Phone: 816-891-7700

© 2017, Made in USA

PRODUCT BENEFITS

- Aids in protecting and drying out the remaining umbilical cord of newly born animals.
- 2% Iodine helps keep area from infection.
- Ready to use, non-flammable, non-corrosive and NPE Free.
- Safe for animal use only.

DIRECTIONS FOR USE

- Always wear protective gloves and goggles during use.
- Dip the navel of the newborn as soon as possible after birth.
- Navel dip should be applied using a teat cup and needs to be completely submerged to cover the navel and surrounding areas.
- If the navel area has been contaminated with manure or other substances, dip the area initially with navel dip. Then rinse off the area with clean water and apply navel dip again, using a new clean dip cup.
- Use new clean teat cups and solution for each newborn to avoid spread of any infection.
- The solution may be reapplied as needed after first treatment.
- Look for swelling, drainage or foul odor, as these may be signs of a possible infection. Consult your veterinarian if there are concerns.

KEEP OUT OF REACH OF CHILDREN

! CAUTION

MANTENER FUERA DEL ALCANCE DE LOS NINOS

!CUIDADO

SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

FIRST AID:

If in Eyes: Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, get medical advice/attention.

If on Skin (or Hair): Wash off with plenty of water.

If Inhaled: Move to fresh air. Get medical attention immediately if symptoms occur.

If Swallowed: Rinse mouth. Call a physician or Poison Control Center immediately.

THIS PRODUCT IS NOT FOR HUMAN USE

STORAGE AND DISPOSAL:

THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing in a safe manner.

Read and understand all directions before using this product. For additional information refer to the Material Safety Data Sheet (MSDS) available from your WestAgro dealer.


CHEMTREC EMERGENCY #:

1-800-424-9300

NET CONTENTS:

LOT NUMBER:

EXPIRATION DATE:




PRODUCT BENEFITS

- Aids in protecting and drying out the remaining umbilical cord of newly born animals.
- 2% Iodine helps keep area from infection.
- Ready to use, non-flammable, non-corrosive and NPE Free.
- Safe for animal use only.

DIRECTIONS FOR USE

- Always wear protective gloves and goggles during use.
- Dip the navel of the newborn as soon as possible after birth.
- Navel dip should be applied using a teat cup and needs to be completely submerged to cover the navel and surrounding areas.
- If the navel area has been contaminated with manure or other substances, dip the area initially with navel dip. Then rinse off the area with clean water and apply navel dip again, using a new clean dip cup.
- Use new clean teat cups and solution for each newborn to avoid spread of any infection.
- The solution may be reapplied as needed after first treatment.
- Look for swelling, drainage or foul odor, as these may be signs of a possible infection. Consult your veterinarian if there are concerns.

2067-A1017



WESTAGRO[®]
Bovadine[®]
NAVEL DIP

Drying and Protection for the Umbilical Cord of Newborn Animals

Secado y protección para el cordón umbilical de los animales recién nacidos

ACTIVE INGREDIENT:

Iodine *2.0%
 * From Polyethoxy polypropoxy polyethoxy ethanol-Iodine Complex



Manufactured by:
WESTAGRO[®]
 11100 N. Congress Avenue
 Kansas City, MO 64153
 Phone: 816-891-7700
 © 2017, Made in USA

2067

NDC# 33392-067

KEEP OUT OF REACH OF CHILDREN



MANTENER FUERA DEL ALCANCE DE LOS NIÑOS



SI USTED NO PUEDE LEER ESTA ETIQUETA, POR FAVOR PIDA A ALGUIEN MAS QUE SE LA LEA ANTES DE USAR ESTE PRODUCTO

FIRST AID:

If in Eyes: Rinse thoroughly with plenty of water, also under the eyelids. If eye irritation persists, get medical advice/attention.

If on Skin (or Hair): Wash off with plenty of water. **If Inhaled:** Move to fresh air. Get medical attention immediately if symptoms occur.

If Swallowed: Rinse mouth. Call a physician or Poison Control Center immediately.

THIS PRODUCT IS NOT FOR HUMAN USE

STORAGE AND DISPOSAL: THOROUGHLY RINSE ALL MEASURING DEVICES AND STORE OUT OF REACH OF CHILDREN. Avoid contact with food or feed. Avoid storing near heat or open flame. Keep container tightly closed when not in use. If product has frozen, thaw in a warm room and shake well before use. Do not reuse empty container. Rinse empty container before disposing in a safe manner.

Read and understand all directions before using this product. For additional information refer to the Material Safety Data Sheet (MSDS) available from your West Agro dealer.

CHEMTREC EMERGENCY # : 1-800-424-9300



7 320466 011185 >

NET CONTENTS: 5 US GALLONS, (18.9 L)

LOT NUMBER:

EXPIRATION DATE:

BOVADINE NAVEL DIP

iodine solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:33392-067
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	20 g in 1 L

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIDECYLDIMONIUM CHLORIDE (UNII: JXN40O9Y9B)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SODIUM IODIDE (UNII: F5WR8N145C)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM SULFATE (UNII: 0YPR65R21J)	

SODIUM HYDRO XIDE (UNII: 55X04QC32I)	
SODIUM IODATE (UNII: U558PCS5Z9)	
POLOXAMER 335 (UNII: G6DQL26D50)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:33392-067-11	3.8 L in 1 JUG		
2	NDC:33392-067-08	19.0 L in 1 PAIL		
3	NDC:33392-067-01	208.2 L in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		11/01/2017	

Labeler - WestAgro, Inc. (069288728)

Registrant - WestAgro, Inc. (069288728)

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		147528723	manufacture, api manufacture, analysis, label, pack

Establishment

Name	Address	ID/FEI	Business Operations
K Klean dba WestAgro, Inc.		002222368	api manufacture, manufacture, analysis, label, pack

Establishment

Name	Address	ID/FEI	Business Operations
WestAgro, Inc.		044610140	api manufacture, manufacture, analysis, label, pack

Revised: 11/2019

WestAgro, Inc.