# HAND SANITIZER- hand sanitizer liquid Fehr Bros. Industries Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## Hand Sanitizer PLD template II

## **Active Ingredient**

Ethyl Alcohol 60%......Antiseptic

## purpose

**Antiseptic** 

#### Uses

- Handwash to help decrease bacterial on the skin.
- Recommended for repeated use.

## **Warnings**

- Flammable. Keep away from fire or flame.
- For external use only.

#### do not use

• In the eyes

## When Using

- Do not use in or near the eyes.
- If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists.
- If swallowed, seek medical assistance or consult a poison control center immediately.

## Stop Use

- Stop use and ask a doctor if: Irritation develops. If condition persists for more than 72 hours consult a doctor.
- Keep out of reach of children.
- Keep out of reach of children.

### **Directions for Use**

- Place a palmful ( 5 grams) of product in one hand,.
- Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes).
- Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist and rub into the skin until dry (approximately 30 seconds).
- Will air dry in 15 seconds.
- Store below 95 ° F.
- Close spout to avoid evaporation.

Water, triethanolamine, fragrance, acrylic polymer

## **Drug Facts**

### Active ingredient

Purpose

Ethyl Alcohol 60% .....

Antiseptic

#### Uses

- · Handwash to help decrease bacteria on the skin.
- Recommended for repeated use.

Warnings • Flammable. Keep away from fire or flame.

· For external use only.

Do not use . In the eyes.

When using this product • Do not use in or near the eyes. If contact occurs, flush eyes with water for 15 minutes. Consult physician if irritation persists. • If swallowed, seek medical assistance or consult a poison control center immediately.

Stop use and ask a doctor if • Irritation develops. If condition persists for more than 72 hours consult a doctor. Keep out of reach of children.

#### Directions

Place a 'palmful' (5 grams) of product in one hand.
• Spread on both hands and rub into the skin until dry (approximately 1 to 2 minutes).
• Place a smaller amount (2.5 grams) into one hand, spread over both hands to wrist, and rub into the skin until dry (approximately 30 seconds).
• Will air dry in 15 seconds.

#### Other information

Store below 95°F. • Close spout to avoid evaporation.

#### Inactive ingredients

Water, Triethanolamine, Fragrance, Acrylic Polymer.

Distributed by:


#### FEHR BROS. INDUSTRIES INC.

895 Kings Hwy., Saugerties, NY 12477 800-431-3095 • www.fehr.com

Made in USA

NDC 83038-693-01

600004580



WARNING: FLAMMABLE
KEEP OUT OF REACH OF CHILDREN
See Additional Cautions on Side Panel

## **HAND SANITIZER**

hand sanitizer liquid

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:83038-693

Route of Administration	TOPICAL
Route of Administration	TOFICAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ALCOHOL (UNII: 3K9958V90M) (ALCOHOL - UNII:3K9958V90M)	ALCOHOL	67 mL in 100 mL	

Inactive Ingredients		
Ingredient Name	Strength	
CARBOMER 940 (UNII: 4Q93RCW27E)		
TROLAMINE (UNII: 903K93S3TK)		
WATER (UNII: 059QF0KO0R)		

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:83038- 693-01	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/10/2020	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333A	03/10/2020	

## **Labeler -** Fehr Bros. Industries Inc (001798305)

Establishment			
Name	Address	ID/FEI	<b>Business Operations</b>
QuestSpecialty Corporation		103840377	manufacture(83038-693)

Revised: 10/2022 Fehr Bros. Industries Inc