MULTI ACTIONbacitracinzinc,neomycinsulfate,polymyxinbsulfate,pramoxinehcl ointment Chain Drug Marketing Association Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Quality Choice Multi-Action Ointment

DRUG FACTS

Active Ingredient

Bacitracin Zinc 500 Units

Purpose

First Aid Antibiotic

Active Ingredient

Neomycin Sulfate 3.5mg

Purpose

First Aid Antibiotic

Active Ingredient

Polymyxin B Sulfate 10,000 Units

Purpose

First Aid Antibiotic

Active Ingredient

Pramoxine HCL 10mg

Purpose

Pain Reliever

Uses

Helps prevent infection in and temporarily relieves pain due to minor cuts, scrapes and burns.

Warnings

For external use only. Do not use:

- If you are allergic to any of the ingredients
- in or near the eyes
- on large areas of the body

Ask a Doctor before Use

Ask Doctor before use if you have:

- Deep or puncture wounds
- Animal bites
- Serious burns

Stop Use and ask a Doctor if:

- Condition lasts or gets worse
- Symptoms last for more than 7 days or clear up and come back within a few days
- A rash or other allergic reaction develops

When using this product

Do not use longer than 1 week

Keep out of Reach of Children

If Swallowed, get medical help or contact a Poison Control Center right away

Directions

Adults and children 2 years and older:

- Clean the affected area
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- May be covered with a sterile bandage

Children under 2 years: ask a doctor

Other Information

- To Open: Unscrew cap, pull tab to remove foil seal
- Store at 20° to 25°C (68° to 77°F)

• See carton or tube crimp for lot number and expiration date

Inactive Ingredient:

Cocoa Butter, Levant Cottonseed Oil, Olive Oil, Petrolatum, Sodium pyruvate, vitamin E

Questions?

Call 1-800-935-2362

Other Information

Distributed By


CDMA Inc.

Novi, MI 48375

www.qualitychoice.com

This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Neosporin® Plus Pain Itch Scar.


Packaging



OUTSIDE BOX

(EXP: C	5	ractive ingredients: Cocca butter, Levant cottonseed oil, Olive oil, Petrolatum, Sodium pyruvate, Vitamin E	uj
	.		Store at 20° to 25°C (68° to 77°F). See carton or tube crimp for lot number and expiration date.	
			To open: unscrew cap, pull tab to remove foil seal.	•
			hildren under 2 years: ask a doctor Yfher information	
			clean affected area ● apply a small amount (equal to the surface area of tip of finger) on area 1 to 3 times daily. 	•
			Directions dults and children 2 years and older: Directions	эe
			eep out of reach of children. If swallowed, get medical help or confact a Poison Control Center right away.	ĸ
			top use and ask a doctor if • condition lasts or gets worse • symptoms last for more than 7 days or clear up and come back ithin a few days • a rash or other allergic reaction develops	IS
			then using this product ● do not use longer than 1 week sk a doctor before use if you have ● deep or puncture wounds ● animal bites ● serious burns	
			or external use only. o not use ● if you are allergic to any of the ingredients ● in or near the eyes ● on large areas of the body	Ó.
			Varings	
			Ses Sestimation of the section of the sec	
			olymyxin B Sulfate 10,000 units. ramoxine hydrochloride10mg.	
			eomycin Sulfate 3.5 mg	N
			Purposes ctive ingredient (each gram contains) sotiscin Zinc 500 units	A A
			STORIG FACTS]

INNER TUBE



MULTI ACTION

bacitracinzinc, neomycinsulfate, polymyxinbsulfate, pramoxinehcl ointment

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)		NDC:63868-912	
Route of Administration	TOPICAL				
Active Ingredient/Active	Majaty				
Active ingredient/Active	Molecy				
Ingred	ient Name		Basis of Strengtl	n Strength	
POLYMYXIN B SULFATE (UNII: 19 UNII:J2VZ 07J96K)		POLYMYXIN B	10000 [USP'U] in 1 g		
BACITRACIN ZINC (UNII: 89Y4M2)	RWO52I)	BACITRACIN ZINC	500 [USP'U] in 1 g		
NEOMYCIN SULFATE (UNII: 057Y UNII:116QD7X297)		NEOMYCIN SULFATE	3.5 mg in 1 g		
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE	-	PRAMOXINE	10 mg in 1 g	

	-			
In	active Ingre	dients		
		Strength		
sc	DIUM PYRUVATE			
AL	PHA-TOCOPHER			
οι	IVE OIL (UNII: 6U			
PE	TROLATUM (UNII	: 4T6H12BN9U)		
LE	VANT COTTONS	EED OIL (UNII: N5CFT140R8)		
СС	DCOA BUTTER (U	INII: 512OYT1CRR)		
Pā	ackaging			
#	ltem Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:63868-912-	1 in 1 BOX		
	01		08/31/2022	
1		28.3 g in 1 TUBE; Type 0: Not a Combination Product	08/31/2022	
1		28.3 g in 1 TUBE; Type 0: Not a Combination	08/31/2022	
		28.3 g in 1 TUBE; Type 0: Not a Combination Product	08/31/2022	
		28.3 g in 1 TUBE; Type 0: Not a Combination Product		
		28.3 g in 1 TUBE; Type 0: Not a Combination Product		Marketing End Date

Labeler - Chain Drug Marketing Association Inc. (011920774)

Registrant - Trifecta Pharmaceuticals USA LLC (079424163)

Revised: 5/2023

Chain Drug Marketing Association Inc.