### HELIOX- heliox gas A-OX WELDING SUPPLY CO., INC.

-----

#### **Heliox 30/70**

PurityPlus Specialty Gases by A-OX Welding Supply

Compressed gas, oxidizing, n.o.s. (Oxygen, Helium)

UN3156

PPG HEOX30K Part Number

Medical Gas Mixture

30 percent Oxygen, USP CAS: 7782-44-7

Balance Helium, USP CAS: 7440-59-7

Rx only.

WARNING: Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications and side effects and the precautions to be taken.

DANGER CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY CAUSE OR INTENSIFY FIRE; OXIDIZER.

Do not handle until all safety precautions have been read and understood. Keep and store away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 degrees C (125 degrees F). Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ACCIDENTLY INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

DO NOT REMOVE THIS PRODUCT LABEL

For Medical Use Only.

Ver. 3.90

A-OX Welding Supply Co.

101 N. Harlem Ave.

Sioux Falls, SD 57104

605.336.1125





Compressed gas, oxidizing, n.o.s. (Oxygen, Helium)

UN3156

PPG HEOX30K Part Number

Medical Gas	Mixture	
30 % Oxygen, USP	CAS:	7782-44-7
Balance Helium, USP	CAS:	7440-59-7

WARNING: Administration of this gas mixture may be hurardous or contraindicated. For use only by or under the supervision of a licensed practition is experienced in the use and administration of gas incurace and is familiar with the indications, effects, dosages, methods, and throughout duration of administration, and with the huzards, continuidations and side effects and the precurations to be siden.

DANGER CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED, MAY CAUSE OR INTENSIFY FIRE; OXIDIZER,

Do not handle until all safety recommiss have been read and understook. Keep and some anny time clotting and other contrastition materials, Keep without and finishing the from games and oil. Use and steen subjectations in a newli-contained place, but a lack, from present educacie and subject to the contrastition of the safety of the state of the safety of the safe

FIRST AID: IF ACCIDENTLY INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention

### **HELIOX**

heliox gas

### **Product Information**

Product Type HUMAN PRESCRIPTION DRUG Item Code (Source) NDC:10297-070

Route of Administration RESPIRATORY (INHALATION)

## **Active Ingredient/Active Moiety**

Ingredient Name
Basis of Strength
OXYGEN (UNII: \$88TT14065) (OXYGEN - UNII:\$88TT14065)
OXYGEN
OXYGEN
OXYGEN
300 mL in 1 L

### **Inactive Ingredients**

Ingredient Name Strength

**HELIUM** (UNII: 206GF3GB41) 700 mL in 1 L

# Packaging

#		Package Description	Marketing Start Date	Marketing End Date
1	NDC:10297- 070-01	637.13 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/2018	
2	NDC:10297- 070-02	5810.62 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/2018	
3	NDC:10297- 070-03	7744.66 L in 1 CYLINDER; Type 0: Not a Combination Product	06/01/2018	

on		
ion Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA205767		
	Citation	O6/01/2018

# Labeler - A-OX WELDING SUPPLY CO., INC. (024372385)

Establishment							
Name	Address	ID/FEI	<b>Business Operations</b>				
A-OX WELDING SUPPLY CO., INC.		024372385	manufacture(10297-070)				

Revised: 10/2023 A-OX WELDING SUPPLY CO., INC.