

INFLAM-X - aconitum napellus, arnica montana, belladonna, bellis perennis, calendula officinallis, chamomilla, echinacea angustifolia, echinacea purpurea, hamamelis virginiana, hypericum perforatum, millefolium, symphytum officinale, zingiber officinale gel
Gensco Laboratories, LLC

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Inflam-X

FOR EXTERNAL USE ONLY AVOID CONTACT WITH EYES

KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENTS

Aconitum Napellus 3X, Arnica Montana 3X, Belladonna 4X, Bellis Perennis 1X, Calendula Officinalis 1X, Chamomilla 1X, Echinacea Angustifolia 1X, Echinacea Purpurea 1X, Hamamelis Virginiana 1X, Hypericum Perforatum 1X, Millefolium 1X, Symphytum Officinale 3X, Zingiber Officinale 1X.

INACTIVE INGREDIENTS

Purified water, Isopropyl Myristate, lecithin, Urea, Docusate Sodium, Sodium Hydroxide

NDC 35781-0230-0 WWW.GENSCOLABS.COM

INFLAM-X PRO is a homeopathic topical analgesic gel that contains the ingredients listed below. Homeopathic ingredients have been used since the inception of this science and remain as an effective method of treating select conditions. It is an amber colored odorless gel for use externally to control inflammation and reduce pain.

For external use only. Do not ingest INFLAM-X PRO and avoid contact with the eyes and mucous membranes, wounds, and damaged skin. If condition worsens, or if symptoms persist for more than seven days or clear up and occur again within a few days, you should consult a doctor. If a rash develops, you should discontinue use until rash clears. After the disappearance of rash, you can try INFLAM-X PRO again on a test area and monitor the site for additional results. If no rash or redness results, then you can resume use. However, if the rash persists or redevelops, use should be discontinued.

Keep this product out of reach of children and seek medical help or contact a Poison Control Center immediately if swallowed.

US PATENT #5,654,337

NDC 35781-0230-0

WWW.GENSCOLABS.COM

DRUG FACTS

PURPOSE

Aconitum Napellus 3X-HPUS

Neuralgia

Arnica Montana 3X-HPUS

Healing of Injured Tissue

Belladonna 4X-HPUS

Inflammation

Bellis Perennis TINC-HPUS

Bruising and Edema

Calendula Officinallis TINC-HPUS

Analgesia

Chamomilla TINC-HPUS

Tissue Healing

Echinacea Angustifolia TINC-HPUS

Inflammation

Echinacea Purpurea TINC-HPUS	Inflammation
Hamamelis Virginiana TINC-HPUS	Hematomas
Hypericum Perforatum TINC-HPUS	Neuropathic Pains
Millefolium TINC-HPUS	Wound healing
Symphytum Officinale 4X-HPUS	Neuropathy and Periostitis
Zingiber Officinale	Inflammation

INFLAM-X PRO is indicated for the temporary relief of inflammation and pain from injuries such as sprains, strains, repetitive use injuries, traumatic edema, general swelling of joints and soft tissue of the hand, wrist, elbow, shoulder, neck, back, knee, ankle, foot and toe. INFLAM-X PRO is also indicated for the reduction of bruising.

WARNINGS

For external use only. Do not ingest INFLAM-X PRO and avoid contact with the eyes and mucous membranes, wounds, and damaged skin. If condition worsens, or if symptoms persist for more than seven days or clear up and occur again within a few days, you should consult a doctor. If a rash develops, you should discontinue use until rash clears. After the disappearance of rash, you can try INFLAM-X PRO again on a test area and monitor the site for additional results. If no rash or redness results, then you can resume use. However, if the rash persists or redevelops, use should be discontinued.

Keep this product out of reach of children and seek medical help or contact a Poison Control Center immediately if swallowed.

Apply a thin layer (1 drop covers an area of skin 2 inches by 2 inches) to the affected area of the skin 3-4 times daily and rub in gently. Applications of less than 3-4 times a day will not produce optimum results. Excess drops may be wiped from the area. Safe to use on children over age of 2 years.

Other Information

Store at room temperature

Inactive Ingredients

Purified water, Isopropyl Myristate, Lecithin, Urea, Docusate Sodium

Questions? Toll Free 1-866-608-6284 Mon-Fri 9AM to 5PM (EST)

Manufactured for

Gensco Laboratories, LLC

Miramar, FL 33027

866.608.6284

US Patent # 5,654,337

www.genscolabs.com

PROFESSIONAL STRENGTH


INFLAM-X

FOR INFLAMMATION, PAIN AND BRUISING

PRO

Site Specific Pain Relief

- Targeted treatment for rapid recovery
- Reduces inflammation & bruising
- Blocks pain signals
- Promotes healing



DOSAGE AND ADMINISTRATION

Apply a small amount to the affected areas of the skin no more than four times daily.
1 application = 1 pump (0.25ml) covers an area 4" in diameter.

For complete information, see package insert.

For External Use Only • Avoid Contact With Eyes • Keep Out of Reach of Children
Store at 25° C (77° F); excursions permitted to 15° to 30°C (59° to 86° F).
See USP Controlled Room Temperature
Dispense in original container.



PROFESSIONAL STRENGTH

INFLAM-X

FOR INFLAMMATION, PAIN AND BRUISING

PRO

net contents 6gm

HOMEOPATHIC

Gensco Laboratories, LLC

INFLAM-X

FOR INFLAMMATION, PAIN AND BRUISING

PRO

Manufactured for
Gensco Laboratories • Miramar, FL 33027
866-608-6284

US Patent # 5,654,337

INFLAM-X
PRO

LOT:
EXP:

NDC 35781-0230-0

INFLAM-X
PRO

DOSAGE AND ADMINISTRATION

Apply a small amount to the affected areas of the skin no more than four times daily. 1 application (0.25ml) covers an area 4" in diameter.

For complete information, see package insert.

For External Use Only • Avoid Contact With Eyes • Keep Out of Reach of Children

Active Ingredients: Aconitum Napellus 3X - HPUS; Arnica Montana 3X - HPUS; Belladonna 4X - HPUS; Bellis Perennis 1X - HPUS; Calendula Ofinalis 1X - HPUS; Chamomilla 1X - HPUS; Echinacea Angustifolia 1X - HPUS; Echinacea Purpurea 1X - HPUS; Hamamelis Virginiana 1X - HPUS; Hypericum Perforatum 1X - HPUS; Millefolium 1X - HPUS; Symphytum Officinale 4X - HPUS; Zingiber Officinale 1X - HPUS

Inactive Ingredients: Docusate sodium, Isopropyl Myristate, Lecithin, Purified Water, Sodium Hydroxide, Urea.

Manufactured for: Gensco Laboratories, Miramar, FL 33027

866-608-6284 • www.genscolabs.com

Patent # 5,654,337

Rev. 09/12

NDC 35781-0230-0

Dispense in original container

INFLAM-X
FOR INFLAMMATION, PAIN AND BRUISING **PRO**[®]

HOMEOPATHIC

Net contents 0.21 fl oz (6gm)



Drug Facts	
Active Ingredients	Purpose
Aconitum Napellus - 3x - HPUS	Neuralgia
Arnica Montana - 3x - HPUS	Healing of Injured Tissue
Belladonna - 4x - HPUS	Inflammation
Bellis Perennis - 1x - HPUS	Bruising and Edema
Calendula Officinalis - 1x - HPUS	Analgesia
Chamomilla - 1x - HPUS	Tissue Healing
Echinacea Angustifolia - 1x - HPUS	Inflammation
Echinacea Purpurea - 1x - HPUS	Inflammation
Hamamelis Virginiana - 1x - HPUS	Hematomas
Hypericum Perforatum - 1x - HPUS	Neuropathic Pains
Millefolium - 1x - HPUS	Wound Healing
Symphytum Officinale - 4x - HPUS	Neuropathy and Periostitis
Zingiber Officinale - 1x - HPUS	Analgesia
Uses	
Inflam-X Pro is indicated for the temporary relief of inflammation and pain from injuries such as sprains, strains, repetitive use injuries, traumatic edema, general swelling of joints and soft tissue of the hand, wrist, elbow, shoulder, neck, back, knee, ankle, foot and toe. Inflam-X Pro is also indicated for the reduction of bruising.	
Warnings	
For external use only.	
Avoid contact with eyes. Do not bandage tightly or apply to wounds or damaged skin.	
Do not use on children under 2 years of age, except on the advice of a physician.	
Stop use and ask a doctor if muscle aches and pains persist for more than 7 days or excessive skin irritation occurs.	
If pregnant or breast feeding, ask a health professional before use.	
Keep out of reach of children.	
In case of accidental ingestion, get medical help or contact poison control center right away.	
Directions: Apply a small amount to affected areas of the skin no more than four times daily. 1 application = 1 pump (0.25mL) covers an area 4" in diameter. Children under 2 years of age, consult a physician.	
Other Information	
Store at room temperature, 15-30 degrees C (59-86 degrees F). Do not expose to excessive heat.	
Inactive ingredients	
Decussate Sodium, Bopropyl Myristate, Lecithin, Purified Water, Sodium Hydroxide, Urea	
Questions? Toll Free 1-866-608-6284 Mon-Fri 9am to 5pm (EST)	

Manufactured for
 Genco Laboratories - Miramar, FL 33027
 866-608-6284
www.genscolabs.com



Dispense in original container.

INFLAM-X

aconitum napellus, arnica montana, belladonna, bellis perennis, calendula officinalis, chamomilla, echinacea angustifolia, echinacea purpurea, hamamelis virginiana, hypericum perforatum, millefolium, symphytum officinale, zingiber officinale gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:3578 1-0230
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACONITUM NAPELLUS (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS	3 [hp_X] in 6 mL
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	3 [hp_X] in 6 mL
ATROPA BELLADONNA (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	4 [hp_X] in 6 mL
BELLIS PERENNIS (UNII: 2HU33I03UY) (BELLIS PERENNIS - UNII:2HU33I03UY)	BELLIS PERENNIS	1 [hp_X] in 6 mL
CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD) (CALENDULA OFFICINALIS FLOWER - UNII:P0M7O4Y7YD)	CALENDULA OFFICINALIS FLOWER	1 [hp_X] in 6 mL

CHAMOMILE (UNII: FGL3685T2X) (CHAMOMILE - UNII:FGL3685T2X)	CHAMOMILE	1 [hp_X] in 6 mL
ECHINACEA ANGUSTIFOLIA (UNII: VB06AV5US8) (ECHINACEA ANGUSTIFOLIA - UNII:VB06AV5US8)	ECHINACEA ANGUSTIFOLIA	1 [hp_X] in 6 mL
ECHINACEA PURPUREA (UNII: QI7G114Y98) (ECHINACEA PURPUREA - UNII:QI7G114Y98)	ECHINACEA PURPUREA	1 [hp_X] in 6 mL
HAMAMELIS VIRGINIANA ROOT BARK/STEM BARK (UNII: T7S323PKJS) (HAMAMELIS VIRGINIANA ROOT BARK/STEM BARK - UNII:T7S323PKJS)	HAMAMELIS VIRGINIANA ROOT BARK/STEM BARK	1 [hp_X] in 6 mL
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	1 [hp_X] in 6 mL
ACHILLEA MILLEFOLIUM (UNII: 2FXJ6SW4PK) (ACHILLEA MILLEFOLIUM - UNII:2FXJ6SW4PK)	ACHILLEA MILLEFOLIUM	1 [hp_X] in 6 mL
COMFREY ROOT (UNII: M9VVZ08EKQ) (COMFREY ROOT - UNII:M9VVZ08EKQ)	COMFREY ROOT	4 [hp_X] in 6 mL
GINGER (UNII: C5529G5JPQ) (GINGER - UNII:C5529G5JPQ)	GINGER	1 [hp_X] in 6 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
UREA (UNII: 8W8T17847W)	
DOCUSATE SODIUM (UNII: F05Q2T2JA0)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:35781-0230-0	1 in 1 BOX		
1		6 mL in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/17/2010	

Labeler - Gensco Laboratories, LLC (831042325)

Registrant - Gensco Laboratories, LLC (831042325)

Establishment

Name	Address	ID/FEI	Business Operations
Gensco Laboratories, LLC		831042325	manufacture(35781-0230)