DAY TIME- acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled H E B

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

HEB Day Time Drug Facts

Active ingredients (in each softgel)

Acetaminophen 325 mg Dextromethorphan HBr 10 mg Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer Cough suppressant Nasal decongestant

Uses

temporarily relieves common cold/flu symptoms:

- nasal congestion
- cough due to minor throat and bronchial irritation
- sore throat
- headache
- minor aches and pains
- fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, lasts for more than 2 days, is accompanied or followed

by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema
- trouble urinating due to an enlarged prostate gland
- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

When using this product

do not use more than directed

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- take only as directed see overdose warning
- do not exceed 4 doses per 24 hrs

adults & children 12 yrs & over	2 softgels with water every 4 hrs	
children 4 to under 12 yrs	ask a doctor	
children under 4 yrs	do not use	

Other information

• store at 20-25°C (68-77°F)

Inactive ingredients

edible ink*, FD&C red no. 40, FD&C yellow no. 6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol sorbitan solution *may contain this ingredient

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Vicks® DayQuil® Cold & Flu active ingredients Daytime Acetaminophen / Pain Reliever/Fever Reducer Dextromethorphan HBr / Cough Suppressant Phenylephrine HCl /Nasal Decongestant Cold & Flu Non-Drowsy Relief of: Pain - Fever - Cough Nasal Congestion actual size 24 SOFTGELS

MADE IN CANADA MADE WITH PRIDE & CARE FOR H-E-B⁴ San Antonio, TX 78204



Compare to Vicks® DayQuil® Cold & Flu active ingredients**

NDC 37808-994-62

GLUTEN FREE

r no. 40, FD&C yellow no. 6, ge htin, glycerin, polyethyb ne glycol, povidon e, propylene * may con tain this ingredient

₫ 5

Daytime

Acetaminophen / Pain Reliever/Fever Reducer Dextromethorphan HBr / Cough Suppressant Phenylephrine HCI /Nasal Decongestant

Cold & Flu

Non-Drowsy

PARENTS: Learn about teen medicine abuse www.StopMedicineAbuse.org

H-E-B

Rellef of:

- Pain Fever Cough
- Nasal Congestion

24 SOFTGELS

CONVENIENT RECLOSING TAB

۵۰ This product is not manufactured or distributed by Procter & Gamble, distributor of Vicke® DayQuil® Cold & Flu.

Do NOT USE IF BLISTER UNIT IS BROKEN OR TORN

Drug Facts	
Active ingredients (in each softgel) Purpose Acetaminophen 325 mgPain reliever/lever reducer Dextromethorphan HBr 10 mgCough suppressant Phenylephrine HD 5 mgNasal decongestant	
Uses temporarily refeves common cold/flu symptoms: cough due to minor throat and bronchial irritation minor aches and pains nasal congestion sore throat headache fever	
Warnings Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours with other drugs containing acetaminophen 3 or more alcoholic drinks every day while using this product Allergy a lert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin readening blisters mash If a skin reaction occurs, stop use and seek medical help right away. Sore throat warning: if sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, head ache, rash, nausea, or vomiling, consult a doctor prompty.	
Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. If you are now taking a prescription mo noamine oxidase inhibitor (MAO) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product. If you have ever had an allergic reaction to this product or any of its ingredients	
Ask a doctor before use if you have	(88-77 F.)
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin When using this product do not use more than directed	- 68) J.

Stop use and ask a doctor if yo pain, nasal congestion or cough gets fever gets worse or lasts more than 3 redness or swelling is present in rash or head ach e that lasts. These could If pregnant or breast-feeding, ask a h Keep out of reach of children. Over do a Poison Control Center right away (1-8 well as for children even if you do not n Directions is take only as directed		
adults & children 12 yrs & over	2 softgels with water every 4 hrs	sti - sti
children 4 to under 12 yrs	ask a doctor	88888
children under 4 yrs	do not use	
OPE	N OTHER END	
99462 1J C4		

DAY TIME

acetaminophen, dextromethorphan hydrobromide, phenylephrine hydrochloride capsule, liquid filled

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-994
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg	
DEXTRO METHO RPHAN HYDRO BRO MIDE (UNII: 9 D2RTI9 KYH) (DEXTRO METHO RPHAN - UNII: 7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg	
PHENYLEPHRINE HYDRO CHLO RIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	

Inactive Ingredients	
Ingredient Name	Strength
FD&C RED NO.40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6092ICV9RU)	
Product Characteristics	

Color		ORANGE Score			no score
Shape	OVAL Size			20 mm	
Flavor			Imprint Code		L994
Contains					
Packaging					
# Item Code		Package Descrip	tion	Marketing Start Date	Marketing End Date
1 NDC:37808-994-60	10 in 1	CARTON		07/27/2011	
1	2 in 1 B	1 BLISTER PACK; Type 0: Not a Combination Product			
2 NDC:37808-994-62	12 in 1	CARTON		07/25/2012	
2	2 in 1 B	LISTER PACK; Type 0: Not a	Combination Product		
Marketing Information					
Marketing Category	и Ар	plication Number or Mon	ograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part3	41		07/27/2011	

Labeler - HEB (007924756)

Revised: 12/2019

HE B