

NEUTROGENA BEACH DEFENSE KIDS SUNSCREEN SPF 70- avobenzone, homosalate, octisalate, octocrylene aerosol, spray
Kenvue Brands LLC

Neutrogena Beach Defense Kids Sunscreen Spray SPF 70

Drug Facts

Active ingredients

Avobenzone 3%, Homosalate 15%, Octisalate 5%, Octocrylene 10%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

- **When using this product** keep out of eyes. Rinse with water to remove.
- keep away from face to avoid breathing it

Stop use and ask a doctor if • rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Warning: FLAMMABLE, Contents under pressure. Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (48°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold container 4-6 inches from the skin to apply. Rub in.
- do not spray directly into face. Spray on hands and then apply to face. Rub in.
- do not apply in windy conditions.
- use in a well-ventilated area
- reapply:
- after 80 minutes of swimming or sweating

- immediately after towel drying
- at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

Alcohol Denat., Isobutane, Butyloctyl Salicylate, Dicaprylyl Carbonate, Diethylhexyl 2,6-Naphthalate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Diheptanoate, Fragrance, Tocopheryl Acetate, Ascorbyl Palmitate

Questions?

Call toll-free **800-299-4786** or **215-273-8755** (collect) or visit www.neutrogena.com

Distributed by:

Kenvue Brands LLC
Summit, NJ 07901

PRINCIPAL DISPLAY PANEL - 184g Can

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

Beach Defense®

kids

water + sun

protection

sunscreen spray

BROAD SPECTRUM SPF 70

70

WITH

MULTI-VITAMINS

oxybenzone free

water - resistant (80 minutes)

NET WT 6.5 OZ (184 g)

Neutrogena[®]

DERMATOLOGIST RECOMMENDED BRAND

Beach Defense[®]
kids
water + sun
protection
sunscreen spray

BROAD SPECTRUM SPF 70

70

WITH
MULTI-VITAMINS
oxybenzone free
water-resistant (80 minutes)

NET WT 6.5 OZ (184 g)

Beach Strength Broad Spectrum UVA/UVB
Sun Protection ■ Easy To Apply ■ Lightweight ■
Dries Quickly ■ Oxybenzone Free ■
With Antioxidant Multi-Vitamins C & E

Empty Before Recycling
how2recycle.info
METAL CAN

Drug Facts

Active ingredients	Purpose
Avobenzone (3%), Homosalate (15%), Octisalate (5%), Octocrylene (10%)	Sunscreen

Uses ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only ■ Do not use ■ on damage or broken skin ■ When using this product ■ keep out of eyes. Rinse with water to remove. ■ keep away from face to avoid breathing it ■ Stop use and ask a doctor if ■ rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away **Warning: FLAMMABLE. Contents under pressure.** Do not use near fire, heat or while smoking. Do not puncture or incinerate. Store at temperature below 120°F (46°C). Use only as directed. Intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal.

Directions ■ spray liberally and spread evenly by hand 15 minutes before sun exposure ■ hold container 4-6 inches from the skin to apply. Rub in. ■ do not spray directly into face. Spray on hands and then apply to face. Rub in. ■ do not apply in windy conditions ■ use in a well-ventilated area ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
■ limit time in the sun, especially from 10 a.m. – 2 p.m.
■ wear long-sleeved shirts, pants, hats, and sunglasses
■ children under 6 months of age. Ask a doctor

Other information ■ protect this product from excessive heat and direct sun ■ may stain some fabrics

Inactive ingredients Alcohol Denat., Isobutane, Butylcetyl Salicylate, Dicaprylyl Carbonate, Diethylhexyl 2,6-Naphthalate, Polyester-7, Acrylates/Octylacrylamide Copolymer, Neopentyl Glycol Diheptanoate, Fragrance, Tocopheryl Acetate, Ascorbyl Palmitate

Questions? Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit www.neutrogena.com

Distributed by: Kenvue Brands LLC, Summit, NJ 07901 © Kenvue Brands 2025 Pat. www.kenvuepat.com

30061160
DOT 20 M5655
fresh fruity fragrance

NEUTROGENA BEACH DEFENSE KIDS SUNSCREEN SPF 70

avobenzone, homosalate, octisalate, octocrylene aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0779
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	150 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
ISOBUTANE (UNII: BXR49TP611)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
POLYESTER-7 (UNII: 0841698D2F)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
ALCOHOL (UNII: 3K9958V90M)	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0779-7	184 g in 1 CAN; Type 0: Not a Combination Product	12/05/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/05/2022	

Labeler - Kenvue Brands LLC (118772437)

Revised: 10/2025

Kenvue Brands LLC