

**UNSCENTED NASALGUARD ANTISEPTIC TOPICAL- benzalkonium chloride gel  
TRUTEK CORP.**

-----  
**Unscented NasalGuard Antiseptic Topical Gel**

***Active Ingredient***

Benzalkonium Chloride 0.13%

***Purpose***

Antiseptic

***Use***

To decrease bacteria on the skin.

***Directions***

Apply to the outside of the nose as indicated below.

Begin by squeezing 1 to 2 pin-sized drops on your pointer finger.

Spread the gel between your pointer finger and thumb to ensure an even application.

Apply directly around the nostrils and above the upper lip.

Apply every 4 to 6 hours or as often as needed.

Reapply if nose or face becomes wet.

SAVE THIS (BOX) FOR REFERENCE

***Inactive Ingredients***

Dimethicone, Glycerin, Hydroxyethyl Cellulose, Purified Water. Also contains non-toxic, cosmetic grade preservatives and emulsifiers.

**Questions or Comments ?**

Visit [www.NasalGuard.com](http://www.NasalGuard.com) or call 1-855-NASALGUARD (1-855-627-2548).

NASALGUARD ANTISEPTIC TOPICAL Gel Unscented

For external use only

When using this product keep out of eyes. In case of contact with eyes, rinse eyes thoroughly with water.

Stop use and ask a doctor if

irritation and redness develop  
condition persists for more than 72 hours

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control center right away

If pregnant or breast-feeding, ask a health professional before use.

Stop use and ask a doctor if  
irritation and redness develop

or  
condition persists for more than 72 hours

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.



NasalGuard Unscented Tube and Carton

**Proof Date : 20 February 2024**





## UNSCENTED NASALGUARD ANTISEPTIC TOPICAL

benzalkonium chloride gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:81907-102
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	1.3 mg in 1000 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>DIMETHICONE 350</b> (UNII: 2Y53S6ATLU)	
<b>STEARETH-2</b> (UNII: V56DFE46J5)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BEHENTRIMONIUM CHLORIDE</b> (UNII: X7GNG3S47T)	
<b>MEDIUM-CHAIN TRIGLYCERIDES</b> (UNII: C9H2L21V7U)	
<b>HYDROXYETHYL CELLULOSE, UNSPECIFIED</b> (UNII: T4V6TWG28D)	
<b>STEARETH-21</b> (UNII: 53J3F32P58)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZ4)	

PHENOXYETHANOL (UNII: HIE492ZZ3T)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81907-102-01	1 in 1 BOX	02/01/2024	
1	NDC:81907-102-02	3000 mg in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	02/14/2022	

**Labeler** - TRUTEK CORP. (170729235)

**Registrant** - TRUTEK CORP. (170729235)

### Establishment

Name	Address	ID/FEI	Business Operations
TRUTEK CORP.		170729235	manufacture(81907-102)

Revised: 12/2025

TRUTEK CORP.