

SKIN AND ITCH - anacard oc,antimon c,apis,arsenicum a,arsenicum i,belladonna,berber,caladium seg,calc phos,calc carb,cantharis,carduus mar,cortisone,culex musca,dolichos,fagopyrum,ferrum phos,graphites,hepar sulph,histaminum,hyoscyamus,hypericum,ignatia,iris vers,kali ars,lachesis,lappa,ledum,lycopodium,merc solub,mezereum,nat mur,nat sulphuricum,nitricum ac,nux vom,petroleum,phos,pulex,pulsatilla,rhus tox,saccharum off,sarsaparilla,selenium,sepia,silicea,solidago,staphysag,sulphur,tarentula his,thuja,triticum,urtica,zinc liquid
HomeoPet, LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Skin and Itch

Directions for Use and Dosage

DIRECTIONS FOR USE:

- Dose remedy directly into mouth, in water or at meal/snack time
- Administer one dose 3 times per day, as needed
- In acute cases, one dose every 15 minutes up to 4 doses may be given
- When improvement is seen decrease frequency of dosing to twice daily, then once daily. If symptoms reappear repeat original dose. Discontinue use when symptoms subside

weight (lb)*	1-20 lbs	21-60 lbs	61-100 lbs	over 100 lbs
Dosage drops per dose	5	10	15	20
*<1 lb add 2 drops to 8 oz of water, give 2 drops of medicated water per dose				

Contact Veterinarian

Contact your veterinarian for all animal health related concerns or issues.

Visit homeopet.com for detailed dosing and further information.

Ingredients HPUS: Active

Anacard occ 12c, Antimon crud 6c, Apis mel 6c, 30c, 200c, Arsenicum alb 6c, 30c, 200c, Arsenicum iod 9x, Belladonna 200c, Berber vulg 6x, Caladium seguinum 6c, 30c, Calc phos 12x, Calc carb 12c, 200c, Cantharis 6c, 30c, 200c, Carduus mar 4x, Cortisone aceticum 30x, Culex musca 30c, Dolichos 6c, Fagopyrum 6x, Ferrum phos 12x, Graphites 6c, 30c, Hepar sulph calc 30c, 200c, Histaminum 30x, Hyoscyamus 30c, 200c, Hypericum 10x, 30c, Ignatia 30c, Iris vers 6c, Kali ars 12x, Lachesis 200c, Lappa 6x, Ledum 6c, 30c, 200c, Lycopodium 6c, 30c, Merc solub 200c, Mezereum 6c, 30c,

Nat mur 30c, 200c, 1M, Nat sulphuricum 6c, Nitricum ac 12x, Nux vom 8x, Petroleum 6c, 30c, Phos 6c, Pulex irr 30c, Pulsatilla 6c, 30c, Rhus tox 6c, 30c, 200c, Saccharum off 30c, Sarsaparilla 30c, Selenium 12x, Sepia 12c, Silicea 12x, 200c, Solidago 4x, Staphysag 6c, Sulphur 9x, 6c, 30c, Tarentula hisp 30c, Thuja occ 30c, Triticum 4x, Urtica ur 6x, 6c, Zinc met 12x.

Inactive Ingredients

USP Alcohol, Glycerin, Purified Water

Skin & Itch

may promote temporary relief from seasonal allergies and support for a healthy skin & coat

SCRATCHING-ITCHING-CHEWING

Indications

A natural homeopathic medicine that may promote temporary relief from seasonal allergies and support for a healthy skin and coat. May help with scratching, itching, chewing and hair loss, which may restore a thick and shiny coat. Claims based on traditional homeopathic practice and principles, not based on modern medical theory or practice.



FOR ANIMAL USE ONLY


DOWNLOAD OUR APP

DO NOT USE IF SEAL IS BROKEN

SKIN AND ITCH

NET CONTENTS: 15 mL

KEEP OUT OF REACH OF CHILDREN

SKIN AND ITCH

DO NOT USE IF SEAL IS BROKEN

Rev #24-2

 **MADE IN THE USA**



7 04959 14712 9

HomeoPet[®]

HomeoPet LLC
P.O. Box 147
Westhampton Beach,
New York 11978
800.555.4461
www.homeopet.com



NDC# 61571-610-15

INDICATIONS: A natural homeopathic medicine that may promote temporary relief from seasonal allergies and support for a healthy skin and coat. May help with scratching, itching, chewing and hair loss, which may restore a thick and shiny coat. *Claims based on traditional homeopathic practice and principles, not based on modern medical theory or practice.*

DIRECTIONS FOR USE:

- Dose medicine directly into mouth, in water or at meal/snack time
- Administer one dose 3 times per day, as needed
- In acute cases, one dose every 15 minutes up to 4 doses may be given
- When improvement is seen decrease frequency of dosing to twice daily, then once daily. If symptoms reappear repeat original dose. Discontinue use when symptoms subside

DOSAGE	
weight (lb)*	drops per dose
1-20 lbs	5
21-60 lbs	10
61-100 lbs	15
over 100 lbs	20

*1 lb add 2 drops to 8 oz of water, give 2 drops of medicated water per dose

INGREDIENTS **HPUS: ACTIVE:** A 15 mL bottle contains 1.26% each of Anacardium 12c, Antimon crud 6c, Apis mel 6c, 30c, 200c, Arsenicum alb 6c, 30c, 200c, Arsenicum iod 9c, Belladonna 200c, Berberis vulgaris 6c, Caladium seguinum 6c, 30c, Calc carb 12c, 200c, Calc phos 12c, Cantharis 6c, 30c, 200c, Carduus mar 4c, Cortisona acetum 30c, Culex musca 30c, Dolichos 6c, Fagopyrum 6c, Ferrum phos 12c, Graphites 6c, 30c, Hepat sulph calc 30c, 200c, Histaminum 30c, Hyoscyamus 30c, 200c, Hypericum 10c, 30c, Ignatia 30c, Irs vers 6c, Kali ars 12c, Lachesis 200c, Lappa 6c, Ledum 6c, 30c, 200c, Lycopodium 6c, 30c, Merc solub 200c, Mezereum 6c, 30c, Nat mur 30c, 200c, 1M, Nat sulphuricum 6c, Nitricum ac 12c, Nux vom 8c, Petroleum 6c, 30c, Phos 6c, Pulex tr 30c, Putisattia 6c, 30c, Rhus tox 6c, 30c, 200c, Saccharum off 30c, Sarsaparilla 30c, Selenium 12c, Sepia 12c, Silicea 12c, 200c, Solidago 4c, Staphysag 6c, Sulphur 9c, 6c, 30c, Tarentula hisp 30c, Thuja occ 30c, Triticum 4c, Urtica ur 6c, 30c, Zinc met 12c. **INACTIVE:** 10% USP Alg., Glycerin, Purified Water. The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopeia of the United States.

Visit homeopet.com for detailed dosing and further information. 

Contact your veterinarian for all animal health related concerns or issues.

SKIN AND ITCH

Min. 450 drops

Natural

HomeoPet[®]

THE NATURAL CHOICE

SKIN EASE

helps support and maintain



a healthy coat and skin

EASY
LIQUID
DOSING
FORMULA



Min. 450 drops per bottle



FOR ANIMAL USE ONLY

SKIN EASE

DO NOT USE IF SEAL IS BROKEN

SKIN EASE

NET CONTENTS: 15 mL

KEEP OUT OF REACH OF CHILDREN

SKIN EASE

DO NOT USE IF SEAL IS BROKEN

Rev #23-1

HomeoPet[®]
HomeoPet Australia Pty Ltd
PO Box 105
St Georges Basin
NSW 2540
02 4443 9669
www.homeopet.com.au
NDC# 61571-610-15



LOT:
EXP:



7 04959 14712 6

MADE IN THE USA

INDICATIONS: A natural formula with unique ingredients that promote skin and coat health.

DIRECTIONS FOR USE:

- Dose in water or in food or on a treat at meal/snack time
- Provide 1 dose 3 times per day, as needed
- In acute cases, one dose every 15 minutes up to 4 doses may be given
- When improvement is seen decrease frequency of dosing to twice daily, then once daily. If symptoms reappear repeat original dose. Discontinue use when symptoms subside

DOSAGE	
weight (kg)*	drops per dose
2-10 kg	5
10-30 kg	10
30-40 kg	15
over 40 kg	20

*<2 kg add 2 drops to 1 cup of water, give 2 drops of medicated water per dose

INGREDIENTS HPUS: ACTIVE: A 15 mL bottle contains 1.26% each of Anacard occ 12c, Antimon crud 6c, Apis mel 6c, 30c, 200c, Arsenicum alb 6c, 30c, 200c, Arsenicum iod 9c, Belladonna 200c, Berber vilg 6c, Caladium seguinum 6c, 30c, Calc phos 12c, Calc carb 12c, 200c, Canthars 6c, 30c, 200c, Carduus mar 4x, Cortisonae acetum 30c, Culex musca 30c, Doehnos 6c, Fagopyrum 6c, Ferrum phos 12c, Graphites 6c, 30c, Hepat sulph 30c, 200c, Histaminum 30c, Hyoscyamus 30c, 200c, Hypericum 10x, 30c, Ignata calc 30c, 200c, Ictus vers 6c, Kali ars 12c, Lachesis 200c, Lappa 6c, Ledum 6c, 30c, 200c, Lycopodium 30c, Merc solub 200c, Mezereum 6c, 30c, Nat mur 30c, 200c, 1M, Nat sulphuricum 6c, 30c, Nitricum ac 12c, Nux vom 8x, Petroleum 6c, 30c, Phos 6c, 30c, Pulsatilla 6c, 30c, Rhus tox 6c, 30c, 200c, Saccharum off 30c, Sarsaparilla 30c, Selenium 12c, Sepia 12c, Silicea 12c, 200c, Solidago 4x, Staphysag 6c, Sulphur 9x, 6c, 30c, Terebinta hsp 30c, Thuja occ 30c, Tributum 4x, Urtica ur 6c, 6c, Zinc met 12c. **INACTIVE:** 10% USP Alg., Glycerin, Purified Water.

Visit homeopet.com.au for detailed dosing and further information.

SKIN EASE

Min. 450 drops

SKIN AND ITCH

anacard oc,antimon c,apis,arsenicum a,arsenicum i,belladonna,berber,caladium seg,calc phos,calc

carb,cantharis,carduus mar,cortisone,culex musca,dolichos,fagopyrum,ferrum
 phos,graphites,hepar sulph,histaminum,hyoscyamus,hypericum,ignatia,iris vers,kali
 ars,lachesis,lappa,ledum,lycopodium,merc solub,mezereum,nat mur,nat sulphuricum,nitricum
 ac,nux vom,petroleum,phos,pulex,pulsatilla,rhus tox,saccharum
 off,sarsaparilla,selenium,sepia,silicea,solidago,staphysag,sulphur,tarentula
 his,thuja,triticum,urtica,zinc liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:61571-610
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ANACARDIUM OCCIDENTALE FRUIT (UNII: 4A10JR4E7E) (ANACARDIUM OCCIDENTALE FRUIT - UNII:4A10JR4E7E)	ANACARDIUM OCCIDENTALE FRUIT	12 [hp_C] in 15 mL
ANTIMONY TRISULFIDE (UNII: F79059A38U) (ANTIMONY TRISULFIDE - UNII:F79059A38U)	ANTIMONY TRISULFIDE	6 [hp_C] in 15 mL
APIS MELLIFERA (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	6 [hp_C] in 15 mL
ARSENIC TRIOXIDE (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIOXIDE	6 [hp_C] in 15 mL
ARSENIC TRIIODIDE (UNII: 302998802T) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIIODIDE	9 [hp_X] in 15 mL
ATROPA BELLADONNA (UNII: WQZ3G9PF0H) (ATROPA BELLADONNA - UNII:WQZ3G9PF0H)	ATROPA BELLADONNA	200 [hp_C] in 15 mL
BERBERIS VULGARIS ROOT BARK (UNII: 1TH8Q2J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q2J0U)	BERBERIS VULGARIS ROOT BARK	6 [hp_X] in 15 mL
DIEFFENBACHIA SEGUINE WHOLE (UNII: 01800C6E6B) (DIEFFENBACHIA SEGUINE - UNII:01800C6E6B)	DIEFFENBACHIA SEGUINE WHOLE	6 [hp_C] in 15 mL
TRIBASIC CALCIUM PHOSPHATE (UNII: 91D9GV0Z28) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CATION	12 [hp_X] in 15 mL
OYSTER SHELL CALCIUM CARBONATE, CRUDE (UNII: 2E32821G6I) (OYSTER SHELL CALCIUM CARBONATE, CRUDE - UNII:2E32821G6I)	OYSTER SHELL CALCIUM CARBONATE, CRUDE	12 [hp_C] in 15 mL
LYTTA VESICATORIA (UNII: 3Q034RO3BT) (LYTTA VESICATORIA - UNII:3Q034RO3BT)	LYTTA VESICATORIA	6 [hp_C] in 15 mL
MILK THISTLE (UNII: U946SH95EE) (MILK THISTLE - UNII:U946SH95EE)	MILK THISTLE	4 [hp_X] in 15 mL
CORTISONE ACETATE (UNII: 883WKN7WBX) (CORTISONE - UNII:V27W9254FZ)	CORTISONE ACETATE	30 [hp_X] in 15 mL
CULEX PIPIENS (UNII: 45KA5D7541) (CULEX PIPIENS - UNII:45KA5D7541)	CULEX PIPIENS	30 [hp_C] in 15 mL
MUCUNA PRURIENS FRUIT TRICHOME (UNII: 3E271BSI0C) (MUCUNA PRURIENS FRUIT TRICHOME - UNII:3E271BSI0C)	MUCUNA PRURIENS FRUIT TRICHOME	6 [hp_C] in 15 mL
FAGOPYRUM ESCULENTUM WHOLE (UNII: B10M69172N) (FAGOPYRUM ESCULENTUM - UNII:B10M69172N)	FAGOPYRUM ESCULENTUM WHOLE	6 [hp_X] in 15 mL
FERROSFERRIC PHOSPHATE (UNII: 91GQH8I5F7) (FERROSFERRIC PHOSPHATE - UNII:91GQH8I5F7)	FERROSFERRIC PHOSPHATE	12 [hp_X] in 15 mL
GRAPHITE (UNII: 4QQN74LH4O) (GRAPHITE - UNII:4QQN74LH4O)	GRAPHITE	6 [hp_C] in 15 mL
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	30 [hp_C] in 15 mL
HISTAMINE DIHYDROCHLORIDE (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)	HISTAMINE DIHYDROCHLORIDE	30 [hp_X] in 15 mL

HYOSCYAMUS NIGER (UNII: 4WRK2153H3) (HYOSCYAMUS NIGER - UNII:4WRK2153H3)	HYOSCYAMUS NIGER	30 [hp_C] in 15 mL
HYPERICUM PERFORATUM WHOLE (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM WHOLE	10 [hp_X] in 15 mL
STRYCHNOS IGNATII SEED (UNII: 1NM3M2487K) (STRYCHNOS IGNATII SEED - UNII:1NM3M2487K)	STRYCHNOS IGNATII SEED	30 [hp_C] in 15 mL
IRIS VERSICOLOR ROOT (UNII: X43D4L3DQC) (IRIS VERSICOLOR ROOT - UNII:X43D4L3DQC)	IRIS VERSICOLOR ROOT	6 [hp_C] in 15 mL
POTASSIUM ARSENITE ANHYDROUS (UNII: BM2U42PAKI) (ARSENITE ION - UNII:N5509X556J)	POTASSIUM ARSENITE ANHYDROUS	12 [hp_X] in 15 mL
LACHESIS MUTA VENOM (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)	LACHESIS MUTA VENOM	200 [hp_C] in 15 mL
ARCTIUM LAPPA ROOT (UNII: 597E9BI3Z3) (ARCTIUM LAPPA ROOT - UNII:597E9BI3Z3)	ARCTIUM LAPPA ROOT	6 [hp_X] in 15 mL
RHODODENDRON TOMENTOSUM LEAFY TWIG (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWIG - UNII:877L01IZ0P)	RHODODENDRON TOMENTOSUM LEAFY TWIG	6 [hp_C] in 15 mL
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)	LYCOPODIUM CLAVATUM SPORE	6 [hp_C] in 15 mL
MERCURIUS SOLUBILIS (UNII: 324Y4038G2) (MERCURIUS SOLUBILIS - UNII:324Y4038G2)	MERCURIUS SOLUBILIS	200 [hp_C] in 15 mL
DAPHNE MEZEREUM BARK (UNII: X2N6E405GV) (DAPHNE MEZEREUM BARK - UNII:X2N6E405GV)	DAPHNE MEZEREUM BARK	6 [hp_C] in 15 mL
SODIUM CHLORIDE (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698)	SODIUM CHLORIDE	30 [hp_C] in 15 mL
SODIUM SULFATE (UNII: 0YPR65R21J) (SODIUM SULFATE ANHYDROUS - UNII:36KCS0R750)	SODIUM SULFATE	6 [hp_C] in 15 mL
NITRIC ACID (UNII: 411VRN1TV4) (NITRIC ACID - UNII:411VRN1TV4)	NITRIC ACID	12 [hp_X] in 15 mL
STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)	STRYCHNOS NUX-VOMICA SEED	8 [hp_X] in 15 mL
KEROSENE (UNII: 1C89KKC04E) (KEROSENE - UNII:1C89KKC04E)	KEROSENE	6 [hp_C] in 15 mL
PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)	PHOSPHORUS	6 [hp_C] in 15 mL
PULEX IRRITANS WHOLE (UNII: L63DD62R8R) (PULEX IRRITANS WHOLE - UNII:L63DD62R8R)	PULEX IRRITANS WHOLE	30 [hp_C] in 15 mL
PULSATILLA VULGARIS WHOLE (UNII: I76KB35JEV) (ANEMONE PULSATILLA - UNII:I76KB35JEV)	PULSATILLA VULGARIS WHOLE	6 [hp_C] in 15 mL
TOXICODENDRON PUBESCENS LEAF (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	6 [hp_C] in 15 mL
SUCROSE (UNII: C151H8M554) (SUCROSE - UNII:C151H8M554)	SUCROSE	30 [hp_C] in 15 mL
SMILAX ORNATA ROOT (UNII: 2H1576D5WG) (SMILAX ORNATA ROOT - UNII:2H1576D5WG)	SMILAX ORNATA ROOT	30 [hp_C] in 15 mL
SELENIUM (UNII: H6241UJ22B) (SELENIUM - UNII:H6241UJ22B)	SELENIUM	12 [hp_X] in 15 mL
SEPIA OFFICINALIS JUICE (UNII: QDL83WN8C2) (SEPIA OFFICINALIS JUICE - UNII:QDL83WN8C2)	SEPIA OFFICINALIS JUICE	12 [hp_C] in 15 mL
SILICON DIOXIDE (UNII: ETJ7Z6XBU4) (SILICON DIOXIDE - UNII:ETJ7Z6XBU4)	SILICON DIOXIDE	12 [hp_X] in 15 mL
SOLIDAGO VIRGAUREA FLOWERING TOP (UNII: 5405K23S50) (SOLIDAGO VIRGAUREA FLOWERING TOP - UNII:5405K23S50)	SOLIDAGO VIRGAUREA FLOWERING TOP	4 [hp_X] in 15 mL
DELPHINIUM STAPHISAGRIA SEED (UNII: 00543AP1JV) (DELPHINIUM STAPHISAGRIA SEED - UNII:00543AP1JV)	DELPHINIUM STAPHISAGRIA SEED	6 [hp_C] in 15 mL
SULFUR (UNII: 70FD1KFU70) (SULFUR - UNII:70FD1KFU70)	SULFUR	9 [hp_X] in 15 mL
LYCOSA TARANTULA (UNII: 86M454L2TT) (LYCOSA TARANTULA - UNII:86M454L2TT)	LYCOSA TARANTULA	30 [hp_C] in 15 mL
THUJA OCCIDENTALIS LEAFY TWIG (UNII: 1NT28V9397) (THUJA	THUJA OCCIDENTALIS	30 [hp_C]

OCCIDENTALIS LEAFY TWIG - UNII:1NT28V9397)	LEAFY TWIG	in 15 mL
ELYMUS REPENS ROOT (UNII: 3IXW0F6P8W) (ELYMUS REPENS ROOT - UNII:3IXW0F6P8W)	ELYMUS REPENS ROOT	4 [hp_X] in 15 mL
URTICA URENS WHOLE (UNII: IHN2NQ5OF9) (URTICA URENS - UNII:IHN2NQ5OF9)	URTICA URENS WHOLE	6 [hp_X] in 15 mL
ZINC (UNII: J41CSQ7QDS) (ZINC - UNII:J41CSQ7QDS)	ZINC	12 [hp_X] in 15 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
GLYCERIN (UNII: PDC6A3C0OX)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61571-610-15	15 mL in 1 BOTTLE, DROPPER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/20/1999	

Labeler - HomeoPet, LLC (121272657)

Registrant - HomeoPet, LLC (121272657)

Establishment

Name	Address	ID/FEI	Business Operations
Speciality Pharma Manufacturing LLC		013957125	manufacture

Establishment

Name	Address	ID/FEI	Business Operations
Herbamed AG		487054590	api manufacture

Revised: 12/2025

HomeoPet, LLC