

**OXYGEN- oxygen gas**  
**Red Ball Oxygen Co., Inc.**

-----  
**Oxygen**

OXYGEN COMPRESSED, USP

UN1072

PRODUCED BY AIR LIQUEFACTION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. CAS 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

RED BALL OXYGEN

RED BALL OXYGEN CO., INC.

609 NORTH MARKET STREET SHREVEPORT, LA 71107

318-425-3211

CONTENTS: LTRS CU.FT

NO SMOKING

NO VAPING



REFRIGERATED LIQUID

OXYGEN, REFRIGERATED LIQUID USP

UN1073

CONTENTS: Net Wt. lbs

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

Produced by Air Liquefaction.

**DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves and either face shield or eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Always keep container in upright position. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID:** IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL

NO SMOKING

NO VAPING

RED BALL OXYGEN

RED BALL OXYGEN CO, INC.

609 North Market Street

Shreveport, LA 71107 318-425-3211

**REFRIGERATED LIQUID**

**OXYGEN,  
REFRIGERATED  
LIQUID  
USP  
UN1073**



Gross Wt. \_\_\_\_\_ lbs  
Net Wt. \_\_\_\_\_ lbs

CONTENTS: \_\_\_\_\_

**WARNING:** For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **R. required.**

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug, and Cosmetic Act.

**Produced by Air Liquefaction.**

**DANGER:** MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.

Do not handle until all safety precautions have been read and understood. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Wear cold insulating gloves and either face shield or eye protection. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Always keep container in upright position. DO NOT change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Read and follow the Safety Data Sheet (SDS) before use.

**FIRST AID:** **IF ON SKIN:** Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

CAS: 7782-44-7

DO NOT REMOVE THIS PRODUCT LABEL

**NO SMOKING  
NO VAPING**



**RED BALL  
OXYGEN**

**RED BALL OXYGEN CO, INC.**  
609 North Market Street  
Shreveport, LA 71107 • 318-425-3211

152955  
(10/25)

## OXYGEN

oxygen gas

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:46362-001
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		

<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)		OXYGEN	992 mL in 1 L	
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:46362-001-01	7100 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
2	NDC:46362-001-02	3550 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
3	NDC:46362-001-03	660 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
4	NDC:46362-001-04	400 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
5	NDC:46362-001-05	180 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
6	NDC:46362-001-06	146 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
7	NDC:46362-001-07	1738 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
8	NDC:46362-001-08	7107 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
9	NDC:46362-001-09	3539 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
10	NDC:46362-001-10	164 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
11	NDC:46362-001-11	708 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
12	NDC:46362-001-12	433 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
13	NDC:46362-001-13	155742 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
14	NDC:46362-001-14	164 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
15	NDC:46362-001-15	594 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
16	NDC:46362-001-16	679 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
17	NDC:46362-001-17	424 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
18	NDC:46362-001-18	705 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
19	NDC:46362-001-19	433 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
20	NDC:46362-001-20	8693 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
21	NDC:46362-001-21	707 L in 1 CYLINDER; Type 0: Not a Combination Product	01/01/1986	
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
NDA	NDA205865	01/01/1986		

**Labeler** - Red Ball Oxygen Co., Inc. (049213267)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Red Ball Oxygen Co., Inc.		049213267	manufacture(46362-001)

Revised: 11/2025

Red Ball Oxygen Co., Inc.