



|  |   |
|--|---|
| adults and children 12 years of age and over | take 2 teaspoonfuls (10 mL) every 4 hours |
| children 6 years to under 12 years of age    | take 1 teaspoonful every 4 hours          |
| children 2 years to under 6 years of age     | take 1/2 teaspoonful every 4 hours        |
| children under 2 years of age                | consult a doctor                          |

**Other information** store at room temperature 15-30 C (59-86 F).

**Tamper Evident Feature** Do not use if seal under cap (or cello-band over cap) is torn, broken or missing.

**Inactive ingredients** citric acid, glycerin, methylparaben, natural and artificial flavors, potassium sorbate, propylene glycol, propylparaben, purified water, sodium citrate, sucralose

**Questions or comments?** 1-305-403-3788

|  |   |   |                   |                       |        |             |  |  |  |   |   |                                  |  |                                    |                               |                  |
|--|---|---|-------------------|-----------------------|--------|-------------|--|--|--|---|---|----------------------------------|--|------------------------------------|-------------------------------|------------------|
| <p><b>Drug Facts</b></p> <p><b>Active ingredients (in each 5 mL tsp.)</b></p> <table border="0"> <tr> <td>Dextromethorphan HBr.....</td> <td>10 mg</td> <td>Cough Suppressant</td> </tr> <tr> <td>Guaifenesin, USP.....</td> <td>187 mg</td> <td>Expectorant</td> </tr> </table> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>temporarily relieves cough due to minor throat and bronchial irritation as may occur with cold</li> <li>helps loosen phlegm (mucus) and thin bronchial secretions to make cough more productive.</li> </ul> <p><b>Warnings</b></p> <ul style="list-style-type: none"> <li>Do not exceed recommended dosage.</li> <li>Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if you are taking a prescription drug that contains an MAOI, ask your doctor or pharmacist before taking this product.</li> </ul> <p><b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"> <li>Cough that occurs with too much phlegm (mucus)</li> <li>Cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema.</li> </ul> <p><small>†Trispec® DMX is a trademark of Deliz Pharmaceutical Corp. This product is not manufactured, distributed or marketed by Deliz Pharmaceutical Corp.</small></p> | Dextromethorphan HBr.....                 | 10 mg   | Cough Suppressant | Guaifenesin, USP..... | 187 mg | Expectorant | <p>NDC 45737-264-16</p> <h1>BIOSPEC<br/>DMX</h1> <p>● Cough Suppressant<br/>● Expectorant</p> <p><b>Alcohol FREE • Sugar FREE • Dye FREE</b></p> <p>Contains the same active ingredients as<br/>Trispec® DMX<sup>†</sup></p> <p><b>Cherry Raspberry Flavor</b></p> <p>Manufactured For:</p>  <p><small>advanced generic corporation<br/>Miami, FL 33166<br/>www.advancedgeneric.com</small></p> | <p><b>Drug Facts (continued)</b></p> <p><b>Stop use and ask a doctor if</b> cough lasts more than 7 days, comes back or is accompanied by fever, rash or persistent headache. These could be signs of a serious condition.</p> <p><b>If pregnant or breast-feeding</b>, ask a health professional before use. <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b> Do not take more than 8 teaspoonfuls in any 24 hour period.</p> <table border="1"> <tr> <td>adults and children 12 years of age and over</td> <td>take 2 teaspoonfuls (10 mL) every 4 hours</td> </tr> <tr> <td>children 6 years to under 12 years of age</td> <td>take 1 teaspoonful every 4 hours</td> </tr> <tr> <td>children 2 years to under 6 years of age</td> <td>take 1/2 teaspoonful every 4 hours</td> </tr> <tr> <td>children under 2 years of age</td> <td>consult a doctor</td> </tr> </table> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>store at room temperature 15°- 30°C (59° - 86°F).</li> </ul> <p><b>Tamper Evident Feature</b> Do not use if seal under cap (or cello-band over cap) is torn, broken or missing.</p> <p><b>Inactive ingredients</b> Citric acid, glycerin, methylparaben, natural and artificial flavors, potassium sorbate, propylene glycol, propylparaben, purified water, sodium citrate, sucralose.</p> <p><b>Questions or comments?</b> 1-305-403-3788</p> <p><small>Manufactured For: Advanced Generic Corporation, Miami, FL 33166. www.advancedgeneric.com</small></p> | adults and children 12 years of age and over | take 2 teaspoonfuls (10 mL) every 4 hours | children 6 years to under 12 years of age | take 1 teaspoonful every 4 hours | children 2 years to under 6 years of age | take 1/2 teaspoonful every 4 hours | children under 2 years of age | consult a doctor |
| Dextromethorphan HBr.....  | 10 mg                                     | Cough Suppressant   |                   |                       |        |             |  |  |  |   |   |                                  |  |                                    |                               |                  |
| Guaifenesin, USP.....  | 187 mg                                    | Expectorant   |                   |                       |        |             |  |  |  |   |   |                                  |  |                                    |                               |                  |
| adults and children 12 years of age and over   | take 2 teaspoonfuls (10 mL) every 4 hours |   |                   |                       |        |             |  |  |  |   |   |                                  |  |                                    |                               |                  |
| children 6 years to under 12 years of age  | take 1 teaspoonful every 4 hours          |   |                   |                       |        |             |  |  |  |   |   |                                  |  |                                    |                               |                  |
| children 2 years to under 6 years of age   | take 1/2 teaspoonful every 4 hours        |   |                   |                       |        |             |  |  |  |   |   |                                  |  |                                    |                               |                  |
| children under 2 years of age  | consult a doctor                          |   |                   |                       |        |             |  |  |  |   |   |                                  |  |                                    |                               |                  |
| <p>Lot #: _____ Rev. 02/15</p> <p>Exp. Date: _____</p>   | <p>16 fl. oz. (473 mL)</p>                |  <p>3 45737 264 16 6</p> |                   |                       |        |             |  |  |  |   |   |                                  |  |                                    |                               |                  |

|  |                |                           |               |
|--|----------------|---------------------------|---------------|
| <b>BIOSPEC DMX</b>                     |                |                           |               |
| dextromethorphan, guaifenesin liquid   |                |                           |               |
| <b>Product Information</b>             |                |                           |               |
| <b>Product Type</b>                    | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:45737-264 |
| <b>Route of Administration</b>         | ORAL           |                           |               |
| <b>Active Ingredient/Active Moiety</b> |                |                           |               |

| Ingredient Name   | Basis of Strength                | Strength          |
|---|----------------------------------|-------------------|
| <b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH)<br>(DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN<br>HYDROBROMIDE | 10 mg<br>in 5 mL  |
| <b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)                           | GUAIFENESIN                      | 187 mg<br>in 5 mL |

### Inactive Ingredients

| Ingredient Name                                 | Strength |
|---|----------|
| <b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL) |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)              |          |
| <b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)         |          |
| <b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)     |          |
| <b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)      |          |
| <b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)         |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                 |          |
| <b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)        |          |
| <b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)             |          |

### Packaging

| # | Item Code        | Package Description                                   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:45737-264-16 | 473 mL in 1 BOTTLE; Type 0: Not a Combination Product | 03/01/2015           |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012                                     | 03/01/2015           |                    |

**Labeler** - Advanced Generic Corporation (831762971)

Revised: 12/2024

Advanced Generic Corporation