

**ALIVIO- lidocaine patch**  
**Amerise Pharmaceuticals LLC**

-----  
**Alivio 4%**

**Lidocaine 4% Patch**

**Transdermal Pain Relief Patch**

**Active Ingredients**

Lidocaine 4% ..... Topical Anesthetic

**Use**

Temporarily relieves minor pain

Temporarily relieves minor pain

**Warnings**

For external use only.

**Do not use**

- more than 1 patch on your body at a time or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

**When using this product**

- use only as directed. Read and follow all directions and warning on this carton
- rare cases of serious burns have been reported with products of this type
- do not apply to wounds or damaged, broken or irritated skin
- do not allow contact with the eyes and mucous membranes
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- do not use at the same time as other topical analgesics
- dispose of used patch in manner that always keep product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch
- a transient burning sensation may occur upon application but generally disappears in several day
- if a severe burning sensation occurs, discontinue use immediately

**Stop use and ask a doctor if**

- condition worsens
- redness is present
- irritation develops

- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children and pets.** If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

adults and children over 12 years:

- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until back separates in middle
- use 1 patch for up to 12 hours

Children 12 years or younger; ask a doctor

## **Inactive Ingredients**

alpha-tocopherol acetate, aluminum hydroxide, aluminum silicate, butylated hydroxytoluene, butyl rubber, isoprene rubber, mineral oil, polyisobutylene, rosin, silicon dioxide, styrene/isoprene/styrene block, titanium dioxide

Distributed in US by:

Amerise Pharmaceuticals LLC



6 Corporate Dr, Cranbury, NJ 08512

Customer Care NO.: 609-721-9587

Email: [help@amerisepharma.com](mailto:help@amerisepharma.com)



Logo & Barcode will also be in Blue Colour  
Carton with Neutral Label





Logo & Barcode will also be in Blue Colour

Carton with Neutral Label

## ALIVIO

lidocaine patch

### Product Information

|                         |                |                    |               |
|-------------------------|----------------|--------------------|---------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:82598-101 |
| Route of Administration | TRANSDERMAL    |                    |               |

### Active Ingredient/Active Moiety

| Ingredient Name  | Basis of Strength | Strength |
|--|-------------------|----------|
| LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987) | LIDOCAINE         | 4 g      |

### Inactive Ingredients

| Ingredient Name                             | Strength |
|---|----------|
| ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |          |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)       |          |

|  |  |
|--|--|
| <b>ALUMINUM SILICATE</b> (UNII: T1FAD4SS2M)                        |  |
| <b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)                 |  |
| <b>MINERAL OIL</b> (UNII: T5L8T28FGP)                              |  |
| <b>ROSIN</b> (UNII: 88S87KL877)                                    |  |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                          |  |
| <b>STYRENE/ISOPRENE/STYRENE BLOCK COPOLYMER</b> (UNII: K7S96QM8DV) |  |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)                         |  |
| <b>ISOPRENE</b> (UNII: 0A62964IBU)                                 |  |
| <b>ISOBUTYLENE</b> (UNII: QA2LMR467H)                              |  |
| <b>POLYISOBUTYLENE (1000 MW)</b> (UNII: 5XB3A63Y52)                |  |

## Packaging

| # | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:82598-101-20 | 20 in 1 CARTON   | 06/17/2022           |                    |
| 1 | NDC:82598-101-01 | 1 in 1 PATCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.) |                      |                    |
| 2 | NDC:82598-101-03 | 3 in 1 CARTON; Type 0: Not a Combination Product                                   | 06/16/2022           |                    |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M017                                     | 06/16/2022           |                    |

**Labeler** - Amerise Pharmaceuticals LLC (089951382)

Revised: 11/2024

Amerise Pharmaceuticals LLC