

KIEHLS SINCE 1851 DERMATOLOGIST SOLUTIONS SUPERFLUID UV MINERAL DEFENSE BROAD SPECTRUM SPF 50 PLUS SUNSCREEN- titanium dioxide lotion
L'Oreal USA Products Inc

Drug Facts

Active ingredient

Titanium dioxide 15%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- shake well before use
- apply liberally 15 minutes before sun exposure

- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, isododecane, dimethicone, C12-15 alkyl benzoate, undecane, styrene/acrylates copolymer, caprylyl methicone, nylon-12, butyloctyl salicylate, phenethyl benzoate, dicaprylyl carbonate, silica, triethylhexanoin, isohexadecane, tridecane, dicaprylyl ether, talc, dimethicone/PEG-10/15 crosspolymer, aluminum hydroxide, stearic acid, pentylene glycol, PEG-9 polydimethylsiloxylethyl dimethicone, iron oxides, aluminum stearate, PEG-8 laurate, phenoxyethanol, magnesium sulfate, caprylyl glycol, alumina, polyhydroxystearic acid, disteardimonium hectorite, tocopherol, propylene carbonate, benzoic acid, disodium stearyl glutamate, PEG-9

Questions or comments?

Call toll free **1-800-946-4453**

Kiehl's Dermatologist Solutions are highly advanced targeted treatments developed by Kiehl's Since 1851. Relying on our extensive pharmaceutical knowledge, Kiehl's chemists partner with a team of dermatologists to deliver powerful, yet safe skincare solutions.

Our virtually weightless UV sunscreen lotion utilizes a 100% mineral sun filter to deliver effective broad-spectrum UVA and UVB protection. Used daily with other sun protection measures (see *Directions*), this gentle lotion helps prevent sunburn and protect against premature skin aging caused by the sun.

This fast-absorbing lightweight lotion is lightly tinted with a universal shade to enhance the natural skin tone and leaves skin with a matte finish. Dermatologist tested for sensitive and acne-prone skin.



Super Fluid

UV Mineral Defense

TITANIUM DIOXIDE SUNSCREEN

**Broad Spectrum
SPF 50+**

100% Mineral Based
UVA/UVB Technology and
Antioxidant Vitamin E Protection
for Everyday Use

*Lightweight Formula
for Sensitive and Acne-Prone Skin*

Universal Sheer Tint

SHAKE WELL

*Fragrance-Free
Non-Comedogenic
Paraben-Free*

1.7 fl. oz. - 50 ml

KIEHL'S SINCE 1851 LLC
NEW YORK, NY 10014
MADE IN U.S.A.
Dial, Kiehl's Canada, Montreal 1447 LK5
106 rue Denison 92691 Levainin Postex Codes
TSA 10007E 92667 ASNIERES CEDEX
www.kiehls.com
S15987XX

UPC - 3605970756093

FSC LOGO
FPO



Drug Facts

Active ingredient	Purpose
Titanium dioxide 15%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- shake well before use
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other Information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, isododecane, dimethicone, C12-15 alkyl benzoate, undecane, styrene/acrylates copolymer, caprylyl methicone, nylon-12, butyloctyl salicylate, phenethyl benzoate, dicaprylyl carbonate, silica, triethylhexanoin, isohexadecane, tridecane, dicaprylyl ether, talc, dimethicone/PEG-10/15 crosspolymer, aluminum hydroxide, stearic acid, pentylene glycol, PEG-9 polydimethylsilyloxyethyl dimethicone, iron oxides, aluminum stearate, PEG-8 laurate, phenoxyethanol, magnesium sulfate, caprylyl glycol, alumina, polyhydroxystearic acid, disteardimonium hectorite, tocopherol, propylene carbonate, benzoic acid, disodium stearoyl glutamate, PEG-9

Questions or comments?

Call toll free 1-800-848-4463

Formula 858420 1 F.I.L. Code D169737/1

5

Our virtually weightless UV sunscreen lotion utilizes a 100% mineral sun filter to deliver effective broad-spectrum UVA and UVB protection. Used daily with other sun protection measures (see *Directions*), this gentle lotion helps prevent sunburn and protect against premature skin aging caused by the sun.

This fast-absorbing lightweight lotion is lightly tinted with a universal shade to enhance the natural skin tone and leaves skin with a matte finish. Dermatologist tested for sensitive and acne-prone skin.

Kiehl's Dermatologist Solutions are highly advanced targeted treatments developed by Kiehl's Since 1851. Relying on our extensive pharmaceutical knowledge, Kiehl's chemists partner with a team of dermatologists to deliver powerful, yet safe skincare solutions.



Super Fluid

UV Mineral Defense

TITANIUM DIOXIDE SUNSCREEN

Broad Spectrum
SPF 50+

100% Mineral Based
UVA/UVB Technology and
Antioxidant Vitamin E Protection
for Everyday Use

Lightweight Formula
for Sensitive and Acne-Prone Skin

Universal Sheer Tint

SHAKE WELL

Fragrance-Free
Non-Comedogenic
Paraben-Free

1.7 fl. oz. - 50 ml

FSC LOGO
FPO



KIEHL'S SINCE 1851 LLC
NEW YORK, NY 10014
MADE IN U.S.A.
Dist., Kiehl's Canada, Montreal, H4T 1K5
106 rue Denison 92691 Levainin Postex Codes
TSA 10007E 92667 ASNIERES CEDEX
www.kiehls.com
S15987XX

UPC - 3605970756093

Drug Facts

Active ingredient	Purpose
Titanium dioxide 15%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- shake well before use
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other Information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, isododecane, dimethicone, C12-15 alkyl benzoate, undecane, styrene/acrylates copolymer, caprylyl methicone, nylon-12, butyloctyl salicylate, phenethyl benzoate, dicaprylyl carbonate, silica, triethylhexanoin, isohexadecane, tridecane, dicaprylyl ether, talc, dimethicone/PEG-10/15 crosspolymer, aluminum hydroxide, stearic acid, pentylene glycol, PEG-9 polydimethylsiloxyethyl dimethicone, iron oxides, aluminum stearate, PEG-8 laurate, phenoxyethanol, magnesium sulfate, caprylyl glycol, alumina, polyhydroxystearic acid, disteardimonium hectorite, tocopherol, propylene carbonate, benzoic acid, disodium stearyl glutamate, PEG-9

Questions or comments?

Call toll free 1-800-848-4453

Formula 858420 1 F.I.L. Code D18973771

KIEHL'S SINCE 1851 DERMATOLOGIST SOLUTIONS SUPERFLUID UV MINERAL DEFENSE BROAD SPECTRUM SPF 50 PLUS SUNSCREEN

titanium dioxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-409
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	150 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
UNDECANE (UNII: JV0QT00NUE)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
NYLON-12 (UNII: 446U8J075B)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PHENETHYL BENZOATE (UNII: 0C143929GK)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHYLHEXANOIN (UNII: 7K3W1BIU6K)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
TRIDECANE (UNII: A3LZF0L939)	
DICAPRYLYL ETHER (UNII: 77JZM5516Z)	
TALC (UNII: 7SEV7J4R1U)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
PEG-8 LAURATE (UNII: 762O8IWA10)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
TOCOPHEROL (UNII: ROZB2556P8)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
POLYETHYLENE GLYCOL 450 (UNII: 5IRA46LB71)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-409-01	1 in 1 CARTON	12/01/2015	
1		50 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:49967-409-02	1 in 1 CARTON	12/01/2015	
2		5 mL in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:49967-409-03	1 in 1 CARTON	12/01/2015	
3		50 mL in 1 BOTTLE; Type 0: Not a Combination Product		
	NDC:49967-409-04			

4	NDC:49967-409-04	1 in 1 CARTON	12/01/2015	
4		5 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020		12/01/2015	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment			
Name	Address	ID/FEI	Business Operations
Dimensional Merchandising Inc.		076693183	manufacture(49967-409) , pack(49967-409)

Revised: 12/2023

L'Oreal USA Products Inc