

**STOOL SOFTENER LAXATIVE- docusate sodium capsule
Care One (Retail Business Services, LLC.)**

Drug Facts

Active Ingredient (in each softgel)

Docusate Sodium 100 mg

Purpose

Stool softener laxative

Purpose

Stool Softener Laxative

Uses

- for relief of occasional constipation and irregularity
- this product generally produces a bowel movement in 12 to 72 hours.

Warnings

Do not use

if you are presently taking mineral oil, unless directed by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- a sudden change in bowel habits that lasts more than 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or no bowel movement after using laxative. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

If pregnant or breast-feeding,

ask a health care professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take with a glass of water

adults and children 12 years and over	take 1 to 3 softgels daily. This dose may be taken as a single daily dose or in divided doses.
children 2 to under 12 years of age	take 1 softgel daily
children under 2 years of age	ask a doctor

Other information

- **each softgel contains:** sodium 5 mg
- store at 25°C (77°); excursions permitted between 15-30°C (59-86°F)

Inactive Ingredients

edible ink, FD&C Red #40, FD&C Yellow #6, gelatin, glycerin, polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol

Questions or Comments ?

Call **1-877-753-3935** Monday- Friday 9AM- 5PM EST

Principal Display Panel

Compare to the active ingredient in Dulcolax® Stool Softener†

STOOL SOFTENER LAXATIVE

Docusate Sodium 100 mg

FAST, DEPENDABLE RELIEF OF OCCASIONAL CONSTIPATION

SOFTGELS

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS
BROKEN OR MISSING**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT
INFORMATION**

DISTRIBUTED BY FOODHOLD U.S.A., LLC

LANDOVER, MD 20785

Product Label

NDC 72476-862-25
Compare to the active ingredient in
Dulcolax® Stool Softener¹

CAREone®

STOOL SOFTENER LAXATIVE
Docusate Sodium 100 mg

FAST, DEPENDABLE RELIEF
OF OCCASIONAL CONSTIPATION

Actual Size 

25 SOFTGELS

CAREone®

STOOL SOFTENER LAXATIVE
Docusate Sodium 100 mg

FAST, DEPENDABLE RELIEF
OF OCCASIONAL CONSTIPATION

25 SOFTGELS

KEEP OUTER CARTON FOR COMPLETE
WARNINGS AND PRODUCT INFORMATION.

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL
UNDER CAP IS BROKEN OR MISSING.

DISTRIBUTED BY: FOODHOLD U.S.A., LLC
LANDOVER, MD 20785 • 1-877-846-9949
© 2020 Almond Delhaze Licensing Staff
Quality guaranteed or your money back.

S-949 0917
PLD-62718 F0006775
3 41520 31882 5

Lot No.:
Exp. Date:

OUR PHARMACISTS
RECOMMEND

This product is not manufactured or distributed by Chatham, Inc.,
distributor of Dulcolax® Stool Softener.

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Questions or comments?
polyethylene glycol, propylene glycol, purified water, sorbitan, sorbitol

Inactive ingredients edible ink, FD&C red #40, FD&C yellow #6, gelatin, glycerin,
■ store at 25°C (77°F); excursions permitted between 15-30°C (59-86°F)

Other information
■ each softgel contains: sodium 5 mg

Drug Facts (continued)

Directions ■ take with a glass of water

adults and children	take 1 to 3 softgels daily. This dose may be taken as a single daily dose or in divided doses.
children 2 to under 12	take 1 softgel daily
children under 2 years	ask a doctor

Warnings
Do not use if you are presently taking mineral oil, unless directed by a doctor.

Ask a doctor before use if you have
■ stomach pain ■ nausea ■ vomiting
■ a sudden change in bowel habits that lasts more than 2 weeks

Stop use and ask a doctor if
■ you have rectal bleeding or no bowel movement after using a laxative. These could be signs of a serious condition.
■ you need to use a laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Uses
■ for relief of occasional constipation and irregularity
■ this product generally produces bowel movement in 12 to 72 hours

Active ingredient (in each softgel)
Docusate sodium 100 mg.....Stool softener laxative

CAREONE Stool Softener Laxative

STOOL SOFTENER LAXATIVE

docusate sodium capsule

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:72476-862

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	100 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	

Product Characteristics

Color	orange	Score	no score
Shape	OVAL	Size	12mm
Flavor		Imprint Code	P51
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72476-862-25	1 in 1 BOX	08/02/2020	
1		25 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	08/02/2020	

Labeler - Care One (Retail Business Services, LLC.) (967989935)

Revised: 3/2024

Care One (Retail Business Services, LLC.)