

GFA FIRST AID 24 UNIT METAL CASE- benzalkonium chloride, benzalkonium chloride, lidocaine, povidone-iodine, bacitracin zinc, neomycin sulfate, polymyxin b
Genuine First Aid, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

GFA First Aid Kit

Active Ingredient

Active Ingredient:

Benzalkonium Chloride 0.40%

Purpose

Antiseptic

Use

For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

Warnings

Warning: For external use only.

Keep out of reach of children: If swallowed, get medical help or contact a Poison Control Center right away.

Stop use if unusual redness, swelling or other symptoms occur. Consult a physician immediately.

Do not use in the eyes or over large areas of the body.

Directions

Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

Inactive Ingredients

Inactive Ingredient: Purified water

LOT/EXP: Made in CHINA

20130301

Antiseptic Towelette

Genuine First Aid LLC, Clearwater FL 33755

www.GenuineFirstAid.com

1/pouch

GENUINE FIRST AID

Active Ingredients

ACTIVE INGREDIENTS:

Benzalkonium Chloride 0.13%

Lidocaine HCL 0.5%

Purpose

Purpose: First aid antiseptic, external analgesic

Uses

First aid to help prevent infection and for the temporary relief of pain and itching associated with:

Minor Cuts

Scrapes

Burns

Warnings

For external use only

Do not use: In eyes, in large quantities, over raw blistered areas, or on deep puncture wounds, animal bites or serious burns, for more than one week

Do not use:

in the eyes or apply over large areas of the body.

longer than 1 week unless directed by a doctor.

in large quantities, particularly over raw surfaces or blistered areas.

Ask a doctor before use if you have deep puncture wounds, animal bites or serious burns.

When using this product, avoid contact with the eyes.

Stop use and ask a doctor if

condition worsens

symptoms persist for more than 7 days

condition clears up and occurs again within a few days

Keep out of reach of Children.

If ingested, contact a Poison Control Center right away.

Directions

Adults and children 2 years of age and older

clean affected area.

apply a small amount of this product on the area 1 to 3 times daily.

may be covered with a sterile bandage

children under 2 years of age: consult a doctor

Other Information:

Store at room temperature (do not freeze).

Taper evident sealed packets.

Do not use packet if opened or torn.

Inactive Ingredients

Aloe vera, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl monostearate, methylparaben, mineral oil, polyethylene glycol, propylene glycol, propylparaben, purified water, stearic acid, irolamine

LOT/EXP:

Made in CHINA

20130301

GFA Production Xiamen Co., Ltd

No. 20 Huli Industrial Park, Meixi Road, Tong'an, Xiamen, Fujian, China 361100

Tel: 86-592-7269515 Fax: 86-592-7269528 Http: //www.gfaproduction.com

Genuine First Aid Burn Cream

Antiseptic Pain Relief With Aloe

Net Wt 0.9g (1/32 oz)

Manufactured in CHINA for

Genuine First Aid.

Active Ingredients

Active Ingredient:Bacitracin Zinc 400 units

Neomycin Sulfate 5mg (equivalent to 3.5 mg Neomycin base)

Polymyxin B Sulfate 5000 units

Purpose

Triple Antibiotic

Uses: To help prevent infection in:
minor cuts; scrapes; burns

Warnings

For external use only.

Do not use: in eyes; over large areas of the body;

If allergic to any of the ingredients; for more than one week unless directed by a physician.

Stop use and consult a doctor:

if the condition persists or gets worse; a rash or other allergic reaction develops

Keep out of reach of children.

If ingested, contact a Poison

Control Center right away.

Directions

Directions: clean affected area; apply small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily; may be covered with a sterile bandage

Other information:

Store at room temperature.

Inactive Ingredient

water

Genuine Triple Antibiotic

First Aid Ointment

To Help Prevent Infection

Each Gram Contains:

Bacitracin Zinc 400 units

Neomycin Sulfate 5 mg

(equivalent to 3.5 mg

Neomycin base)

Polymyxin B Sulfate 5000 units

Net Wt. 0.5g ; (1/64 oz)

Manufactured in CHINA for

GENUINE FIRST AID.

Triple Antibiotic Ointment 10pcs

Net wt. 0.9g (1/32oz)

100
Triple Antibiotic

Active Ingredient

One Prep pad saturated with a 10% Povidone-Iodine solution equivalent to 1% available iodine

Purpose

antiseptic, germicidal

Uses

Provides, antiseptic germicidal skin preparation for minor invasive procedures

Keep out of reach of children

For external use only.

Caution

In case of deep or puncture wounds or serious burns, and if pain, irritation, redness, swelling or infection occurs, discontinue use and contact a physician.

Inactive Ingredients

Purified water.

Directions

Clean intended area thoroughly with pad. Discard after single use.

Antiseptic
Povidone-Iodine
Prep Pads
medium
Saturated with a 10% Povidone-Iodine
Solution equivalent to 1% available iodine

GFA Production Xiamen Co., Ltd.
www.gfaproduction.com

GFA Production Xiamen Co., Ltd.
No. 20 Huli Industrial Park, Meixi Road,
Tong'an, Xiamen, Fujian, China 361100

Wellkang Ltd t/a Wellkang Tech Consulting
Suite B, 29 Harley Street
LONDON W1G 9QR, England, United Kingdom

REORDER POV-001

Antiseptic
Povidone-Iodine
Prep Pads
 medium
 Saturated with a 10% Povidone-Iodine
 Solution equivalent to 1% available iodine



GFA Production Xiamen Co., Ltd
www.gfaproduction.com



GFA Production Xiamen Co., Ltd
No. 20 Huli Industrial Park, Meixi Road,
Tongshan, Xiamen, Fujian, China 361100

Wellkang Ltd t/a Wellkang Tech Consulting
Suite B, 29 Harley Street
LONDON W1G 9QR, England, United Kingdom



For External Use Only

CONTENTS: One Prep Pad saturated with a 10% Povidone-Iodine solution equivalent to 1% available iodine.

Uses: Provides antiseptic, germicidal skin preparation for minor invasive procedures.

CAUTION: In case of deep or puncture wounds or serious burns, and if pain, irritation, redness, swelling or infection occurs, discontinue use and contact a physician.

Inactive Ingredients: Purified water.

DIRECTIONS: Clean intended area thoroughly with pad. Discard after single use.

Keep out of reach of children

LOT/EXP:

20140325

--- TEAR HERE ---



FOR EXTERNAL USE ONLY

CONTENTS:
One Prep Pad saturated with a 10% Povidone-Iodine solution equivalent to 1% available iodine.

Uses: Provides antiseptic, germicidal skin preparation for minor invasive procedures.

CAUTION:
In case of deep or puncture wounds or serious burns, and if pain, irritation, redness, swelling or infection occurs, discontinue use and contact a physician.

Inactive Ingredients: Purified water.

DIRECTIONS:
Clean intended area thoroughly with pad. Discard after single use.

Keep out of reach of children

www.gfaproduction.com



ANSI/ISEA Z308.1-2009

Antiseptic
Povidone-Iodine Prep Pads
medium

Antiseptic
Povidone-Iodine Prep Pads
medium

10 pcs 6 x 3 cm Povidone-Iodine Prep Pads
Saturated with a 10% Povidone-Iodine
solution equivalent to 1% available iodine



Antiseptic
Povidone-Iodine Prep Pads
medium

GFA Production Xiamen Co., Ltd
No. 20 Huli Industrial Park, Meixi Road, Tongshan, Xiamen, Fujian, China 361100
Tel: 86-592-229515 Fax: 86-592-229528 <http://www.gfaproduction.com>
Wellkang Ltd t/a Wellkang Tech Consulting
Suite B, 29 Harley Street, LONDON W1G 9QR, England, United Kingdom

Reorder
GFAP-09-02

Copyright © 2010 GFA Production Xiamen Co., Ltd
All rights reserved.



8 14471 401147 8

Reorder TAO-001

Genuine Triple Antibiotic

**First Aid Ointment
To Help Prevent Infection**

**Each Gram Contains:
Bacitracin Zinc 400 units
Neomycin Sulfate 5 mg
(equivalent to 3.5 mg
Neomycin base)
Polymyxin B Sulfate 5000 units
Net Wt 0.5g · (1/64 oz)**



Manufactured in CHINA for
GENUINE FIRST AID®

Drug Facts

Uses: To help prevent infection
in • minor cuts • scrapes • burns

Warnings:

For external use only

Do not use • in eyes • over large
areas of the body • if allergic to
any of the ingredients • for more
than one week unless directed
by a physician

Stop use and consult a doctor
• if the condition persists or gets
worse • a rash or other allergic
reaction develops

Keep out of reach of children.

If ingested, contact a Poison
Control Center right away.


Directions: • clean affected area
• apply small amount of this product
(an amount equal to the surface
area of the tip of a finger) on the
area 1 to 3 times daily • may be
covered with a sterile bandage

Other information:

Store at room temperature

LOT/EXP:

20130118



Reorder BC-001

Genuine First Aid Burn Cream

Antiseptic Pain Relief With Aloe

ACTIVE INGREDIENTS:

Benzalkonium Chloride 0.13%
Lidocaine HCL 0.5%

Net Wt 0.9g · (1/32 oz)



Manufactured in CHINA for **GENUINE FIRST AID.**

Drug Facts

Purpose: First aid antiseptic, external analgesic

Uses: First aid to help prevent infection and for the temporary relief of pain and itching

associated with: • minor cuts
• scrapes • burns

Warnings:

For external use only

Do not use • in eyes • in large quantities • over raw blistered areas, or on deep puncture wounds, animal bites or serious burns • for more than one week

Keep out of reach of children.

If ingested, contact a Poison Control Center right away.

Directions: • clean affected area • apply small amount not more than 3 times daily • may be covered with a sterile bandage

Other information:

Store at room temperature

LOT/EXP:

20130301

For medical emergencies, seek professional assistance.

GFAP-12-01



Crema para quemaduras/Primeros auxilios
First Aid/Burn Cream

DRUG FACTS

Active Ingredients (each gram contains)
Benzalkonium chloride 0.13 % First aid antiseptic
Lidocaine HCL 0.5 % External analgesic

Uses: first aid to help prevent infection and for the temporary relief of pain and itching associated with: ■ minor cuts ■ scrapes ■ burns

Warnings:

For external use only.
Do not use
■ in the eyes or apply over large areas of the body,
■ longer than 1 week unless directed by a doctor.
■ in large quantities, particularly over raw surfaces or blistered areas.

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns.

When using this product avoid contact with eyes.

Stop use and ask doctor if ■ condition worsens ■ symptoms persist for more than 7 days ■ condition clears up and occurs again within a few days

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

www.gfaproduct.com

Directions-
■ adults and children 2 years of age and older.
■ clean the affected area.
■ apply a small amount of this product on the area 1 to 3 times daily.
■ may be covered with a sterile bandage.
■ children under 2 years of age: consult a doctor.

Other information

■ store at room temperature (do not freeze).
■ tamper evident sealed packets.
■ do not use packet if opened or torn.

Inactive ingredients aloe vera, cetyl alcohol, diazolidinyl urea, edetate disodium, glycerin, glyceryl monostearate, methylparaben, mineral oil, polyethylene glycol, propylene glycol, propylparaben, purified water, stearic acid, tolnamine.

GFA Production Xiamen Co., Ltd
No. 20 Hill Industrial Park, Meixi Road, Tong'an, Xiamen, Fujian, China 361100
Tel: 86-592-7259151 Fax: 86-592-7259528 <http://www.gfaproduct.com>

ANSI/ISEA Z308.1-2009



First Aid/Burn Cream

First Aid/Burn Cream
Crema para quemaduras/Primeros auxilios

6 packs - Antiseptic and pain relieving cream, .9 g
For Minor cuts, scrapes and burns



First Aid/Burn Cream

Reorder
GFAP-12-01



GFA Production Xiamen Co., Ltd
No. 20 Hill Industrial Park, Meixi Road, Tong'an, Xiamen, Fujian, China 361100
Tel: 86-592-7259151 Fax: 86-592-7259528 <http://www.gfaproduct.com>
Weikang Ltd t/a Weikang Tech Consulting
Suite 8, 25 Hareley Street, LONDON W1D 5SR, England, United Kingdom

Copyright © 2010 GFA Production Xiamen Co., Ltd
All rights reserved.

REORDER AST-001

**Antiseptic
Towelette**
**Toallitas
Antisepicas**



ISO 9001:2010



Genuine First Aid LLC, Clearwater FL 33755
www.GenuineFirstAid.com



GENUINE FIRST AID®



DRUG FACTS - Antiseptic Towelette

Active Ingredient: Benzalkonium Chloride 0.40% Purpose: First Aid Antiseptic

Use: For Professional and Hospital use. Helps prevent infection. Antiseptic cleansing of face, hands and body without soap and water.

Warnings: For external use only. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. If unusual redness, swelling or other symptoms occur, consult a physician immediately.

Do not use: In the eyes, or over large areas of the body.

Directions: Tear open packet, unfold towelette and use to cleanse desired skin area. Discard towelette appropriately after single use.

Inactive ingredient: Purified water

Made in CHINA

LOT/EXP:

20130301

--- TEAR HERE ---



Directions:
Tear open packet, unfold the towelette and use to cleanse desired skin area. Discard the towelette after single use.

Instrucciones:
Abra el paquete y desdoble la toallita. Limpie el área deseada. Tirela despues de usarla.

www.gfaproduction.com



Antiseptic
Cleansing Wipes
(Sting free)



Antiseptic Cleansing Wipes
(Sting free)
Toallas Antisépticas (no arden)

10 pcs

ANSI/ISEA Z308.1-2009



Antiseptic Cleansing Wipes
(Sting free)

Reorder
GFAP-09-05



GFAP Production Xiamen Co., Ltd
No. 22-24, Xiang'an Road, Xiang'an District, Xiamen, Fujian, China 361000
Tel: 86-592-2282211 Fax: 86-592-2282210
E-mail: gfap@gfap.com.cn
Weikang Ltd. & Weikang Tech Consulting
Suite 8, 29 Henry Street, LONDON EC3N 2DF, England, United Kingdom

Copyright © 2010 GFAP Production Xiamen Co., Ltd
All rights reserved.



EXCEEDS
OSHA/ANSI/ISEA
Z308.1-2009.

FIRST
AID KIT

24
UNIT

ANSI/ISEA Z308.1-2009



ANSI FIRST AID KIT 24 UNIT <small>Botiquin de primeros Auxilios ANSI 24 unidades</small>				GFAP-20-03	
Reorder	Qty.	Description	Ctd.	Descripcion	
GFAP-01-01	1	Adhesive Fabric Bandages, 1" x 3" 16/bx	1	Venditas de Tela Adhesivas	
GFAP-01-08	1	Fingertip Fabric Bandages, 8/bx	1	Venditas de Tela Para la Punta de los Dedos	
GFAP-01-03	2	Adhesive Plastic Bandages, 1" x 3" 16/bx	2	Venditas Plásticas Adhesivas	
GFAP-06-01	1	Sterile Absorbent Compress, 1/bx	1	Compresa Estéril Absorbente	
GFAP-09-05	1	Antiseptic Cleansing Wipes (p/ing free), 10/bx	1	Toallas Antisépticas (no ardén)	
GFAP-08-01	2	Triangular Slit/Bandage, 1/bx	2	Cabestrillo Triangular	
GFAP-07-02	2	3" x 3" Gauze Dressing Pads, 4/bx	2	Almohadillas De Gasa	
GFAP-01-09	1	Knuckle Fabric Bandages, 8/bx	1	Venditas de Tela para el Nudillo	
GFAP-10-05	1	Triple Antibiotic Ointment, 10/bx	1		
GFAP-09-02	1	Povidone-Iodine Prep Pads, 10/bx	1	medium	
GFAP-02-01	1	Adhesive Tape Roll, 1/2" x 2,5 yd, 2/bx	1	Cintas Adhesivas	
GFAP-11-01	1	Exam Quality Vinyl Gloves, 2 pr/bx	1	Guantes de Vinilo de Alta Calidad	
GFAP-12-01	2	First Aid/Burn Cream, 6/bx	2	Primeros auxilios	
GFAP-16-01	1	CRP Face Shield, 1/bx	1	Protector Facial Para Hacer RCP	
GFAP-09-01	1	Instant Cold Compress, 1/bx	1	Compresa Fria Instantánea	
GFAP-13-01	1	Eye Pads, 2/bx Eye Wash, 1/bx First Aid Tape Roll, 1/bx	1	Almohadillas Estériles para los Ojos, Lavado de Ojos y Cinta Adhesiva para los Primeros Auxilios	
GFAP-07-41	1	3" Pressure Bandages, 2/bx	1	Vendaje de Presión	
EFAP-ANSI	1	First Aid Guide booklet	1	Guía de primeros auxilios	

Meets federal OSHA requirements §1910.151b. State requirements may vary.

Satisface el requisito §1910.151b federal de OSHA. Requisitos estatales pudieran variar.




GFA Production Xiamen Co., Ltd
No. 20 Hu Industrial Park, Meid Road,
Tonglin, Xiamen, Fujian, China 361190
Tel: 86-592-7285515 Fax: 86-592-7285520
http://www.gfaproduct.com

Wolfgang Ltd t/a Wolwang Tech
Company
Suite 8, 29 Harley Street, LONDON
W1G 9RL, England, United Kingdom

ANSI/ISEA
Z308.1-2009

Caution: This kit meets ANSI/ISEA Z308.1-2009 only when the required minimum fill is maintained with first aid products marked "ANSI/ISEA Z308.1-2009".

Copyright © 2010 GFA Production Xiamen Co., Ltd All rights reserved.

Required Minimum Fill

- 1 Absorbent Compress, 4 x 8 in., minimum (206 sq. Cm)
- 1 5 yd. Adhesive Tape total (457 cm)
- 6 Burn Treatment applications, 1/32 oz., Each (0.9 g)
- 2 Pair Medical Exam Gloves
- 16 Adhesive Bandages, 1 x 3 in. (2,5 x 7,5 cm)
- 10 Antiseptic applications, 0,14 fl oz., each (0,5 g)
- 4 Sterile Pads, 3 x 3 in., minimum (7,5 x 7,5 cm)
- 1 Triangular Bandage, 40 x 40 x 56 in., minimum (101 x 101 x 142 cm)

GFA FIRST AID 24 UNIT METAL CASE

benzalkonium chloride, benzalkonium chloride, lidocaine, povidone-iodine, bacitracin zinc, neomycin sulfate, polymyxin b kit

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52124-1166

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-1166-4	1 in 1 KIT		

Quantity of Parts		
Part #	Package Quantity	Total Product Quantity
Part 1	10 PACKET	8.0 mL
Part 2	6 PACKET	5.4 g
Part 3	10 TUBE	5.0 g

Part 1 of 4**ANTISEPTIC TOWELETTE**

benzalkonium chloride swab

Product Information

Item Code (Source)	NDC:52124-0001
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.4 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0001-2	10 in 1 BOX		
1		0.8 mL in 1 PACKET		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	05/03/2011	

Part 2 of 4**GENUINE FIRST AID BURN ANTISEPTIC PAIN RELIEF WITH ALOE**

benzalkonium chloride, lidocaine cream

Product Information

Item Code (Source)	NDC:52124-0004
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.13 g in 100 g
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
MINERAL OIL (UNII: T5L8T28FGP)	
POLYETHYLENE GLYCOL (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0004-2	6 in 1 BOX		
1		0.9 g in 1 PACKET		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333A	04/13/2011	

Part 3 of 4

GENUINE TRIPLE ANTIBIOTIC

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

Product Information

Item Code (Source)	NDC:52124-0003
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN ZINC	400 [iU] in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B SULFATE	5000 [iU] in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-0003-2	10 in 1 BOX		
1		0.5 g in 1 TUBE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	04/13/2011	

Part 4 of 4**POVIDONE-IODINE PREP**

povidone-iodine swab

Product Information

Item Code (Source)	NDC:52124-2901
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	1 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52124-2901-1	10 in 1 BOX		
1		0.5 mL in 1 PACKET		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part333E	05/03/2011	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333E	05/03/2011	

Labeler - Genuine First Aid, LLC (619609857)

Revised: 5/2011

Genuine First Aid, LLC