

HAIR REGROWTH TREATMENT- minoxidil liquid
Guangzhou Jianyuan Biological Technology.Co.,Ltd


Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

81653-005 Update

Minoxidil 5% w/v

Use to regrow hair on the top of the scalp (vertex only)

Remixidil Foam is for some people who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Remixidil Foam has been shown to regrow hair in some people with the following degrees of thinning hair or hair loss.



For external use only.

Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.

May be harmful if used when pregnant or breast-feeding.

Stop use and ask a doctor if
chest pain, rapid heartbeat, faintness, or dizziness occurs
sudden unexplained weight gain occurs
your hands or feet swell
scalp irritation or redness occurs
unwanted facial hair growth occurs
you do not see hair regrowth in 4 months

Ask a doctor before use if you have heart disease

When using this product
do not apply on other parts of the body
avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.

some people have experienced changes in hair color and/or texture

it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results.

the amount of hair regrowth is different for each person. This product will not work for all men and women

KEEP OUT OF REACH OF CHILDREN

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

apply half a capful 2 times a day to the scalp in the hair loss area
massage into scalp with fingers then wash hands well
see enclosed booklet for complete directions on how to use
using more or more often will not improve results
continued use is necessary to increase and keep your hair regrowth or hair loss will begin again

store at controlled room temperature 20° to 25C (68° to 77°F)
contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F(49°C)

Ingredients

before use, read all information on carton and enclosed leaflet keep the package, It contains important information

Inactive ingredients

Water, Polygonum multiflorum Thunb, Angelica Sinensis, Vitamin H.(Biotin), Cacumen Platycladi Orientalis, Ginseng Extract, Carthamus tinctorius L. Extract, Cortex Dictamni , Fructus Ligustri Lucidi Extract , Alcohol, Ligusticum Chuanxiong Hort Extract, Glycyrrhiza uralensis Fisch Extract, Capsaicin

Hair regrowth treatment for Men

<p>Drug Facts</p> <p>Active Ingredient Minoxidil 5% w/v (without propellant) Purpose Biotin 3%</p> <p>Use To regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)</p> <p>Warnings For external use only. Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.</p> <p>Do not use if your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical solution is not intended for frontal baldness or receding hairline. you have no family history of hair loss your hair loss is sudden and/or patchy you do not know the reason for your hair loss you are under 18 years of age. Do not use on babies and children. your scalp is red, inflamed, infected, irritated, or painful you use other medicines on the scalp</p> <p>Ask a doctor before use if you have heart disease</p> <p>When using this product do not apply on other parts of the body avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water. some people have experienced changes in hair color and/or texture it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results. the amount of hair regrowth is different for each person. This product will not work for all men and women.</p> <p>Stop use and ask a doctor if chest pain, rapid heartbeat, faintness, or dizziness occurs sudden unexplained weight gain occurs your hands or feet swell scalp irritation or redness occurs unwanted facial hair growth occurs you do not see hair regrowth in 4 months</p> <p>May be harmful if used when pregnant or breast-feeding. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions apply half a capful 2 times a day to the scalp in the hair loss area massage into scalp with fingers, then wash hands well see enclosed booklet for complete directions on how to use using more or more often will not improve results continued use is necessary to increase and keep your hair regrowth; or hair loss will begin again</p> <p>Other information hair growth has been shown in a clinical study of men and women (mostly white) aged 18-48 years who used it for 4 months see hair loss pictures on side of this carton before use, read all information on carton and enclosed leaflet keep the package. It contains important information. store at controlled room temperature 20° to 25° C (68° to 77° F) contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120° F (49° C)</p> <p>Ingredients Aqua, Glycerin Extract, Ginger Extract, Catharus Trindicus L. Extract, Cortex Didymi, Fructus Ligustris Lucidi Extract, Ligustrum Chuanlong Hort Extract, Glycyrrhiza Uralensis Fish Extract, Actium Lappa L., Angelica Sinenis, Cocosum Platylob Orientalis P.E., Polygonum Multiflorum Thunb, Capsaicin, Minoxidil, Vitamin H (Biotin), Caffeine, Cellulose.</p>	<p>THIS PACKAGE CONTAINS</p> <ul style="list-style-type: none"> • 3x60 ml (2.1 fl oz) cans of Remixidil Foam (3 month supply). • Information with complete directions on how to use and obtain best results. <p>USING THE PRODUCT</p> <ul style="list-style-type: none"> • To open container. • The foam may begin to melt right away on contact with your warm skin. If your fingers are warm, rinse them in cold water first. (Be sure to dry them thoroughly before handling the foam). • Press nozzle to dispense the topical foam product onto your fingers. The total amount of foam applied should not exceed half a capful. • Using your fingers, spread the foam over the hair loss area and gently massage into scalp and then wash your hands well. • After each use, close the container to make child resistant by snapping the cap back on to the can. 	<p>Remixidil Foam is for some people who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Remixidil Foam has been shown to regrow hair in some people with the following degrees of thinning hair or hair loss.</p> <p>VERTEX</p> <p>VERTEX</p> <p>VERTEX</p> <p>If you have more hair loss or hair loss in a place different than shown above, Remixidil Foam may not work.</p> <p>FOR BEST RESULTS USE TWICE DAILY APPLY DIRECTLY TO SCALP</p> <p>Made in P.R.C. Distributed by Rida LLC Call us at: +1 (858) 989-4220</p> <p>4 607 086 4 106391</p>
---	---	---

OPEN CONTAINER

PART THE HAIR

PRESS THE CAN

MESSAGE WITH FINGERS

Remixidil™ Topical Treatment

5% MINOXIDIL+3% BIOTIN

HAIR REGROWTH TREATMENT FOR MEN

3 MONTH SUPPLY 3x60 ml (2.1oz) Cans

Hair regrowth treatment for Women

<p>Drug Facts</p> <p>Active Ingredient Minoxidil 5% w/v (without propellant) Purpose Biotin 3%</p> <p>Use To regrow hair on the top of the scalp (vertex only, see pictures on side of this carton)</p> <p>Warnings For external use only. Extremely Flammable: Avoid fire, flame, or smoking during and immediately following application.</p> <p>Do not use if your amount of hair loss is different than that shown on the side of this carton or your hair loss is on the front of the scalp. 5% minoxidil topical solution is not intended for frontal baldness or receding hairline. you have no family history of hair loss your hair loss is sudden and/or patchy you do not know the reason for your hair loss you are under 18 years of age. Do not use on babies and children. your scalp is red, inflamed, infected, irritated, or painful you use other medicines on the scalp</p> <p>Ask a doctor before use if you have heart disease</p> <p>When using this product do not apply on other parts of the body avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water. some people have experienced changes in hair color and/or texture it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some men, you may need to use this product for at least 4 months before you see results. the amount of hair regrowth is different for each person. This product will not work for all men and women.</p> <p>Stop use and ask a doctor if chest pain, rapid heartbeat, faintness, or dizziness occurs sudden unexplained weight gain occurs your hands or feet swell scalp irritation or redness occurs unwanted facial hair growth occurs you do not see hair regrowth in 4 months</p> <p>May be harmful if used when pregnant or breast-feeding. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p> <p>Directions apply half a capful 2 times a day to the scalp in the hair loss area massage into scalp with fingers, then wash hands well see enclosed booklet for complete directions on how to use using more or more often will not improve results continued use is necessary to increase and keep your hair regrowth; or hair loss will begin again</p> <p>Other information hair growth has been shown in a clinical study of men and women (mostly white) aged 18-48 years who used it for 4 months see hair loss pictures on side of this carton before use, read all information on carton and enclosed leaflet keep the package. It contains important information. store at controlled room temperature 20° to 25° C (68° to 77° F) contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120° F (49° C)</p> <p>Ingredients Aqua, Glycerin Extract, Ginger Extract, Catharus Trindicus L. Extract, Cortex Didymi, Fructus Ligustris Lucidi Extract, Ligustrum Chuanlong Hort Extract, Glycyrrhiza Uralensis Fish Extract, Actium Lappa L., Angelica Sinenis, Cocosum Platylob Orientalis P.E., Polygonum Multiflorum Thunb, Capsaicin, Minoxidil, Vitamin H (Biotin), Caffeine, Cellulose.</p>	<p>THIS PACKAGE CONTAINS</p> <ul style="list-style-type: none"> • 3x60 ml (2.1 fl oz) cans of Remixidil Foam (3 month supply). • Information with complete directions on how to use and obtain best results. <p>USING THE PRODUCT</p> <ul style="list-style-type: none"> • To open container. • The foam may begin to melt right away on contact with your warm skin. If your fingers are warm, rinse them in cold water first. (Be sure to dry them thoroughly before handling the foam). • Press nozzle to dispense the topical foam product onto your fingers. The total amount of foam applied should not exceed half a capful. • Using your fingers, spread the foam over the hair loss area and gently massage into scalp and then wash your hands well. • After each use, close the container to make child resistant by snapping the cap back on to the can. 	<p>Remixidil Foam is for some people who have a general thinning of hair on the top of the scalp (vertex only, as shown below). Not intended for frontal baldness or a receding hairline. Remixidil Foam has been shown to regrow hair in some people with the following degrees of thinning hair or hair loss.</p> <p>VERTEX</p> <p>VERTEX</p> <p>VERTEX</p> <p>If you have more hair loss or hair loss in a place different than shown above, Remixidil Foam may not work.</p> <p>FOR BEST RESULTS USE TWICE DAILY APPLY DIRECTLY TO SCALP</p> <p>Made in P.R.C. Distributed by Rida LLC Call us at: +1 (858) 989-4220</p> <p>4 607 086 4 106391</p>
---	---	---

OPEN CONTAINER

PART THE HAIR

PRESS THE CAN

MESSAGE WITH FINGERS

Remixidil™ Topical Treatment

5% MINOXIDIL+3% BIOTIN

HAIR REGROWTH TREATMENT FOR WOMEN

3 MONTH SUPPLY 3x60 ml (2.1oz) Cans

HAIR REGROWTH TREATMENT

minoxidil liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81653-005	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 mL	
Inactive Ingredients				
	Ingredient Name		Strength	
	ALCOHOL (UNII: 3K9958V90M)			
	LIGUSTICUM SINENSE SUBSP. CHUANXIONG ROOT (UNII: RR83T99U97)			
	CAPSAICIN (UNII: S07O44R1ZM)			
	DICTAMNUS DASYCARPUS ROOT (UNII: 6153LEN214)			
	PLATYCLADUS ORIENTALIS WHOLE (UNII: 835370K47L)			
	LIGUSTRUM LUCIDUM FRUIT (UNII: M9G2U96DUT)			
	GLYCYRRHIZA URALENSIS WHOLE (UNII: 8XW1DS8UIR)			
	REYNOUTRIA MULTIFLORA ROOT (UNII: AUZ3VD75MC)			
	ANGELICA SINENSIS WHOLE (UNII: 697D19QDBN)			
	BIOTIN (UNII: 6SO6U10H04)			
	WATER (UNII: 059QF0KO0R)			
	CARTHAMUS TINCTORIUS WHOLE (UNII: 5EMV416J82)			
	ASIAN GINSENG (UNII: CUQ3A77YXI)			
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81653-005-01	3 in 1 BOX	10/25/2022	
1		60 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		
2	NDC:81653-005-02	3 in 1 BOX	10/25/2022	
2		60 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		10/20/2022		

Labeler - Guangzhou Jianyuan Biological Technology.Co.,Ltd (548120189)

Establishment

Name	Address	ID/FEI	Business Operations
Guangzhou Jianyuan Biological Technology.Co.,Ltd		548120189	manufacture(81653-005)

Revised: 1/2025

Guangzhou Jianyuan Biological Technology.Co.,Ltd