

**TARGET CHILDRENS COLD AND COUGH- brompheniramine maleate,  
dextromethorphan hbr, phenylephrine hcl liquid  
TARGET CORPORATION**

-----  
**TARGET Children's Cold & Cough Drug Facts**

***Active ingredients (in each 10 ml)***

Brompheniramine maleate, 2 mg

Dextromethorphan HBr, 10 mg

Phenylephrine HCl, 5 mg

***Purposes***

Antihistamine

Cough suppressant

Nasal decongestant

***Uses***

- temporarily relieves:
- Nasal congestion
  - runny nose
  - cough
  - sneezing
  - itchy, watery eyes due to hay fever
  - itching of the nose or throat
- temporarily restores freer breathing through the nose

***Warnings***

**Do not use**

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem or persistent or chronic cough that lasts such as occurs with smoking, asthma, chronic bronchitis, or emphysema

**Ask a doctor or pharmacist before use if you are**

- taking any other oral nasal decongestant or stimulant
- taking sedatives or tranquilizers

**When using this product**

- **do not use more than directed**
- may cause marked drowsiness
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occurs
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

**Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosage cup provided
- keep dosage cup with product
- ml = milliliter

<b>age</b>	<b>dose</b>
adults and children 12 years and over	20 ml every 4 hours
children 6 to under 12 years	10 ml every 4 hours
children under 6 years	do not use

**Other information**

- **each 10 ml contains:** sodium 6 mg
- store at room temperature.

### **Inactive ingredients**

citric acid, FD&C blue no. 1, FD&C red no. 40, artificial flavor, glycerin, propylene glycol, propyl gallate, purified water, sodium benzoate, sodium citrate, sorbitol solution, sucralose

### **Questions or comments?**

1-866-467-2748

### **PRINCIPAL DISPLAY PANEL**

Compare to the active ingredients in Children's Dimetapp® Cold & Cough\*

### **NDC 82442-645-04**

Children's

### **Cold & Cough**

**Brompheniramine maleate**(Antihistamine)

**Dextromethorphan HBr**(Cough Suppressant)

**Phenylephrine HCl**(Nasal Decongestant)

### **Relieves + comforts**

- **Stuffy, runny nose**
- **Itchy, watery Eyes**
- **Sneezing**
- **Cough**

### **For Ages 6 Years and Over**

No Added Alcohol

### **Grape Flavor**

Naturally and Artificially Flavored

4 FL OZ (118 ml)

Distributed by:

\*This product is not manufactured or distributed by Foundation Consumer Brands, LLC, the distributor of Children's Dimetapp® Cold & Cough\*.



## TARGET CHILDRENS COLD AND COUGH

brompheniramine maleate, dextromethorphan hbr, phenylephrine hcl liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82442-645
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BROMPHENIRAMINE MALEATE</b> (UNII: IXA7C9Z N03) (BROMPHENIRAMINE - UNII:H57G17P2FN)	BROMPHENIRAMINE MALEATE	2 mg in 10 mL
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 10 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 10 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYL GALLATE</b> (UNII: 8D4SNN7V92)	
<b>WATER</b> (UNII: 059QF0K00R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>SORBITOL</b> (UNII: 506T60A25R)	

SUCRALOSE (UNII: 96K6UQ3ZD4)

### Product Characteristics

<b>Color</b>	purple (purple liquid)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	GRAPE (grape flavor and odor)	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82442-645-04	1 in 1 CARTON	06/17/2024	
1		118 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/17/2024	

**Labeler** - TARGET CORPORATION (006961700)

Revised: 11/2025

TARGET CORPORATION