

## **CVS STOMACH RELIEF- bismuth subsalicylate tablet**

### **CVS**

-----

## **CVS Digestive Relief 48 Chewable Tablets Drug Facts**

### ***Drug Facts***

#### **Active ingredient (in each tablet)**

Bismuth subsalicylate 262 mg

#### **Purpose**

Upset stomach reliever and anti-diarrheal

#### **Uses**

relieves

- traveler's diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink including
- heartburn
- indigestion
- nausea
- gas
- belching
- fullness

#### **Warnings**

##### **Reye's syndrome**

Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

##### **Allergy alert:**

##### **Contains salicylate. Do not take if you are**

- allergic to salicylates (including aspirin)
- taking other salicylate products

##### **Do not use if you have**

- bloody or black stool
- an ulcer
- a bleeding problem

**Ask a doctor before use if you have**

- fever
- mucus in the stool

**Ask a doctor before use if you are taking any drug for**

- anticoagulation (thinning of the blood)
- diabetes
- gout
- arthritis

**When using this product**a temporary, but harmless, darkening of the stool and/or tongue may occur.

**Stop use and ask a doctor if**

- symptoms get worse or last more than 2 days
- ringing in the ears occurs or loss of hearing occurs
- diarrhea lasts more than 2 days

**If pregnant or breast feeding**,ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center immediately.1-800-222-1222.

**Directions**

- chew or dissolve tablets in mouth. Do not swallow tablets whole.
- **adults and children 12 years and older:**2 tablets (1 dose) every 1/2 hour or 4 tablets (2 dose) every hour as needed for diarrhea
- 2 tablets (1 dose) every 1/2 hour as needed for overindulgence (upset stomach, heartburn, indigestion, nausea)
- do not exceed 8 doses (16 tablets) in 24 hours
- use until diarrhea stops but not more than 2 days
- **children under 12 years:**ask a doctor
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea

**Other information**

- **each tablets contains:**salicylate 102 mg
- store at room temperature
- avoid excessive heat

**Inactive ingredients**

D&C Red# 27 lake, flavor, magnesium stearate, maltodextrin, microcrystalline cellulose, sorbitol, sucralose.

**Questions or comments?**

**1-866-467-2748**

## **PRINCIPAL DISPLAY PANEL**

NDC 51316-124-48

**Compare to** active ingredient in **Pepto-Bismol® Chewables\***

### **Stomach Relief**

#### **Chewable tablets**

Bismuth subsalicylate, Upset Stomach Reliever / Antidiarrheal

#### **5- symptom digestive relief**

- Upset stomach,
- Nausea,
- Heartburn,
- Indigestion,
- Diarrhea
- Original flavor

#### **48 chewable tablets**

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF STRIP UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING**

#### **Dist.by**

**\*This product is not manufactured or distributed by Procter & Gamble Inc., the distributor of PEPTO-BISMOL® Chewables.**



## CVS STOMACH RELIEF

bismuth subsalicylate tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51316-124
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BISMUTH SUBSALICYLATE</b> (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD1I8YE, SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	262 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>D&amp;C RED NO. 27</b> (UNII: 2LRS185U6K)	

<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

### Product Characteristics

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	16mm
<b>Flavor</b>		<b>Imprint Code</b>	RP124
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51316-124-48	48 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	08/06/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	08/06/2021	

**Labeler** - CVS (062312574)

Revised: 8/2024

CVS