

BACITRACIN ZINC- bacitracin zinc ointment
Blossom Pharmaceuticals

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Bacitracin Zinc Ointment

Active ingredient

Bacitracin Zinc 500 Units

Purpose

Antibiotic

Warnings:

For external use only

Dosage & Administration

clean the affected areas

apply a small amount of product (an amount equal to the surface area of the tip of the finger) on the area

1 to 3 times daily

may be covered with a sterile bandage

Indications & Usage

- if you are allergic to any of the ingredients
- in the eyes
- over large areas of the body
- longer than 1 week unless directed by a doctor

KEEP OUT OF REACH OF CHILDREN

KEEP OUT OF REACH OF CHILDREN

If swallowed, get medical help or contact a Poison Control Center right away

Purpose:

First aid to help prevent infection in:

- Minor cuts
- scrapes
- burns

Ask a doctor before use:

- in case of deep or puncture wounds
- animal bites
- serious burns

Other information

- store at controlled room temperature 15°-30° C (59°-86° F)

Stop Use and ask a doctor if

- the condition persists or gets worse, or if a rash or other allergic reaction develops.

Inactive ingredients

Hard Paraffin, Liquid Paraffin, White Soft Paraffin

Principal Display Panel

Blossom Pharmaceuticals Bacitracin Zinc Ointment:

bacitracin zinc.jpg

Drug Facts Active Ingredient (in each gram): Purpose Bacitracin Zinc 500 iu..... First Aid Antibiotic		Drug Facts (continued) Ask a doctor before use in case of: • Deep puncture wounds • Animal bites • Or serious burns	
Uses • First Aid to help prevent infection in: • Minor cuts • Scrapes • Burns		Stop use and ask a doctor if: • The condition persists or gets worse • A rash or other allergic reaction develops	
Warnings: FOR EXTERNAL USE ONLY.		Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. ▼	
Do not use • In the eyes • If you are allergic to any of the ingredients • Over large areas of the body • Longer than 1 week unless directed by a doctor ►			

Drug Facts (continued) DIRECTIONS • Clean the affected area: • Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily • May be covered with a sterile bandage ►		Drug Facts (continued) OTHER INFORMATION • Store at 15°-30° C (59°-86° F) INACTIVE INGREDIENTS Hard Paraffin, Liquid Paraffin, White Soft Paraffin	
---	--	--	--

NDC# 61767-220-04
DIN # 02374390

Bacitracin Zinc Ointment USP
First Aid Antibiotic

Blossom
PHARMACEUTICALS

Reorder No. 1175

Net Wt. 4 OZ (113g)

AREA FOR LOT AND EXPIRATION

910/L
r0

Manufactured by:
Blossom Pharmaceuticals
Karaswade, Tivim,
Bardez, Tivi
Gao, Goa
India 403526
Made in India

BACITRACIN ZINC

bacitracin zinc ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61767-220
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)		BACITRACIN	500 [USP'U] in 1 g	
Inactive Ingredients				
Ingredient Name		Strength		
PETROLATUM (UNII: 4T6H12BN9U)				
LIGHT MINERAL OIL (UNII: N6K5787QVP)				
MINERAL OIL (UNII: T5L8T28FGP)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61767-220-02	28.35 g in 1 TUBE		
2	NDC:61767-220-03	14.17 g in 1 TUBE		
3	NDC:61767-220-04	113.4 g in 1 TUBE		
4	NDC:61767-220-07	425.3 g in 1 JAR		
5	NDC:61767-220-05	0.5 g in 1 PACKET		
6	NDC:61767-220-01	0.9 g in 1 PACKET		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part333B	05/14/2014		

Labeler - Blossom Pharmaceuticals (677381470)

Establishment

Name	Address	ID/FEI	Business Operations
Blossom Pharmaceuticals		677381470	manufacture(61767-220)

Revised: 5/2014

Blossom Pharmaceuticals