

**MILK OF MAGNESIA ORIGINAL- magnesium hydroxide liquid**  
**STRATEGIC SOURCING SERVICES LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**health mart mom org**

**Active ingredient (in each 15 mL tablespoonful)**

Magnesium hydroxide 1200 mg

**Purpose**

Saline laxative

**Uses**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

**Warnings**

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea, or vomiting
- a sudden change in bowel habits that lasts more than 14 days

**Ask a doctor or pharmacist before use if you are** taking a prescription drug.

This product may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

**Directions**

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- follow each dosage with a full glass (8 oz) of fluid
- use dosage cup provided
- tbs = tablespoon

adults and children 12 years and older	2 to 4 tablespoonfuls (Tbsp)
--	------------------------------

children 6 to 11 years	1 to 2 tablespoonfuls (TBSP)
children under 6 years	ask a doctor

**Other information**

- **each tablespoon contains:** magnesium 500 mg
- store at room temperature and avoid freezing
- close cap tightly after use

**Inactive ingredients**

purified water, sodium hypochlorite

**package Label**

**TAMPER EVIDENT: Do not use if imprinted neckband is missing or broken.**

<b>Drug Facts</b>	<b>Active Ingredient ( In each 15 mL tablespoonful)</b>	<b>Purpose</b>
	Magnesium hydroxide 1200 mg .....	Saline laxative

**Use**

- relieves occasional constipation (irregularity)
- generally produces bowel movement in ½ to 6 hours

**Warnings**

**Ask a doctor before use if you have**

- kidney disease
- a magnesium-restricted diet
- stomach pain, nausea or vomiting
- a sudden change in bowel habits that lasts more than 14 days

**Ask a doctor or pharmacist before use if you are taking a prescription drug.** This product may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- you have rectal bleeding or no bowel movement after using this product. These could be signs of a serious condition.
- you need to use a laxative for more than 1 week

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

**Directions**

- shake well before use
- do not exceed the maximum recommended daily dose in a 24 hour period
- dose may be taken once a day preferably at bedtime, in divided doses, or as directed by a doctor
- use dosage cup provided
- follow each dosage with a full glass (8 oz) of liquid

age	dose
adults and children 12 years and older	2 to 4 tablespoonfuls (TBSP)
children 6 to 11 years	1 to 2 tablespoonfuls (TBSP)
children under 6 years	ask a doctor

**Other Information**

- **each tablespoonful contains:** magnesium 500 mg
- store at room temperature and avoid freezing
- close cap tightly after use

**Inactive Ingredients** purified water, sodium hypochlorite

\*This product is not manufactured or distributed by Bayer Healthcare LLC, the owner of the registered trademark Phillips® Milk of Magnesia.

Distributed by McKesson  
One Post Street  
San Francisco, CA 94104  
Money Back Guarantee  
www.healthmart.com/healthmart brand  
972-19112-2 REV1218

**McKESSON**



**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:620 11-0124
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	1200 mg in 15 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
WATER (UNII: 059QF0K00R)	
SODIUM HYPOCHLORITE (UNII: DY38VHM5OD)	

**Packaging**

#	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:620 11-0124-1	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/01/2018	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC monograph not final	part334	04/01/2012	

**Labeler** - STRATEGIC SOURCING SERVICES LLC (116956644)**Registrant** - GCP Laboratories (965480861)**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
GCP Laboratories		965480861	manufacture(620 11-0124)

Revised: 12/2019

STRATEGIC SOURCING SERVICES LLC