# **MENTHOL COUGH DROPS-** menthol pastille Target Corporation Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

## **Menthol Cough Drops**

Active ingredient 5.8 mg
Cough Suppressant
Oral anesthetic



### Uses temporarily relieves:

- cough as may occur with a cold
- ocassional minor irritation and sore throat

Uses temporarily relieves:

cough as may occur with a cold ocassional minor irritation and sore throat

#### Warnings

Sore throat warning: severe or persistence sore throat accompanied by high fever, headache, nausea and vomiting may be serious. Consult a doctor promptly. Do not use more than 2 days or administer to children under 12 years of age.

Ask a doctor before use if you have

- a severe throat accompanied by difficulty in breathing or that last more than 2 days
- a sore throat accompanied by fever, headache, rash, swelling, nausea or vomiting

Stop use and consult a doctor if

• sore mouth symptons do not improve in 7 days or if irritation, pains or redness persists or worsens.

If pregnant or breast-feeding, ask a health professional before use.

Keep this and all drugs out of the reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center right away.

#### Directions

- Adults and children 12 years and over: dissolve 1 drop slowly in mouth. Repeated every 2 hours as needed or as directed by a doctor.
- Children under 12 years and under do not use
- Store in a cool and dry place

blackcurrant and black carrot extract (coloring), citric acid, flavors, glucose syrup, sucrose





Questions? Or to report and adverse event call extract (coloring), citric acid, flavors, glucose syrup, sucrose Inactive ingredients Blackcurrant and blackcarrot Other information ■ 10 calories per drop. ■ Store in a cool and dry place. ■ Children under 12 years: | do not use. directed by a doctor. 2 hours as needed or as the mouth. Repeat every years and over: dissolve 1 drop slowly in St nenblida and children 12 Directions overdose, get medical help or contact a Poison Control Center right амау. before use. Keep out of the reach of children. In case of If pregnant or breast-feeding, ask a health professional irritation, pain, or redness persists or worsens. Stop and consult a doctor if

■ sore mouth symptoms do not improve in Λ days, or if irritation pair or undersone do not exceed recommended dosage. When using this product swelling, nausea or vomiting. Ask a doctor before use if you have

■ a severe throat accompanied by difficulty in breathing or
that leats more than 2 days.

■ a sore throat accompanied by fever, headache, rash,
swelling, nauses or vomiting. than 2 days or administer to children under 12 years of age. accompanied by high fever, headache, nausea, and vomiting may be serious. Consult doctor promptly. Do not use more Sore throat warning: Severe or persistent sore throat Warnings occasional minor irritation and sore throat. cough as may occur with a cold. USes temporarily relieves: Active ingredient (in each drop) Menthol 5.8 mg .......pm 8.7 lontneM cough suppressant, oral anesthetic Purposes Drug Facts



distributed by Mondelëz Global LLC, owner of the registered trademark Halls<sup>©</sup> \*This product is not manufactured or

M ad e in Spain TM & ©2023 Target Brands, In c. Distributed by Target Corporation Minneapolis, MM 55403



100% satisfaction guaranteed or your money back.



no artilicial preservatives colors from natural sources no artificial flavors

oral anesthetic condy suppressant menthol cough drops

Resealable Bag

◆ Tear here



Tear here 🕨





094 03 0585 R00

Questions? Or to report and adverse event call 1-800-910-6874.

extract (coloring), citric acid, flavors, glucose syrup, sucrose Inactive ingredients Blackcurrant and blackcarrot

Other information ■ 10 calories per drop.

Store in a cool and dry place.

■ Children under 12 years: | do not use. directed by a doctor.

the mouth. Repeat every 2 hours as needed or as years and over: dissolve 1 drop slowly in St nenblida and children 12

Directions

overdose, get medical help or contact a Poison Control Center right away. before use. Keep out of the reach of children. In case of If pregnant or breast-feeding, ask a health professional

irritation, pain, or redness persists or worsens. Stop and consult a doctor if

acre mouth symptoms do not improve in 7 days, or if irritation pain or redness persists or worsens.

 do not exceed recommended dosage. When using this product

swelling, nausea or vomiting.

Ask a doctor before use if you have

a severe throat accompanied by difficulty in breathing or
that lasts more than S days.

a sore throat accompanied by fever, headache, rash,
awelling, nausea or vomiting.

than 2 days or administer to children under 12 years of age. accompanied by high fever, headache, nausea, and vomiting may be serious. Consult doctor promptly. Do not use more Sore throat warning: Severe or persistent sore throat

Warnings

occasional minor irritation and sore throat. USes temporarily relieves:

Active ingredient (in each drop) Menthol 5.8 mg .......pm 8.7 lontneM cough suppressant, oral anesthetic Purposes

Drug Facts

distributed by Mondelëz Global LLC, owner of the registered trademark Halls<sup>®</sup> \*This product is not manufactured or

M ad e in Spain TM & ©2023 Target Brands, In c. Distributed by Target Corporation Minneapolis, MM 55403



100% satisfaction guaranteed or your money back.



no artilicial preservatives colors from natural sources no attiicial flavors

oral anesthetic condy suppressant menthol cough drops

Resealable Bag

▼ Tear here



Tear here 🏲

**MENTHOL COUGH DROPS** 

menthol pastille

# Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:82442-001 Route of Administration ORAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	5.8 mg

Inactive Ingredients		
Ingredient Name	Strength	
EUCALYPTOL (UNII: RV6J6604TK)		
BLACK CURRANT (UNII: 9755T40D11)		
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)		
BLACK CARROT (UNII: 27793ZFD2L)		
CHERRY (UNII: BUC5I9595W)		
SUCROSE (UNII: C151H8M554)		
CORN SYRUP (UNII: 9G5L16BK6N)		

Product Characteristics			
Color	red	Score	score with uneven pieces
Shape	OVAL	Size	25mm
Flavor	CHERRY	Imprint Code	None
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
<b>1</b> NDC:82442-001-	80 in 1 BAG; Type 0: Not a Combination Product	10/24/2022	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	10/18/2022	

# **Labeler -** Target Corporation Inc. (006961700)

# Registrant - Boston Nutraceutical Science SL (466061824)

Establishment			
Name	Address	ID/FEI	Business Operations

Boston Nutraceutical Production	468121064	manufacture(82442-001) , label(82442-001) , pack(82442-001)
JL		001)

Revised: 10/2022 Target Corporation Inc.