

**NUVICARE LONG-ACTING COUGH RELIEF- dextromethorphan
hydrobromide capsule, liquid filled
NUVICARE LLC**

Nuicare Long-Acting Cough Relief

Active ingredient (in each liquid-filled capsule)

Dextromethorphan HBr, USP 15 mg

Purpose

Cough suppressant

Use

temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- a cough that occurs with too much phlegm (mucus)
- a cough that lasts or is chronic as occurs with smoking, asthma, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 8 capsules in any 24-hour period

- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	take 2 capsules every 6 to 8 hours, as needed
children under 12 years	do not use

Other Informations

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)
- protect from light

Inactive Ingredients

Polyethylene glycol 400, propylene glycol, pvp k30, propyl gallate, purified water, gelatin, glycerin, sorbitol sorbitan solution, FD& C Blue no. 1, FD &C Red no 40, propylene glycol, shellac resins, sodium lauryl sulphate, isopropyl alcohol, titanium dioxide, tween 80

QUESTIONS OR COMMENTS?

Call 1 (718) 337-8733 or visit: support@nuvicare.com

nuvi+care
cough suppressant

LONG-ACTING Cough Relief
Dextromethorphan HBr 15mg
each liquid-filled capsule

✓ Relieves Cough
✓ Non-Narcotic
✓ Age 12 +

60 capsules

8 HOURS

not actual size

Compare to **Robitussin[®] Long-Acting CoughGels** active ingredients

NDC: 84324-037-01

NON-DROWSY*

TAMPER EVIDENT Do not use if safety seal under cap is broken or missing.


Drug Facts

Active ingredient (in each liquid-filled capsule) **Purpose**
Dextromethorphan HBr, USP 15 mg. Cough suppressant

Use temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold.

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if

Distributed by: NuviCare LLC, Brooklyn, NY 11211, U.S.A.
www.nuviCare.com
L171-00



Lot No.
Exp. Dt.

Drug Facts (cont.)
your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- a cough that occurs with too much phlegm (mucus)
- a cough that lasts or is chronic as occurs with smoking, asthma, or emphysema

Stop use and ask a doctor if cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 8 capsules in any 24-hour period
- this adult product is not intended for use in children under 12 years of age

age	dose
adults and children 12 years and over	take 2 capsules every 6 to 8 hours, as needed
children under 12 years	do not use

Other information

- store at 20°-25°C (68°-77°F)
- avoid excessive heat above 40°C (104°F)
- protect from light

Inactive ingredients
Polyethylene glycol 400, propylene glycol, pvp k30, propyl glycolate, purified water, gelatin, glycerin, sorbitol sorbitan solution, FD & C Blue no 1, FD & C Red no 40, propylene glycol stearic resins, sodium lauryl sulphate, isopropyl alcohol, titanium dioxide, tween 80

Questions or comments?
Call 1 (718) 337-5733 or email: support@nuviCare.com

† This product is not manufactured or distributed by Reckitt Benckiser's, owner of the registered trademark Robitussin[®] Long-Acting Cough Gels.

NUVICARE LONG-ACTING COUGH RELIEF

dextromethorphan hydrobromide capsule, liquid filled

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84324-037
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	15 mg
Inactive Ingredients			
Ingredient Name			Strength
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDWL1A)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			

POVIDONE K30 (UNII: U725QWY32X)	
PROPYL GALLATE (UNII: 8D45NN7V92)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
SHELLAC (UNII: 46N107B71O)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

Product Characteristics

Color	red	Score	no score
Shape	OVAL	Size	21mm
Flavor		Imprint Code	T
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84324-037-01	60 in 1 BOTTLE; Type 0: Not a Combination Product	03/24/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/24/2026	

Labeler - NUVICARE LLC (119257565)

Revised: 3/2026

NUVICARE LLC