

**MY MEDIC SPF 30 REEF FRIENDLY SUNSCREEN- homosalate, titanium dioxide, ethylhexyl salicylate, phenylbenzimidazole sulfonic acid cream  
Sled Distribution, LLC**

-----  
**81417-009 MY MEDIC SUNSCREEN SPF30**

***Active ingredient***

Homosalate 14%

Titanium Dioxide 10%

Ethylhexyl Salicylate 4.5%

Phenylbenzimidazole Sulfonic Acid 1.5%

***Purpose***

Sunscreen

***Uses***

Helps prevent sunburn.

If used as directed with other sunburn protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

***Warnings***

- **For external use only**
- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes.

Rinse with water to remove.

- **Stop use and ask a doctor** if rash occurs
- **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- Apply to skin liberally, avoiding the eye area.
- Wait at least 30 mins before sun exposure, or as directed by a physician.
- Re-apply after 80 minutes of swimming and/or sweating.
- Re-apply immediately after towel drying and at least every 3 hours.

## Inactive ingredients

Aluminum Hydroxide, Bisabolol, Butyloctyl Salicylate, Caprylhydroxamic Acid, Dimethicone, Glycerin, Glyceryl Caprylate, Glyceryl Stearate, Isohexadecane, Peg-100 Stearate, Polyacrylate Crosspolymer-6, Polyhydroxystearic Acid, Potassium Cetyl Phosphate, Propylene Glycol, Stearic Acid, Triethanolamine, VP Eicosene Copolymer, Water, Xanthan Gum, 1,2 Hexanediol

**MY MEDIC™**

TEAR HERE

**SPF 30 REEF FRIENDLY SUNSCREEN**

SPF 30 Sunscreen that is water and sweat resistant

**Topical**

PERFECT FOR

REEF FRIENDLY

SWIMMING

RECREATION

3.5 g (.125 fl oz)

EXPERIENCE ELEVATED FIRST AID

MFG: 20221126    Designed with Salt Lake City    SCAN ME FOR MORE KNOWLEDGE, SKILLS, AND REFILLS

EXP: 20251125    www.mymedic.com

MADE IN CHINA  
DISTRIBUTED BY: SLED DISTRIBUTION LLC DBA MYMEDIC  
120 North Redwood Rd, Ste. A, North Salt Lake, UT 84054

**Drug Facts**

Active ingredient	Purpose
Homosalate 14%	Sunscreen
Titanium Dioxide 10%	
Ethylhexyl Salicylate 4.5%	
Phenylbenzimidazole Sulfonic Acid 1.5%	

**Uses** Helps prevent sunburn.  
If used as directed with other sunburn protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

**Warnings** For external use only.  
Do not use on damaged or broken skin.  
When using this product Keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
Apply to skin liberally, avoiding the eye area.  
■ Wait at least 30 mins before sun exposure, or as directed by a physician.  
■ Re-apply after 80 minutes of swimming and/or sweating.  
■ Re-apply immediately after towel drying and at least every 3 hours.

**Other information** Protect the product in this container from excessive heat and direct sunlight.

**Inactive ingredients**  
Aluminum Hydroxide, Bisabolol, Butyloctyl Salicylate, Caprylhydroxamic Acid, Dimethicone, Glycerin, Glyceryl Caprylate, Glyceryl Stearate, Isohexadecane, Peg-100 Stearate, Polyacrylate Crosspolymer-6, Polyhydroxystearic Acid, Potassium Cetyl Phosphate, Propylene Glycol, Stearic Acid, Triethanolamine, VP/Eicosene Copolymer, Water, Xanthan Gum, 1,2-Hexanediol

## MY MEDIC SPF 30 REEF FRIENDLY SUNSCREEN

homosalate, titanium dioxide, ethylhexyl salicylate, phenylbenzimidazole sulfonic acid cream

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:81417-009
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ENSULIZOLE</b> (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)	ENSULIZOLE	1.5 g in 100 g
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 g
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	14 g in 100 g
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	10 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
<b>GLYCERYL CAPRYLATE</b> (UNII: TM2TZD4G4A)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>LEVOMENOL</b> (UNII: 24WE03BX2T)	
<b>POTASSIUM CETYL PHOSPHATE</b> (UNII: 03KCY6P7UT)	
<b>CAPRYLHYDROXAMIC ACID</b> (UNII: UPY805K99W)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>AMMONIUM ACRYLOYLDIMETHYLAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S)</b> (UNII: Q7UI015FF9)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>POLYHYDROXYSTEARIC ACID STEARATE</b> (UNII: 8KQ7I65XZE)	
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>VINYLPYRROLIDONE/EICOSENE COPOLYMER</b> (UNII: 035MV9S1C3)	
<b>TROLAMINE</b> (UNII: 9O3K93S3TK)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81417-009-01	3.5 g in 1 POUCH; Type 0: Not a Combination Product	10/31/2022	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/31/2022	

---

**Labeler** - Sled Distribution, LLC (079772888)

Revised: 1/2024

Sled Distribution, LLC