

# **AZELASTINE HYDROCHLORIDE- azelastine hydrochloride spray, metered Walgreens**

-----  
**Drug Facts**

## **Active ingredient (in each spray)**

Azelastine hydrochloride 205.5 mcg (equivalent to 187.6 mcg azelastine)

## **Purpose**

Antihistamine

## **Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- nasal congestion
- sneezing
- runny nose
- itchy nose

## **Warnings**

Only for use in the nose. Do not spray in eyes or mouth.

## **Do not use**

if you have ever had an allergic reaction to this product or any of its ingredients

## **Ask a doctor before use if you**

- have had recent nose ulcers or nose surgery
- have had nose injury that has not healed

## **When using this product**

- drowsiness may occur
  - avoid alcoholic drinks
  - alcohol, sedatives, and tranquilizers may increase drowsiness
  - be careful when driving a motor vehicle or operating machinery
- you may get a bitter taste in your mouth. To help avoid this, tilt your head downward while spraying.
- nasal discomfort or sneezing may occur right after use
- do not share this bottle with anyone else as this may spread germs

## **Stop use and ask a doctor if**

- an allergic reaction, such as a skin rash, to this product occurs
- you have severe or frequent nosebleeds

**if pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- Read the User Guide for how to:
  - prime the bottle before first use
  - use the spray
  - prime bottle again if not used for 3 or more days
  - clean the spray nozzle if it gets clogged

---

adults and children 12 years and older	This product may be used either once or twice a day: <ul style="list-style-type: none"><li>• <u>once daily</u>: use 2 sprays in each nostril; <b>OR</b></li><li>• <u>twice daily</u>: use 1 or 2 sprays in each nostril every 12 hours</li><li>• <b>do not use more than 4 sprays</b> in each nostril in a 24 hour period</li></ul>
children 6 years to 11 years	<ul style="list-style-type: none"><li>• an adult should supervise use</li><li>• 1 spray in each nostril every 12 hours</li><li>• <b>do not use more than 2 sprays</b> in each nostril in a 24 hour period</li></ul>
children under 6 years	do not use

---

**Other information**

- store between 20°C to 25°C (68°F to 77°F). Protect from freezing.
- keep this carton and the enclosed User Guide for important information
- do not use if sealed package is torn or opened

**Inactive ingredients**

benzalkonium chloride, edetate disodium dihydrate, hypromellose, purified water, sodium citrate (dihydrate), sorbitol, sucralose

**Questions or comments?**

call **1-877-753-3935** Monday-Friday 9AM-5PM EST

**Principal Display Panel - Bottle**

## Principal Display Panel - Carton

## Principal Display Panel - Bottle only



## WALGREENS Allergy Nasal Spray

## Principal Display Panel

Compare to the active ingredient in Astepro® Allergy Spray††

24 HOUR RELIEF

Allergy Nasal Spray

AZELASTINE HYDROCHLORIDE 205.5 mcg per spray/

ANTIHISTAMINE

24 Hour

- Up to 24-hour relief of nasal congestion, runny nose, sneezing & itchy nose
- Steroid free
- Alcohol free
- Fragrance free

METERED SPRAYED

FL OZ (mL)

††This product is not manufactured or distributed by Cooper Consumer Health SAS, owner of the registered trademark Astepro®

DISTRIBUTED BY: **WALGREENS CO.**

**DEERFIELD, IL 60015**

## Package label

**Drug Facts**

**Active ingredient (in each spray)**  
Azelastine hydrochloride 205.5 mcg  
(equivalent to 167.6 mcg azelastine)

**Purpose**  
Antihistamine

**Uses**  
temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
 nasal congestion    sneezing    runny nose    itchy nose

**Warnings**  
Only for use in the nose. Do not spray in eyes or mouth.  
**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor before use** if you  
 have had recent nose ulcers or nose surgery  
 have had a nose injury that has not healed

**When using this product**  
 drowsiness may occur  
 avoid alcoholic drinks  
 alcohol, sedatives, and tranquilizers may increase drowsiness  
 be careful when driving a motor vehicle or operating machinery  
 you may get a bitter taste in your mouth. To help avoid this, tilt your head downward while spraying.  
 nasal discomfort or sneezing may occur right after use  
 do not share this bottle with anyone else as this may spread germs

**Step use and ask a doctor if**  
 an allergic reaction, such as a skin rash, to this product occurs  
 you have severe or frequent nosebleeds

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**  
 Read the User Guide for how to:  
 prime the bottle before first use    use the spray  
 prime bottle again if not used for 3 or more days  
 clean the spray nozzle if it gets clogged

INDOOR & OUTDOOR ALLERGY RELIEF NDC 0363-0653-05

**Drug Facts (continued)**

adults and children 12 years and older  
 This product may be used either once or twice a day.  
 once daily: use 2 sprays in each nostril;  
**OR**  
 twice daily: use 1 or 2 sprays in each nostril every 12 hours  
 do not use more than 4 sprays in each nostril in a 24 hour period

children 6 years to 11 years  
 an adult should supervise use  
 1 spray in each nostril every 12 hours  
 do not use more than 2 sprays in each nostril in a 24 hour period

children under 6 years  
 do not use

**Other information**  
 store between 20°C to 25°C (68°F to 77°F). Protect from freezing.  
 keep this carton and the enclosed User Guide for important information  
 do not use if sealed package is torn or opened

**Inactive ingredients**  
 benzalkonium chloride, edetate disodium dihydrate, hypromellose, purified water, sodium citrate (dihydrate), sorbitol, sucralose

**Questions or comments?**  
 Call 1-877-753-3838  
 Monday-Friday 9AM-5PM CST

**TWIN PACK**

**FULL PRESCRIPTION STRENGTH**

**Walgreens**

Compare to the active ingredient in Astepro® Allergy Spray<sup>†</sup>

**24 HOUR RELIEF** **NEW**

## Allergy Nasal Spray

AZELASTINE HYDROCHLORIDE 205.5 mcg per spray / ANTIHISTAMINE

**24 Hour**

- Up to 24-hour relief of nasal congestion, runny nose, sneezing & itchy nose
- Steroid free
- Alcohol free
- Fragrance free

**2** BOTTLES   **2x120** METERED SPRAYS

0.78 FL OZ (23 mL) EACH  
TOTAL - 1.56 FL OZ (46 mL)

ACTUAL SIZE

480610

W90RG1024-F

DISTRIBUTED BY: WALGREEN CO.  
DEERFIELD, IL 60015

**100% SATISFACTION GUARANTEED**  
walgreens.com

©2025 Walgreen Co. PRODUCT OF JAPAN

ITEM 782337 W00000-0000-0

3 11917 08026 0

PAPER BOX  
Recycle Here

PLASTIC BOTTLE  
Recycle Here

\*Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.  
<sup>†</sup>This product is not manufactured or distributed by Cooper Consumer Health SAS, owner of the registered trademark Astepro®.

## WALGREENS Allergy Nasal Spray

### AZELASTINE HYDROCHLORIDE

azelastine hydrochloride spray, metered

#### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-0653
<b>Route of Administration</b>	NASAL		

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>AZELASTINE HYDROCHLORIDE</b> (UNII: 0L591QR10I) (Azelastine - UNII:ZQI909440X)	AZ ELASTINE HYDROCHLORIDE	205.5 ug

#### Inactive Ingredients

Ingredient Name	Strength
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>WATER</b> (UNII: 059QF0KO0R)	

**SORBITOL** (UNII: 506T60A25R)

**SUCRALOSE** (UNII: 96K6UQ3ZD4)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-0653-03	1 in 1 CARTON	07/01/2025	
1	NDC:0363-0653-01	60 in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		
2	NDC:0363-0653-04	1 in 1 CARTON	07/01/2025	
2	NDC:0363-0653-02	120 in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		
3	NDC:0363-0653-02	120 in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)	07/01/2025	
4	NDC:0363-0653-05	2 in 1 CARTON	07/01/2025	
4		120 in 1 BOTTLE, SPRAY; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA216421	07/01/2025	

**Labeler** - Walgreens (008965063)

Revised: 12/2025

Walgreens