

UDDERCARE BARRIER PART B- sodium chlorite solution

Aspen Veterinary Resources

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

**FOR INDUSTRIAL USE ONLY
KEEP OUT OF REACH OF CHILDREN
NOT FOR HUMAN USE**

DANGER

Causes serious eye damage. Wear eye protection/face protection.

DIRECTIONS:

IMPORTANT: Do not mix Uddercare Barrier Part B with water, or any other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Uddercare Barrier Part B.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

Mix Directions: Measure equal volumes of Uddercare Barrier Part A and Uddercare Barrier Part B into clean containers. Mix until uniform in color. Mix only the quantity needed for one milking shift and discard the remainder.

Pre-Milking/Prepping: Using proper cleaning procedures, wash teats with appropriate udder wash solution or pre-dip/spray each teat prior to milking. Teats should then be dried with single-service towels.

Post-Milk Dipping: Immediately after each milking, use mixed Uddercare Barrier Part A and Uddercare Barrier Part B at full strength. Dip each teat full-length into the teat dip cup containing mixed product. Allow to air dry. Do not wipe. Always use fresh full strength, mixed product. Do not turn cows out in freezing weather until product is completely dry.

PRECAUTION: Uddercare Barrier Part B is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

FIRST AID

IN CASE OF EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

IN CASE OF SKIN CONTACT: Rinse with water.

IF SWALLOWED: Rinse mouth. Get medical attention if symptoms occur.

IF INHALED: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

DO NOT STORE IN DIRECT SUNLIGHT

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: Contact local poison control.

aspen DAIRY SOLUTIONS

UDDERCARE BARRIER PART B

ACTIVE INGREDIENT:

Sodium chlorite.....0.36%

INERT INGREDIENTS:..... 99.64%

TOTAL:.....100.0%

Germicidal Barrier Teat Dip

Uddercare Barrier Part B is formulated to be used as a companion product for Uddercare Barrier Part A.

An aid in reducing the spread of organisms which may cause mastitis

**NET CONTENTS: 208 L (55 US GAL)
6301567**

Manufactured for:

Aspen Veterinary Resources®, Ltd. 3155 Heartland Drive, Liberty, MO 64068

1-800-203-5620

761367/5300/0515



UDDERCARE™ BARRIER PART B



ACTIVE INGREDIENT:	
Sodium chlorite.....	0.36%
INERT INGREDIENTS:	99.64%
TOTAL:	100.0%

Germicidal Barrier Teat Dip

Uddercare Barrier Part B is formulated to be used as a companion product for Uddercare Barrier Part A. An aid in reducing the spread of organisms which may cause mastitis

FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

NOT FOR HUMAN USE

DIRECTIONS:

IMPORTANT: Do not mix Uddercare Barrier Part B with water, or any other products unless specified in the product use instructions. If transferred from this container to any other, make sure that the other container is thoroughly pre-cleaned and bears the proper container labeling for Uddercare Barrier Part B.

If product in dip cup becomes visibly dirty, discard contents and replenish with undiluted product. Do not reuse or return any unused product to the original container.

Mix Directions: Measure equal volumes of Uddercare Barrier Part A and Uddercare Barrier Part B into clean containers. Mix until uniform in color. Mix only the quantity needed for one milking shift and discard the remainder.

Pre-Milking/Prepping: Using proper cleaning procedures, wash teats with appropriate udder wash solution or pre-dip/spray each teat prior to milking. Teats should then be dried with single-service towels.

Post-Milk Dipping: Immediately after each milking, use mixed Uddercare Barrier Part A and Uddercare Barrier Part B at full strength. Dip each teat full-length into the teat dip containing mixed product. Allow to air dry. Do not wipe.

Always use fresh full strength, mixed product. Do not turn cows out in freezing weather until product is completely dry.

PRECAUTION: Uddercare Barrier Part B is not intended to cure or help the healing of chapped or irritated teats. As with any germicide, irritation or sensitization may occur in sensitive animals. In case of teat irritation or chapping, have the condition examined and, if necessary, treated by a veterinarian.

DANGER

Causes serious eye damage. Wear eye protection/face protection.

FIRST AID

IN CASE OF EYE CONTACT: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention immediately.

IN CASE OF SKIN CONTACT: Rinse with water.

IF SWALLOWED: Rinse mouth. Get medical attention if symptoms occur.

IF INHALED: Remove to fresh air. Treat symptomatically. Get medical attention if symptoms occur.

DO NOT STORE IN DIRECT SUNLIGHT

READ SAFETY DATA SHEET (SDS) BEFORE USING THIS PRODUCT

EMERGENCY HEALTH INFORMATION: Contact local poison control.

Germicida de barrera sellador de pezones

Uddercare Barrier Part B está formulado para su uso como producto complementario de Uddercare Barrier Part A. Ayuda a evitar la proliferación de organismos que pueden causar mastitis

PARA USO INDUSTRIAL SOLAMENTE

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS

NO ES PARA USO HUMANO

INSTRUCCIONES:

IMPORTANTE: No mezcle Uddercare Barrier Part B con agua ni con otros productos, a menos que se especifique en las instrucciones de uso. En caso de trasvase desde este recipiente a cualquier otro, este último debe limpiarse previamente a fondo y tener la correspondiente etiqueta de Uddercare Barrier Part B.

Si el producto en el aplicador presenta una suciedad notable, deseche el contenido y vuelva a llenarlo con producto sin diluir. No reutilice el producto ni vuelva a colocar en el recipiente original el producto que quede sin usar.

Instrucciones de mezclado: Mida volúmenes iguales de Uddercare Barrier Part A y Uddercare Barrier Part B en recipientes limpios. Mezcle hasta obtener un color uniforme. Mezcle sólo la cantidad necesaria para un turno de ordeño y deseche el resto.

Pre-ordeño/Preparación: Utilizar procedimientos adecuados para la limpieza, enjuagar cada ubre con la solución de limpieza adecuada o usar una solución en espray o de inmersión, antes de empezar el ordeño. Los pezones deben luego secarse utilizando toallas de uso único.

Sellado posterior al ordeño: Inmediatamente después de cada ordeño, utilice una mezcla sin diluir de Uddercare Barrier Part A y Uddercare Barrier Part B. Sumerja cada pezón por completo en el aplicador con producto mezclado. Deje secar al aire.

No limpie. Siempre utilice una nueva mezcla de producto sin diluir. No coloque las vacas en lugares con temperaturas bajo cero hasta que el producto esté completamente seco.

PRECAUCIÓN: Uddercare Barrier Part B no tiene por objeto curar ni ayudar a eliminar el agrietamiento y la irritación de los pezones. Al igual que con cualquier bactericida, puede producirse irritación o sensibilización en animales sensibles. En caso de irritación o agrietamiento de los pezones, consulte con un veterinario para su examen y, de ser necesario, su tratamiento.

PELIGRO

Provoca lesiones oculares graves. Usar equipo de protección para los ojos/la cara.

PRIMEROS AUXILIOS

CONTACTO CON LOS OJOS: Enjuague inmediatamente con abundante agua, también debajo de los párpados, por lo menos durante 15 minutos. Quitar las lentes de contacto, cuando estén presentes y pueda hacerse con facilidad. Proseguir con el lavado. Consultar inmediatamente un médico.

CONTACTO CON LA PIEL: Enjuague con agua.

INGESTIÓN: Enjuague la boca. Consultar un médico si los síntomas aparecen.

INHALACIÓN: Desplazar al aire libre. Trate sintómicamente. Consultar un médico si los síntomas aparecen.

NO ALMACENE BAJO LA LUZ SOLAR DIRECTA

LEA LA FICHA DE DATOS DE SEGURIDAD ANTES DE USAR EL PRODUCTO

INFORMACIÓN DE EMERGENCIA SOBRE SALUD: Contacto local de veneno.

**NET CONTENTS: 208 L (55 US GAL)
6301567**



Manufactured for:

Aspen Veterinary Resources®, Ltd.
3155 Heartland Drive, Liberty, MO 64068
1-800-203-5620
761367/5300/0515

UDDERCARE BARRIER PART B

sodium chlorite solution

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:46066-416
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM CHLORITE (UNII: G538EBV4VF) (CHLORITE ION - UNII:Z63H374SB6)	SODIUM CHLORITE	3.6 in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46066-416-17	56800 mL in 1 PAIL		
2	NDC:46066-416-21	208000 mL in 1 DRUM		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/12/2015	

Labeler - Aspen Veterinary Resources (627265361)

Revised: 2/2020

Aspen Veterinary Resources