#### RAPID RELIEF PLANTAR FASCIITIS PAIN RELIEF PATCH- lidocaine menthol patch RAPID AID VIET NAM CO., LTD

\_\_\_\_\_

### Active Ingredient(s)

Lidocaine 4% Menthol 1%

#### Purpose

Topical anesthetic

Topical analgesic

#### Use

For temporary relief of pain.

#### Warnings

For external use only.

#### Do not use

More than 1 patch at a time . On wounds or damaged skin . With a heating pad such as electric heating pad, as thismay result in excessive skin irritation or skin burn  $\cdot$  lfyou are allergic to anyingredients of this product . In largequantities, particularly over raw surfaces or blistered areas . More than one week without consulting a doctor.

#### When using this product:

Use only as directed . Do not apply to wounds or damaged, broken, or irritated skin  $\cdot$  Avoid contact with eyesmucous membranes or rashes. If contact occurs, rinse thoroughly  $\cdot$  Do not bandage tightly. Do not use at thesame time as other topical analgesics.

#### Stop use and ask a doctor if:

. Localized skin reactions occur, such as rash, itching, redness, irritation, pain and blistering as rare butserious burns can occur. Condition worsens  $\cdot$  Symptoms persist for more than 7 days  $\cdot$  Symptoms clear upand occur again within a few days.

If pregnant or breast feeding, ask a physician before use.

## **KEEP OUT OF REACH OF CHILDREN**

If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

Adults and children 12 years of age and older:Clean and dry affected area  $\cdot$  Remove flm from patch and apply sticky side to desired area  $\cdot$  Apply patch toaffected area not more than 3 times daily. Do not leave on skin for more than a total of8 hours per day. Canbe cut for custom sizing of pain area . Children under 12 years of age: Consult a doctor . Supervise childrenwhen they use this product.

## **STORAGE AND HANDLING**

Store between 15-30°C(59-86°F)

### Inactive ingredients

Acrylamide/Sodium acryloyldimethyltaurate copolymer, Dihydroxyaluminum aminoacetate, DMDMhydantoin, Edetic acid, Glycerin, Laurocapram, Polyacrylic acid, Propylene glycol, Sodium polyacrylateTartaric acid,Titanium dioxide. Water.

## Package Label - Principal Display Panel



# RAPID RELIEF PLANTAR FASCIITIS PAIN RELIEF PATCH

lidocaine menthol patch

TOPICAL TOPICAL TOPICAL TOPICAL TOPICAL TOPICAL TOPICAL	Basis of Streng Menthol LIDOCAINE	-			
Ingredient Name enthol (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) DOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	Menthol	-			
enthol (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A) DOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	Menthol	-			
DOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)					
	LIDOCAINE	1 g in 100 g			
		4 g in 100 g			
active Ingredients					
Ingredient Name		Strengt			
LYACRYLIC ACID (300000 MW) (UNII: A8371R0U5J)					
POLYACRYLIC ACID (800000 MW) (UNII: D0I6NSZ87U)					
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)					
YCERIN (UNII: PDC6A3C0OX)					
ATER (UNII: 059QF0KO0R)					
IDM HYDANTOIN (UNII: BYR0546TOW)					
ETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM) DIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)					
4963KLHS) RTARIC ACID (UNII: W4888I119H) FANIUM DIOXIDE (UNII: 15FIX9V2JP)					
UROCAPRAM (UNII: 1F3X9DRV9X)					
OPYLENE GLYCOL (UNII: 6DC9Q167V3)					
Item Code Package Description	Marketing Start Date	Marketing End Date			
NDC:83569-007- 01 1 in 1 BOX 07	7/10/2025				
6 in 1 POUCH					
5 g in 1 PATCH; Type 0: Not a Combination Product					
arketing Information					

Labeler - RAPID AID VIET NAM CO., LTD (673067008)

Establishment				
Name	Address	ID/FEI	<b>Business Operations</b>	
RAPID AID VIET NAM CO., LTD		673067008	manufacture(83569-007)	

Revised: 7/2025

RAPID AID VIET NAM CO., LTD