A HEALTH ITCH RELIEF GEL- itch relief gel gel Bionpharma, Inc.

A+ Health Itch Relief Gel

Do not use more often than directed.

Adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily.

Children under 2 years of age: ask a doctor.

For external use only.

Camphor, Citric Acid, Diazolidnyl Urea, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Propylene Glycol, Propylparaben, SD Alcohol 38-B, Sodium Citrate, Purified Water.

Temporarily relieves pain due to: Minor burns, insect bites, sunburn, minor skin irritation, minor cuts, scrapes, rashes due to poison ivy, poison oak and poison sumac.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

External Analgesic

Diphenhydramine HCl 2%

Old Labels

compare to the active ingredient in Benadryl® Gel

Q+health™

extra strength

itch relief gel

diphenhydramine HCl 2% topical analgesic

relieves itching & pain associated with insect bites & rashes due to poison ivy, oak & sumac

4 fl oz (118mL)

DO NOT USE IF FOIL SEAL UNDER CAP IS BROKEN OR MISSING



Drug Facts

Active ingredient

Purpose

Diphenhydramine HCI 2%......External analgesic

Uses Temporarily relieves pain due to: ■ minor burns ■ insect bites sunburn minor skin irritation minor cuts scrapes rashes due to poison ivy, poison oak & poison sumac

Warnings

OPEN TO READ COMPLETE PRODUCT INFORMATION

OPEN

For external use only,

Do not use on large areas of the body with any other product containing diphenhydramine, even one taken by mouth

Ask a doctor before use ■ on chicken pox ■ measles

When using this product avoid contact with eyes

Stop use and ask a doctor if ■ condition gets worse ■ symptoms last for more than 7 days symptoms clear up and occur again in a few days Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ do not use more often than directed ■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily children under 2 years of age: ask a doctor.

Inactive ingredients Camphor, Citric Acid, Diazolidinyl Urea, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Propylene Glycol, Propylparaben, SD Alcohol 38-B, Sodium Citrate, Purified Water.

Questions & comments? call toll free 1-888-235-2466 (Mon - Fri 9AM - 5PM EST)

DISTRIBUTED BY: Bionpharma Inc., Princeton, NJ 08540 L0000589 R03/22 *This product is not manufactured or distributed by Johnson & Johnson Consumer Products Company, owner of the registered trademark Benadryl®.

compare to the active ingredient in Benadryl® Gel



extra strength

itch relief gel

diphenhydramine HCl 2% topical analgesic

cooling relief for insect bites & poison ivy/oak/sumac rashes

4 fl oz (118mL)

DO NOT USE IF FOIL SEAL UNDER CAP IS



OPEN TO READ COMPLETE PRODUCT INFORMATION OPEN

Drug Facts

Active ingredient

Purpose

Diphenhydramine HCI 2%.....External analgesic

Uses Temporarily relieves pain due to: ■ minor burns ■ insect bites ■ sunburn ■ minor skin irritation ■ minor cuts ■ scrapes ■ rashes due to poison ivy, poison oak & poison sumac

Warnings

For external use only.

Do not use ■ on large areas of the body ■ with any other product containing diphenhydramine, even one taken by mouth

Ask a doctor before use ■ on chicken pox ■ measles

When using this product ■ avoid contact with eyes

Stop use and ask a doctor if ■ condition gets worse ■ symptoms last for more than 7 days ■ symptoms clear up and occur again in a few days. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ do not use more often than directed ■ adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily **= children under 2 years of age**: ask a doctor.

Inactive ingredients Camphor, Citric Acid, Diazolidinyl Urea, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Propylene Glycol, Propylparaben, SD Alcohol 38-B, Sodium Citrate, Purified Water.

Questions & comments? call toll free 1-888-235-2466 (Mon - Fri 9AM - 5PM EST)

DISTRIBUTED BY: Bionpharma Inc., Princeton, NJ 08540 L0000766 R0624 †This product is not manufactured or distributed by the owner of the registered trademark Benadryl®.



cooling itch relief for insect bites & poison ivy/oak/ sumac rashes



4 fl oz (118mL)

DO NOT USE IF FOIL SEAL UNDER GAP IS BROKEN OR MISSING

Drug Facts Active ingredient Diphenhydramine HCI 2%. Purpose .External analgesic Uses Temporarily relieves pain due to: ■ minor burns ■ insect bites
■ sunburn ■ minor skin imitation ■ minor cuts ■ scrapes ■ rashes
due to poison hy, poison oak & poison surnac Warnings For external use only. De not use so only.

De not use so on large areas of the body so with any other product containing dichenhydramine, even one taken by mouth

Ask a doctor before use so on chicken pox so meastes

When using this product so evold contact with eyes Stop use and ask a doctor if condition gets worse symptoms last for more than 7 days symptoms clear up and occur spain in a lew days. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions - do not use more often than directed - adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily ■ children under 2 years of age: ask a doctor. Inactive Ingredients Camphor, Cliric Acid, Diazolidinyl Urea, Glycerin, Hydroxypropyl Methylcellulose, Methylparaben, Propylene Glycol, Propylparaben, SD Alcohol 38-B, Sodium Citrale, Purified Water.

Questions & comments? call toll free 1-888-235-2466 (Mon - Fri SAM - 5PM EST)

DISTRIBUTED BY: Bionpharma Inc., Princeton, NJ 08540 1,0000940 R0125 This product is not manufactured or distributed by the owner of the registered trademark Benadry A



A HEALTH ITCH RELIEF GEL

itch relief gel gel

P		
UKOA	IIICT I	Information
PIOC		iiii oi iiiai koii

Route of Administration

Product Type HUMAN OTC DRUG **Item Code (Source)**

NDC:69452-376

Active Ingredient/Active Moiety

Ingredient Name

TOPICAL

Basis of Strength

Strength

DIPHENHYDRAMINE HYDROCHLORIDE	(UNII: TC2D6JAD40)
-------------------------------	--------------------

(DIPHENHYDRAMINE - UNII:8GTS82S83M)

DIPHENHYDRAMINE HYDROCHLORIDE 2 mg in 100 mL

Inactive Ingredients

inactive ingredients	
Ingredient Name	Strength
METHYLPARABEN (UNII: A218C7H19T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALCOHOL (UNII: 3K9958V90M)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:69452- 376-55	118 mL in 1 CONTAINER; Type 0: Not a Combination Product	11/08/2022	

Marketing Information

. iar keting information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	11/08/2022	

Labeler - Bionpharma, Inc. (079637826)

Registrant - Pharma Nobis, LLC (118564114)

Establishment

25td billiont			
Name	Address	ID/FEI	Business Operations
Pharma Nobis, LLC		118564114	manufacture(69452-376), label(69452-376), pack(69452-376), analysis(69452-376)

Revised: 12/2025 Bionpharma, Inc.