## SOFTDYNE .505- teat dip liquid Tetradyne LLC

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

-----

#### SOFTDYNE .505

#### **USE DIRECTIONS:**

#### Use at full strength, do not dilute

Recommended for both pre and post dipping applications. Dip entire teat in **SOFTDYNE** .505 Allow to air dry. If solution in cup becomes visibly dirty or cloudy, then replenish with **SOFTDYNE** .505 at full strength. Do not return unused product to original container.

PROTECT FROM FREEZING
IF FROZEN: SHAKE VIGOROUSLY
AFTER THAWING

**WARNING: CONTAINS IODINE** 

Avoid contamination of food. Avoid contact with eyes. Not for internal use. Not for human use.

KEEP OUT OF REACH OF CHILDREN!
OBSERVE LABEL DIRECTIONS

#### FIRST AID:

**INTERNAL:** If swallowed, do not induce vomiting. Drink large quantities of water. See physician immediately.

**EYES:** Flush eyes with clear water for 15 minutes. If irritated, obtain medical guidance.

GET MEDICAL ATTENTION IMMEDIATELY.

**SOFTDYNE .502** 

## SANITIZING IODINE TEAT DIP FORMULATED WITH EMOLLIENTS TO ENHANCE SKIN CONDITIONING

This product, when properly used, is effective as an aid in reducing the spread of organisms which may cause mastitis.

Active Ingredient	0.50% Available lodine
	(Provides 5,000 ppm titratable iodine)
pH	Minimum 4.0
Emollients	5%
Lot#:	<u> </u>
Exp. Date:	
Net Contents:	

#### **Manufactured For:**

Tetradyne LLC PO Box 17003 Reno, NV 89511

# SOFTDYNE.505

**USE DIRECTIONS:** Use at full strength, do not dilute.

Recommended for both pre and post dipping applications. Dip entire teat in SOFT-DYNE .505 Allow to air dry. If solution in cup becomes visibly dirty or cloudy, then replenish with SOFTDYNE .505 at full strength. Do not return unused product to original container.

PROTECT FROM FREEZING IF FROZEN: SHAKE VIGOROUSLY AFTER THAWING

#### SANITIZING IODINE TEAT DIP **FORMULATED WITH EMOLLIENTS TO ENHANCE SKIN CONDITIONING**

This product, when properly used, is effective as an aid in reducing the spread of organisms which may cause mastitis.

Active Ingredient . . . . 0.50% Available Iodine

pH	(Provides 5,000 ppm titratable iodine) Minimum 4.0 5%
Lot #:	
Exp. Date:	
Not Contents	





WARNING: CONTAINS IODINE.

Avoid contamination of food. Avoid contact with eyes. Not for internal use. Not for human use.

KEEP OUT OF REACH OF CHILDREN!

#### FIRST AID:

INTERNAL: If swallowed, do not induce vomiting. Drink large quantities of water. See physician immediately.

EYES: Flush eyes with clear water for 15 minutes. If irritated, obtain medical guidance.

GET MEDICAL ATTENTION IMMEDIATELY.

Manufactured For: Tetradyne LLC PO Box 17003 Reno, NV 89511

#### SOFTDYNE .505

teat dip liquid

#### **Product Information**

Product Type OTC ANIMAL DRUG Item Code (Source) NDC:66399-705

**Route of Administration** TOPICAL

#### Active Ingredient/Active Moiety

J J		
Ingredient Name	Basis of Strength	Strength
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	5.13 g in 1 L

#### **Packaging**

Markating Start Markating End

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66399-705- 01	3.78 L in 1 JUG		
2	NDC:66399-705- 02	18.9 L in 1 PAIL		
3	NDC:66399-705- 03	56.7 L in 1 DRUM		
4	NDC:66399-705- 04	113.4 L in 1 DRUM		
5	NDC:66399-705- 05	207.9 L in 1 DRUM		
6	NDC:66399-705- 06	945 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		
7	NDC:66399-705- 07	1039.5 L in 1 CONTAINER, FLEXIBLE INTERMEDIATE BULK		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
unapproved drug other		05/10/2003			

### Labeler - Tetradyne LLC (130969293)

Revised: 2/2014 Tetradyne LLC