

ARTHRITIS- aconitum napellus, apis mellifica, arnica montana, berberis vulgaris, bryonia (alba), calcarea fluorica, cartilago suis, cimicifuga racemosa, colchicum autumnale, dulcamara, hypericum perforatum, mercurius corrosivus, rhododendron chrysanthemum, rhus tox, solidago virgaurea, thuja occidentalis spray
Liddell Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Drug Facts:

ACTIVE INGREDIENTS:

Aconitum napellus 200C, Apis mellifica 200C, Arnica montana 3X, Berberis vulgaris 30C, Bryonia (Alba) 200C, Calcarea fluorica 12X, Cartilago suis 8X, Cimicifuga racemosa 6X, Colchicum autumnale 200C, Dulcamara 200C, Hypericum perforatum 200C, Mercurius corrosivus 200C, Rhododendron chrysanthum 3X, Rhus tox 200C, Solidago virgaurea 30C, Thuja occidentalis 200C.

USES:

May temporarily relieve mild painful symptoms associated with arthritis:

stiff joints, hands and wrists

inflammation

swollen, tender joints**

**These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

WARNINGS:

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Stop use and ask a doctor if symptoms persist, worsen or if new symptoms occur.

Keep out of reach of children. In case of overdose, get medical help or call a Poison Control Center right away.

If pregnant or breast feeding, ask a doctor before using product.

Do not use if **TAMPER EVIDENT** seal around neck of bottle is missing or broken.

Store at room temperature.

KEEP OUT OF REACH OF CHILDREN:

Keep out of reach of children. In case of overdose, get medical help or call a Poison Control Center right away.

DIRECTIONS:

Adults and children over 12: Spray twice under the tongue three times per day. For severe symptoms, dosage may be taken up to six times the first day. Continue dosage for seven days after symptoms have subsided.

Children 12 and under: Consult a doctor prior to use.

USES:

May temporarily relieve mild painful symptoms associated with arthritis:

stiff joints, hands and wrists

inflammation

swollen, tender joints**

**These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

INACTIVE INGREDIENTS:

Organic alcohol 20% v/v, Purified water

QUESTIONS:

DIST. BY

LIDDELL LABORATORIES, INC.

201 APPLE BLVD.

WOODBINE, IA 51579

WWW.LIDDELL.NET

1-800-460-7733

PACKAGE LABEL DISPLAY:

ORAL SPRAYS

LIDDELL

LABORATORIES

EST. 1994

02 Ar
Arthritis

May relieve painful arthritic symptoms: stiff, swollen and tender joints + inflammation.

HOMEOPATHIC
DOCTOR FORMULATED

Readily absorbed. Safe.

No known side effects. Easy to use

1.0 FL OZ (30 ml)

INDICATIONS May temporarily relieve mild painful arthritic symptoms: stiff, swollen and tender joints and inflammation. **

DIRECTIONS Adults & children over 12: Spray twice under the tongue three times per day. For severe symptoms, dosage may be taken up to six times the first day. Continue dosage for seven days after symptoms have subsided. Children 12 and under: Consult a doctor prior to use.

WARNINGS See box. Do not use if TAMPER EVIDENT seal around neck of bottle is missing or broken.

ORAL SPRAYS
LIDDELL[®]
 ~ LABORATORIES ~

EST. 1994

02

Ar[™]
 Arthritis

HOMEOPATHIC

1.0 FL OZ. (30 ml) 20% organic alcohol

ACTIVE INGREDIENTS Aconitum nap 200C, Apis mel 200C, Arnica 3X, Berber vulg 30C, Bryonia 200C, Calc fluor 12X, Cartilago suis 8X, Cimicifuga 6X, Colchicum 200C, Dulcamara 200C, Hypericum 200C, Merc corros 200C, Rhododendron 3X, Rhus tox 200C, Solidago 30C, Thuja occ 200C. **INACTIVE INGREDIENTS** Organic alcohol 20% v/v, Purified water.

**These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

DIST. BY LIDDELL LABORATORIES INC.
 WOODBINE, IA 51579
 WWW.LIDDELL.NET 1-800-460-7733

LOT: XXXXXX EXP: MM/YY

Drug Facts
 (continued)

Other information
 Store at room temperature.

Inactive ingredients
 Organic alcohol 20% v/v, Purified water.

Questions or comments?
 1-800-460-7733
 www.liddell.net

ESTABLISHED 1994
LIDDELL[®]
 ~ LABORATORIES ~

Do not use if **TAMPER EVIDENT** seal around neck of bottle is missing or broken.

Ar[™]
 Arthritis

Liddell's Arthritis is formulated to enhance everyday activity and may temporarily alleviate the uncomfortable symptoms of arthritis. It works at a deeper level, helping to prevent further pain and discomfort.

ORAL SPRAYS
LIDDELL[®]
 ~ LABORATORIES ~

EST. 1994

02

Ar[™]
 Arthritis

HOMEOPATHIC

DOCTOR FORMULATED
 Readily absorbed. Safe.
 No known side effects. Easy to use.

1.0 FL OZ. (30 ml) 20% organic alcohol

May relieve painful arthritic symptoms: stiff, swollen and tender joints + inflammation.

SPRAY YOUR WAY TO HEALTH[®]

Oral sprays, a Liddell[®] innovation, are the modern and better way to deliver medication. Here's why:

- FAST ABSORPTION
- EASY TO SWALLOW
- ACCURATE-DOSE SPRAY PUMP
- CONVENIENT
- NO KNOWN NEGATIVE SIDE EFFECTS
- NO KNOWN CONTRAINDICATIONS
- NO KNOWN DRUG INTERACTIONS

Money Back Guarantee
 No questions asked!
 For details, visit:
 www.liddell.net

**These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

DIST. BY
 LIDDELL LABORATORIES INC.
 201 APPLE BLVD.
 WOODBINE, IA 51579
 WWW.LIDDELL.NET
 1-800-460-7733

MADE IN THE USA

3 63113 11396 9

Drug Facts

Active ingredients	Purposes
Aconitum nap 200C, Apis mel 200C, Arnica 3X, Berber vulg 30C, Bryonia 200C, Calc fluor 12X, Cartilago suis 8X, Cimicifuga 6X, Colchicum 200C, Dulcamara 200C, Hypericum 200C, Merc corros 200C, Rhododendron 3X, Rhus tox 200C, Solidago 30C, Thuja occ 200C.	(Relief for arthritis symptoms**)

Uses May temporarily relieve mild painful symptoms associated with arthritis:

- stiff joints, hands and wrists
- inflammation
- swollen, tender joints**

Warnings
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Stop use and ask a doctor if symptoms persist, worsen or if new symptoms occur.

Keep out of reach of children. In case of overdose, get medical help or call a Poison Control Center right away.

If pregnant or breast feeding, ask a doctor before using product.

Directions

Adults and children over 12	Spray twice under the tongue three times per day. For severe symptoms, dosage may be taken up to six times the first day. Continue dosage for seven days after symptoms have subsided.
Children 12 and under	Consult a doctor prior to use.

➔

ARTHRITIS

aconitum napellus, apis mellifica, arnica montana, berberis vulgaris, bryonia (alba), calcarea fluorica, cartilago suis, cimicifuga racemosa, colchicum autumnale, dulcamara, hypericum perforatum, mercurius corrosivus, rhododendron chrysanthemum, rhus tox, solidago virgaurea, thuja occidentalis spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50845-0208
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACONITUM NAPELLUS (UNII: U0NQ8555JD) (ACONITUM NAPELLUS - UNII:U0NQ8555JD)	ACONITUM NAPELLUS	200 [hp_C] in 1 mL
APIS MELLIFERA (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	200 [hp_C] in 1 mL
ARNICA MONTANA (UNII: O80TY208ZW) (ARNICA MONTANA - UNII:O80TY208ZW)	ARNICA MONTANA	3 [hp_X] in 1 mL
BERBERIS VULGARIS ROOT BARK (UNII: 1TH8Q20J0U) (BERBERIS VULGARIS ROOT BARK - UNII:1TH8Q20J0U)	BERBERIS VULGARIS ROOT BARK	30 [hp_C] in 1 mL
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	200 [hp_C] in 1 mL
CALCIUM FLUORIDE (UNII: O3B55K4YKI) (FLUORIDE ION - UNII:Q80VPU408O)	CALCIUM FLUORIDE	12 [hp_X] in 1 mL
SUS SCROFA CARTILAGE (UNII: 73ECW5WG2F) (SUS SCROFA CARTILAGE - UNII:73ECW5WG2F)	SUS SCROFA CARTILAGE	8 [hp_X] in 1 mL
BLACK COHOSH (UNII: K73E24S6X9) (BLACK COHOSH - UNII:K73E24S6X9)	BLACK COHOSH	6 [hp_X] in 1 mL
COLCHICUM AUTUMNALE BULB (UNII: 993QHL78E6) (COLCHICUM AUTUMNALE BULB - UNII:993QHL78E6)	COLCHICUM AUTUMNALE BULB	200 [hp_C] in 1 mL
SOLANUM DULCAMARA TOP (UNII: KPS1B1162N) (SOLANUM DULCAMARA TOP - UNII:KPS1B1162N)	SOLANUM DULCAMARA TOP	200 [hp_C] in 1 mL
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	200 [hp_C] in 1 mL
MERCURIC CHLORIDE (UNII: 53GH7MZT1R) (MERCURIC CATION - UNII:ED30FJ8Y42)	MERCURIC CHLORIDE	200 [hp_C] in 1 mL
RHODODENDRON AUREUM LEAF (UNII: IV92NQJ73U) (RHODODENDRON AUREUM LEAF - UNII:IV92NQJ73U)	RHODODENDRON AUREUM LEAF	3 [hp_X] in 1 mL
TOXICODENDRON PUBESCENS LEAF (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	200 [hp_C] in 1 mL
SOLIDAGO VIRGAUREA FLOWERING TOP (UNII: 5405K23S50) (SOLIDAGO VIRGAUREA FLOWERING TOP - UNII:5405K23S50)	SOLIDAGO VIRGAUREA FLOWERING TOP	30 [hp_C] in 1 mL
THUJA OCCIDENTALIS LEAFY TWIG (UNII: 1NT28V9397) (THUJA OCCIDENTALIS LEAFY TWIG - UNII:1NT28V9397)	THUJA OCCIDENTALIS LEAFY TWIG	200 [hp_C] in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50845-0208-2	1 in 1 CARTON	04/26/2017	
1	NDC:50845-0208-1	30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/27/2014	

Labeler - Liddell Laboratories, Inc. (832264241)

Registrant - Apotheca Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(50845-0208) , api manufacture(50845-0208) , label(50845-0208) , pack(50845-0208)

Revised: 10/2017

Liddell Laboratories, Inc.