

HAMPTON SUN SPF 30 SILK BODY- avobenzene, humosalate, octisalate, octocrylene oil
S&C Hampton Sun LLC

Hampton Sun SPF 30 SILK BODY OIL (IS0004-HS)

Active ingredient

Avobenzene 3.0%

Homosalate 15%

Octisalate 5%

Octocrylene 10%

Sunscreen

Uses

Uses ■ helps prevent sunburn

Directions apply liberally to cool, dry skin
15 minutes before sun exposure • reapply:
• after 80 minutes of swimming or sweating
• immediately after towel drying • at least every 2
hours • Sun Protection Measures. Spending time
in the sun increases your risk of skin cancer and
early skin aging. To decrease this risk, regularly
use a sunscreen with a broad spectrum SPF of 15
or higher and other sun protection measures
including: • limit time in the sun, especially from
10 a.m. - 2. p.m. • wear a long-sleeve shirts,
pants, hats, and sunglasses. • children under 6
months: Ask a doctor.

■ do not spray
directly into face. Spray on hands then apply to face ■ use in
well-ventilated area.
Hold container 6-8 inches from the skin to apply

Warnings

For external use only.

Flammable: Do not use while smoking or near heat or flame.

Do not use on damaged or broken skin.

When using this product ■ keep out of eyes. Rinse eyes with water
to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Inactive Ingredients

Alcohol
 Aloe Barbadensis Leaf Extract
 Acrylates/Octylacrylamide Copolymer
 Butyloctyl Salicylate
 Caprylic/Capric Triglyceride
 Diethylhexyl Syringyldenemalonate
 Glycerin
 Mineral Oil
 Tocopheryl Acetate

HAMPTON SUN
 SPF 30
 SILK BODY OIL
 BROAD SPECTRUM
 + HYALURONIC ACID
 MATTE FINISH DRY OIL
 HUILE SOLAIRE CORPS
 4.0 FL OZ / 118.29 ML

VITAMIN E • ALCOHOL FREE • PARABEN FREE • OXYBENZONE FREE

Drug Facts / Informations Produit	
Active ingredients / Composants Actifs	Function / Fonction
Homosalate - 15%, Octocrylene - 10%, Octisalate - 5%, Avobenzone - 3%	Sunscreen / Écran Solaire
Uses: Helps prevent sunburn	
Warnings: For external use only. Do not use on damaged or broken skin • When using this product • Keep out of eyes. Rinse with water to remove • Stop use and ask doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.	
Directions: Spray liberally and spread evenly by hand 15 minutes before sun exposure • reapply: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours • hold container 4 to 6 inches from the skin to apply • do not spray directly into face. Spray on hands then apply to face • do not apply in windy conditions • use in a well-ventilated area • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early aging. To decrease the risk, regularly use a sunscreen with a Broad Spectrum value of 15 or higher and other protection measures including: • limit time in the sun, especially from 10am-2pm • wear long-sleeve shirts, pants, hats and sunglasses • children under 6 months: Ask a doctor.	
Other Information: Protect this product from excessive heat and direct sun • May stain fabrics	
Utilisation: Prévention des coups de soleil	
Avertissements: Usage externe uniquement. • Ne pas utiliser sur une peau abîmée ou écorchée. • Éviter le contact avec les yeux. En cas de contact, rincer abondamment à l'eau. • En cas de rougeurs, cesser l'utilisation du produit et demander conseil à un médecin • Tenir hors de portée des enfants. En cas d'ingestion, consulter immédiatement un médecin ou contacter le centre Anti-Poison le plus proche.	
Conseils d'utilisation: Vaporiser généreusement, puis appliquer uniformément à la main 15 minutes avant l'exposition au soleil. • Renouveler l'application: • après 80 minutes de baignade ou de transpiration abondante, • tout de suite après le séchage à l'aide d'une serviette, • au moins toutes les 2 heures. • Pulvériser en tenant le flacon à 10-15 cm de la peau. • Ne pas vaporiser directement sur le visage: vaporiser dans les mains, puis appliquer sur le visage. Ne pas appliquer en cas de vent. • Utiliser dans un endroit bien aéré. • Mesures de protection contre le soleil. Une exposition prolongée au soleil augmente le risque de vieillissement prématuré et de cancer de la peau. Pour réduire le risque, utiliser régulièrement une protection solaire avec un FPS supérieur ou égal à 15 et à large spectre associé à d'autres moyens de protection: Limiter l'exposition au soleil, surtout entre 10 h et 14h. • Porter des vêtements longs, un chapeau ou une casquette et des lunettes de soleil • Enfants de moins de 6 mois: demander conseil à un médecin.	
Autres informations: Ne pas exposer ce produit à une chaleur excessive ni à la lumière du soleil • Peut laisser des traces sur les vêtements.	
Inactive Ingredients: Bisabolol, Caprylic/Capric Triglyceride, Cyclopentasiloxane, Ethylhexyl Palmitate, Fragrance, Hyaluronic Acid, Phenyl Trimethicone, Polyester-8, Solvent Yellow 29, Tocopheryl Acetate, VP/Hexadecene Copolymer	
Composants Inactifs: Bisabolol, Caprylic/Capric Triglyceride, Cyclopentasiloxane, Ethylhexyl Palmitate, Fragrance, Hyaluronic Acid, Phenyl Trimethicone, Polyester-8, Solvent Yellow 29, Tocopheryl Acetate, VP/Hexadecene Copolymer	
Questions or Comments? info@hamptonsun.com	

Made in the USA of global materials
 Distributed by: S&G Hampton Sun, LLC, Southampton, NY 11968 RP.
 MSL, BL9 5NB, UK • RP: MSL, Suite 5385
 27 Upper Pembroke St., Dublin, IE. www.hamptonsun.com



HAMPTON SUN SPF 30 SILK BODY

avobenzone, humosalate, octisalate, octocrylene oil

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87170-022
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	15 g in 100 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ALOE (UNII: V5VD430YW9)	
ACRYLATES/OCTYLACRYLAMIDE COPOLYMER (40000 MW) (UNII: 7LL6SY9YFV)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
GLYCERIN (UNII: PDC6A3C0OX)	
MINERAL OIL (UNII: T5L8T28FGP)	
.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87170-022-05	142 g in 1 CAN; Type 0: Not a Combination Product	06/25/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/25/2022	

Labeler - S&C Hampton Sun LLC (031880374)

Registrant - Inspec Solutions (081030372)

Establishment

Name	Address	ID/FEI	Business Operations
Inspec Solutions		081030372	manufacture(87170-022)