

# **AFASSCO TRIPLE ANTIBIOTIC- bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment**

**Afassco Inc.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Afassco Triple Antibiotic Ointment**

## **Drug Facts**

### **Active Ingredient** (in each gram)

Bacitracin Zinc            400 units  
Neomycin Sulfate        (3.5mg Neomycin)  
Polymyxin B Sulfate    5000 units

### **Purpose**

First Aid Antibiotics

**Uses** first aid to help prevent infection in minor cuts, scrapes, and burns.

### **Warnings**

#### **For external use only**

**Do not use** ■ internally ■ in eyes ■ over large areas of the body or on puncture wounds, animal bites or serious burns ■ for more than 1 week unless directed by a doctor ■ if you are allergic to any of the ingredients

#### **Stop use and ask a doctor if**

■ a rash or allergic reaction develops ■ condition worsens or persists

#### **Keep out of reach of children**

If ingested, contact a Poison

Control Center right away.

**Directions** ■ clean affected area ■ apply a small amount 1 to 3 times daily ■ may cover with a sterile bandage

**Inactive Ingredients**

Petrolatum, Mineral Oil, Purified Water

**Principal Display Panel**

**Afasco** ®

**The First Choice  
in First Aid**

**MAXIMUM STRENGTH TRIPLE**

**ANTIBIOTIC OINTMENT**

**UNIT DOSE - ANTI-INFECTION TRIPLE ACTION: BACITRACIN ZINC, NEOMYCIN & POLYMYXIN B.**

**USE ON CUTS WHEN INFECTION IS EVIDENT.**

**No. 331                    6 ct.**

**MAXIMUM STRENGTH TRIPLE**

**ANTIBIOTIC OINTMENT**

**6 ct.**

**MAXIMUM STRENGTH TRIPLE**

**ANTIBIOTIC OINTMENT**

**6 ct.**

**MAXIMUM STRENGTH ANTIBIOTIC OINTMENT**

(Bacitracin Zinc-Neomycin-Polymyxin B) First aid antibiotic plus topical pain reliever.

**NET WT. 1 gm** Each gram contains 400 units of Bacitracin Zinc, Neomycin Sulfate equivalent to 3.5 mg of Neomycin base, 5000 units of Polymyxin B Sulfate

in a white petroleum base.

**INDICATIONS:** First aid to help prevent infection and for the temporary relief of pain or discomfort in minor cuts, scrapes and burns.

**DIRECTIONS:** Clean the affected area. Apply a small amount of this product (an amount equal to the tip of a finger) on the area 1 to 3

daily. May be covered with sterile bandage. Children under 2 years of age consult a physician.

LOT NO. & EXP DATE: Unit dose FOR EXTERNAL USE ONLY. NOT FOR OPHTHALMIC USE. Store at controlled room temperature 15-30 C (59-86 F).

**WARNINGS: For external use only.**

**DO NOT USE:** Internally, in the eyes, over large areas of the body or puncture wounds, animal bites or serious burns, for more than a week

**unless directed by a doctor or if you are allergic to any of the ingredients.**

**ANTI-INFECCION CON TRIPLE ACCION UNA / AYUDA EN CURRAR LAS HERIDAS**

Solo para el uso topico, para ayudar en la prevencion de infecciones en las cortaduras menores, quemaduras y abrasiones.

**INDICACIONES PARA EL USO:** Apliquese a la area afectada 2 a 5 veces diariamente. No use en los ojos.

**Afassco!** <sup>®</sup> **ANSI Z308.1** Manufactured for Afassco, Inc., Minden, NV 89423


**6 ct,**

**MAXIMUM STRENGTH TRIPLE**

**ANTIBIOTIC OINTMENT**

6 70254 20331 3

↓ **Principal Display 6 ct. Package** ↓



↓ **25 ct. Package** ↓



↓ Unit Dose Package ↓

**Afassco** | <sup>®</sup>

*The First Choice in First Aid*

**Triple Antibiotic Ointment**

Manufactured for

**Afassco**

Minden, NV 89423

1 gm (1/32 oz)

Made in China

**Afassco**  
The First Choice in First Aid®

**Triple Antibiotic Ointment**

Manufactured for  
**Afassco**  
Minden, NV 89423  
**1gm (1/32 oz)**

**Drug Facts**

Active Ingredient (in each gram)	Purpose
Bacitracin Zinc 400 units	First Aid Antibiotics
Neomycin Sulfate (3.5mg Neomycin)	
Polymyxin B Sulfate 5000 units	

**Uses** first aid to help prevent infection in minor cuts, scrapes, and burns

**Warnings**  
For external use only ▶

**Drug Facts (continued)**

**Do not use** ■ internally ■ in eyes ■ over large areas of the body or on puncture wounds, animal bites or serious burns ■ for more than 1 week unless directed by a doctor ■ if you are allergic to any of the ingredients

**Stop use and ask a doctor if** ■ a rash or allergic reaction develops ■ condition worsens or persists

**Keep out of reach of children**  
If ingested, contact a Poison Control Center right away.

**Directions** ■ clean affected area ■ apply a small amount 1 to 3 times daily ■ may cover with a sterile bandage

**Inactive Ingredients**  
Petrolatum, Mineral Oil, Purified Water

Made in China

**Triple Antibiotic Ointment by Afassco**

res

**AFASSCO TRIPLE ANTIBIOTIC**

bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51532-4605
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Base of

Ingredient Name	Basis of Strength	Strength
<b>BACITRACIN ZINC</b> (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 [iU] in 1 g
<b>NEOMYCIN SULFATE</b> (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN	3.5 mg in 1 g
<b>POLYMYXIN B SULFATE</b> (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ.07J96K)	POLYMYXIN B	5000 [iU] in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>MINERAL OIL</b> (UNII: T5L8T28FGP)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51532-4605-1	6 in 1 BOX	12/07/2018	
1		1 g in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:51532-4605-2	25 in 1 BOX	12/07/2018	
2		1 g in 1 POUCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	12/07/2018	

**Labeler** - Afassco Inc. (609982723)

**Registrant** - Afassco Inc. (956159800)

Revised: 1/2023

Afassco Inc.